Cucumber Report

Start : Feb 11, 5:36:11.749 PM	End : Feb 11, 5:36:15.232 PM	Duration : 3.483 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 16

#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of Fixed Asset	1	0	1	0	3.483 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Fixed Asset	Create the asset limit	17	0	1	16	3.477 s

(F)- Check the Functionality of Fixed Asset

FAILED	DURATION - 3.483 s	Scenarios		Steps	
		Total - 1		Total - 17	
/ 5:36:11.749 PM // 5:36:15.232 PM /		Pass - 0	1	Pass - 0	17
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 16	

(S)- Create the asset limit

FAILED	DURATION - 3.477 s		Steps	
/ 5:36:11.755 PM // 5:36:15.232 PM /			Total - 17	
Check the Functionality of Fixed Asset			Pass - 0	17
			Fail - 1	
@KUBS_FAT_UAT_002_001 @multiauth			Skip - 16	

#	Step / Hook Details	Status	Duration
1	Given Navigate to kubs URL and user should login as a maker	FAILED	0.033 s

	com.google.gson.JsonSyntaxException: com.google.gson.stream.MalformedJsonException: Expected name at line 7 column 2 path $[0].null
	    at com.google.gson.Gson.fromJson(Gson.java:947)
	    at com.google.gson.Gson.fromJson(Gson.java:870)
	    at dataProvider.JsonConfig.getFixedAssetList(JsonConfig.java:140)
	    at dataProvider.JsonConfig.<init>(JsonConfig.java:84)
	    at stepdefinitions.FixedAsset.<init>(FixedAsset.java:32)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)
	    at org.picocontainer.injectors.ConstructorInjector$1.run(ConstructorInjector.java:342)
	    at org.picocontainer.injectors.AbstractInjector$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)
	    at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)
	    at org.picocontainer.injectors.AbstractInjectionFactory$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)
	    at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)
	    at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		

#	Step / Hook Details	Status	Duration
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)		
	at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		

#	Step / Hook Details	Status	Duration
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	Caused by: com.google.gson.stream.MalformedJsonException: Expected name at line 7 column 2 path $[0].null		
	at com.google.gson.stream.JsonReader.syntaxError(JsonReader.java:1562)		
	at com.google.gson.stream.JsonReader.doPeek(JsonReader.java:504)		
	at com.google.gson.stream.JsonReader.hasNext(JsonReader.java:413)		
	at com.google.gson.internal.bind.ReflectiveTypeAdapterFactory$Adapter.read(ReflectiveTypeAdapterFactory.java:216)		
	at com.google.gson.internal.bind.TypeAdapterRuntimeTypeWrapper.read(TypeAdapterRuntimeTypeWrapper.java:41)		
	at com.google.gson.internal.bind.ArrayTypeAdapter.read(ArrayTypeAdapter.java:72)		
	at com.google.gson.Gson.fromJson(Gson.java:932)		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
	screenshot		
	+		
2	Then Click on the Finance	SKIPPED	0.001 s
3	Then Click on the Direction	SKIPPED	0.000 s
4	Then Click on Fixed Asset	SKIPPED	0.000 s
5	Then Click on Asset Creation Eye Button	SKIPPED	0.000 s
6	Then Click on the add button to add new record	SKIPPED	0.000 s
7	Then Fill Form	SKIPPED	0.001 s
8	Then Save the filled form	SKIPPED	0.000 s
9	Then Click on the Notification	SKIPPED	0.000 s
10	Then Select the record which we saved	SKIPPED	0.000 s
11	Then Submit record	SKIPPED	0.000 s
12	Then Open the Reviewer account	SKIPPED	0.000 s
13	Then Click on the Notification	SKIPPED	0.000 s
14	Then Approve the record which we submitted from maker	SKIPPED	0.001 s
15	Then Go to Checker login	SKIPPED	0.000 s
16	Then Clam record	SKIPPED	0.000 s
17	Then Click on the notification and approve the record	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create the asset limit

(F) Check the Functionality of Fixed Asset