

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Checking the Supplementary Budget functionality	1	1	0	0	14.487 s

SCENARIOS SUMMARY -- 3 --



;	#	Feature Name	Scenario Name	T	P	F	S	Duration
	1	Checking the Supplementary Budget	System should display the search criteria to search the data	6	6	0	0	14.483 s
		functionality	based on specific data elements.					

DETAILED SECTION -- 4 --

(F)- Checking the Supplementary Budget functionality

PASSED	DURATION - 14.487 s	Scenarios		Steps	
		Total - 1		Total - 6	
/ 2:35:07.680 AN	1 // 2:35:22.167 AM /	Pass - 1	1	Pass - 6	6
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- System should display the search criteria to search the data based on specific data elements.

PASSED	DURATION - 14.483 s	8-[+					Steps	
/ 2:35:07.684	4 AM // 2:35:22.167 AM /	6-	 	 ! ! :					Total - 6	
		4 -	 	 					Pass - 6	6
Checking the	Supplementary Budget functionality	2 -	 	 · ·					Fail - 0	٠
@Supplemen	ntaryBudget_BP_SB_12_01	0-1	 	 					Skip - 0	
	, , , , , , , , , , , , , , , , , , , ,		1	2	3	4	5	6		


#	Step / Hook Details	Status	Duration
1	Given maker should navigate to the url and login with valid credentials	PASSED	8.791 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.216 s
	screenshot		
	## OF THE PROPERTY OF THE PRO		
2	And maker should navigate to the budget module	PASSED	0.298 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.185 s
	screenshot		


#	Step / Hook Details Status					
	POSITION SPACE OF THE PROPERTY					
3	And maker click on budget field	PASSED	0.095 s			
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.113 s			
	screenshot					
4	When maker click on budget supplementary eye icon	PASSED	0.147 s			
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.127 s			
5	And maker navigate to search icon and fill the required field	PASSED	2.087 s			
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **Tex_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)* **Tex_Step - step	PASSED	0.102 s			
6	Then maker select the record	PASSED	0.049 s			
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.077 s			
	screenshot					


DETAILED SECTION -- 6 --

#	Step / Hook Details	Status	Duration
	## C Part P		

EXPANDED SECTION -- 7







-- 9 --