


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	testing the fuctionalities of bank reconciliation module	1	0	1	0	43.154 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	testing the fuctionalities of bank	Click on Process button on Bank Recon Process screen	18	14	1	3	43.150 s
	reconciliation module	post creating additional entries					

DETAILED SECTION -- 4 --

(F)- testing the fuctionalities of bank reconciliation module

FAILED	DURATION - 43.154 s	Scenarios		Steps	
		Total - 1		Total - 18	
/ 3:20:35.612	PM // 3:21:18.766 PM /	Pass - 0	1	Pass - 14	18
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

(S)- Click on Process button on Bank Recon Process screen post creating additional entries

FAILED DURATION - 43.150 s		П		-		-		-		-					-		-	Steps			
/ 3:20:35.616 PM // 3:21:18.766 PM /	10	#		+-	-							-		-		-		Total - 18			N
testing the fuctionalities of bank reconciliation	5	- -	•	<u> </u>			-					-		-				Pass - 14		18	
module							1											Skip - 3	N		,
@text	7 "	7 =	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	Skip 5			

#	Step / Hook Details	Status	Duration
1	Given user log in to Azentio for bank recon	PASSED	13.467 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.386 s
	screenshot		
	The contraction of the contracti		
2	And user click bank recon module	PASSED	0.088 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.185 s
	screenshot		

AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP_stepdefi	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 And user click add icon in bank recon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And user select bank name in bank recon Module AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And user select bank name in bank recon Module AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepde		1		
screenshot 4 And user click add icon in bank recon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And user select bank name in bank recon Module AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And user select bank name in bank recon Module AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.191 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.668 s	3	And user click eye icon in bank recon module	PASSED	0.570 s
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.457 s
4 And user click add icon in bank recon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And user select bank name in bank recon Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And user select bank name in bank recon Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.256 s 0.191 s 0.668 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And user select bank name in bank recon Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 And user select bank account Number in bank recon Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		## OF TABLE AND		
screenshot And user select bank name in bank recon Module And user select bank name in bank recon Module And user select bank name in bank recon Module And user select bank account Number in bank recon Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.194 s 0.191 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.668 s	4	And user click add icon in bank recon	PASSED	0.251 s
5 And user select bank name in bank recon Module AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user select bank account Number in bank recon Module AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.191 s 0.668 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.687 s
5 And user select bank name in bank recon Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And user select bank account Number in bank recon Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.256 s 0.194 s 0.194 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And user select bank account Number in bank recon Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.194 s 0.194 s 0.194 s		### OF THE PROPERTY OF THE PRO		
Screenshot 6 And user select bank account Number in bank recon Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.191 s 0.668 s	5	And user select bank name in bank recon Module	PASSED	0.256 s
6 And user select bank account Number in bank recon Module AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.191 s 0.668 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.194 s
6 And user select bank account Number in bank recon Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.191 s 0.668 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.668 s		0 1 1 1 1 1 1 1 1 1		
	6	And user select bank account Number in bank recon Module	PASSED	0.191 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.668 s
		screenshot]	


#	Step / Hook Details	Status	Duration
	## Open Appendix Company		
7	And user click bank recon from date and select the date	PASSED	1.462 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	screenshot		
	10 10 10 10 10 10 10 10		
8	And user click bank recon to date and select the date	PASSED	1.464 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.265 s
	screenshot		
	# Descriptions Total Name Annahum Column Description Descripti		
9	And user click choose file and upload the bank statement	PASSED	0.081 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.144 s
	screenshot		
	# 0 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -		
10	And user click save button in bank recon	PASSED	0.286 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.235 s
	screenshot		

11 And user click process button in bank recon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 12 And user click matched data tab PASSED 0.202 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.120 s PASSED 0.251 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 12 And user click matched data tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 0.202 s 0.203 s 0.204 s
screenshot 12 And user click matched data tab AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario) Screenshot FASSED 0.120 s 0.251 s
12 And user click matched data tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot ###################################
12 And user click matched data tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.120 s 0.251 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot
screenshot The state of the
\$ 1000 to later to the first
O Martin
13 And user unmatch the matched records in matched tab PASSED 0.331 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.321 s
screenshot
14 And user click the unmatched data in bank recon process PASSED 0.195 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.396 s


15 And user match the records in unmached tab fot text file org openga selenium NoSuchElementException: no such element: "method: "xpath": "selector": "Mon- button(contants(xxx)). Unatch)*?]. (Session info. chrome-e90. d.444.82) For documentation on this error, please visit. https://selenium.dev/ exceptions//mo.such_element Build info: version: "x0_0-re-1; revision: "toS511.Ebds' System info: host: "NMVIVADP-0158585; jp: "10.147.108'; os.name: Windows 10'; os.arch: "am64'; os.exision: "100'; jawa version: "100'; jawa version: "170'; jawa version: "100'; jawa version: "	#	Step / Hook Details	Status	Duration
org.openga.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"xpath", "selector":"/lion-button(contains(ext(),"UnMatch)")" (Session info: chrome=99, 0.4844.82) For documentation on this error, please visit: https://selenium.dew/exceptions/#no_such_element Build info: version: '4.00-re1-, revision: 'be5511cbda System info: hosts: "INMUVADPOIGSSS, jp: '10.1.47.108', os.name: 'Windows 10', os.arch: 'am664', os.version: '10.07, java.version: '17.01' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [b27477887704441fe1116304354b10], indielBement (using-spath, value='ar-din-on-button(context(),"UnMatch)")] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: '99.0.4844.82', chrome: (chromedriverVersion: 99.0.4844.51) (d537eo202474b5, userDatabilir: CulversivinNINDG-14/pap1atl), opocarbrome-politions: (debuggertes(),"UnMatch)") Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: '99.0.4844.82', extirum.chrome: wWINDOWS, plots) javascriptEnabled: true, networkComrectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, plots (d537eo202474b5, userCapability Culversion: '99.0.4844.82', extirum.chromeRections: (debuggertes: localhosts: 544106, javascriptEnabled: true, networkcomrectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, plots (provided in the platform of the platfo		Comparison		
button(contains(text), 'UnMatch')')' (Session into: chrome=99, 0.4844.82) For documentation on this error, please wist: https://selenium.dev/exceptions/lmo_such_element_Build into-version: '4.0, 0.7-e1, revision: 'be5511cbda' (System info- host) Find (Find (15	And user match the records in unmached tab fot textt file	FAILED	0.161 s
AFTED CTED standaffillians Hadra Class add Caracara bettic analysis of Caracita's		bution[contains(text)0,*UnMatch*)]** (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions///no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016585', jo: '10.1.47.108', os.name: 'Windows 10', os.arch: 'amd64', os.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b2747788770444f1e911d5d0343b010, findElement (using=xpath, value=///on-button[contains(text)0, UnMatch*)]]] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome-(chromedriverVersion: 99.0.4844.82), activated (d537ec02474b5, userDatabit: C3Users\(\mathbb{U}\) (18.2 pageLoad\(\mathbb{U}\) (2009; chromeOptions: (debuggerAddress: localhost:54410), javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), set.dp: ws://localhost:54410/devtoo, set.dp\(\mathbb{V}\) esc.dp\(\mathbb{V}\) esc.dp\(\		
LANCIED STED - CEANAGINITIONS HOOKS 1966 900 CEANGEOUTHO CHOIMPAR 1949 COMMINI		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.144 s

#	Step / Hook Details	Status	Duration
	screenshot		
	The Control of the		
16	And user click matched data tab	SKIPPED	0.000 s
17	Then user verify that Book entry will be matched with Bank entry and will be displayed in Matched Tab	SKIPPED	0.000 s
18	Then user verify that Unmatched entry from Bank Side will not be displayed	SKIPPED	0.000 s


EXPANDED SECTION -- 10 --




EXPANDED SECTION




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --

