


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Asset Revaluation	1	0	1	0	21.303 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Asset	Alter the Value of an existing asset (Sold - Maker Only)	12	11	1	0	21.297 s
	Revaluation						

DETAILED SECTION -- 4 --

## (F)- Check the functionality of Asset Revaluation

FAILED	DURATION - 21.303 s	Scenarios		Steps	
		Total - 1		Total - 12	
/ 12:54:07.947 p	m // 12:54:29.250 pm /	Pass - 0	1	Pass - 11	12
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

## (S)- Alter the Value of an existing asset (Sold - Maker Only)



#	Step / Hook Details	Status	Duration
1	Given Navigate the Maker Url	PASSED	11.769 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.159 s
	screenshot		
	PORTION OF THE PARTY OF THE PAR		
2	Then Choose Second Segmant Icon	PASSED	0.321 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
	screenshot		

#	Step / Hook Details	Status	Duration
	The Contract of the Contract o		
3	And fixed Asset Module	PASSED	0.138 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	screenshot		
	# O MANIFEST TOTAL OF THE PARTY		
4	Then Asset Sale submodule Eye Icon	PASSED	0.440 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.262 s
	Screenshot  ***Particular Control of the Control of		
5	And Click Table Row first Eye Icon	PASSED	0.149 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.433 s
6	Then Store the Referance No	PASSED	0.060 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		


7 Then Asset Revaluvation submodule Eye Icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  8 And Add Icon button  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  9 Then Give Asset Sale Referance Number  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTE	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.221 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.437 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.437 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And Select Asset Item Number  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.217 s  PASSED  O.192 s				
screenshot  8 And Add Icon button  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  9 Then Give Asset Sale Referance Number  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.437 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.411 s  0.415 s  0.421 s  0.437 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  10 And Select Asset Item Number  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.192 s	7	·	PASSED	0.195 s
8 And Add Icon button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  9 Then Give Asset Sale Referance Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.217 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.192 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.254 s
8 And Add Icon button PASSED 0.221 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 Then Give Asset Sale Referance Number  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.217 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.217 s  PASSED 0.192 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 Then Give Asset Sale Referance Number  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 And Select Asset Item Number  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.171 s  0.171 s  0.171 s		***   ***		
screenshot  9 Then Give Asset Sale Referance Number  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 And Select Asset Item Number  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.217 s  PASSED  0.192 s	8	And Add Icon button	PASSED	0.221 s
9 Then Give Asset Sale Referance Number  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 And Select Asset Item Number  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.217 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.192 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 And Select Asset Item Number  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.141 s  PASSED  0.217 s  PASSED  0.192 s		# Q ***********************************		
Screenshot  10 And Select Asset Item Number  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.217 s  0.192 s	9	Then Give Asset Sale Referance Number	PASSED	0.437 s
10 And Select Asset Item Number  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.217 s  One of the control of the			PASSED	0.141 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.192 s		The state of the s	_	
	10	And Select Asset Item Number	PASSED	0.217 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
		screenshot	1	

#	Step / Hook Details	Status	Duration
	*** *** *** *** *** *** *** *** *** **		
11	Then Alter the Sale Book Value	PASSED	0.226 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	screenshot		
	*** *** *** *** *** *** *** *** *** **		
12	Then save the Revaluation record	FAILED	1.113 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button (1414,="" 88).="" <ion-buttons="" at="" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated" click:="" clickable="" color="primary" disabled="m:-x-/ion-button" element="" is="" ng-reflect-color="primary" ng-reflect-disabled="true" not="" other="" point="" receive="" slot="end" the="" would="">-x-/ion-buttons   chrome=98.0.4758.102) Build info: version: '4.0.0-rc-1, revision: 'bc5511cbda' System info: host: 'iNNUADP014547; ip: '10.1.47.111', os. name: 'Windows 10', os. arch: 'and64', os. version: '10.0', java-version: '17.0.1!' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ce0f56cf17cfeeba8486af22280fe19a, clickElement {id=d2ec1992-354d-4c2f-8b53-2ad39fa228bb}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: (chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:\Users\ININDC=1\AppDataL\), goog:chromeOptions: {debuggerAddress: localhost:64765}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), secdp: ws://localhost:64765/devtoo, secdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true) Element: [[ChromeDriver: chrome on WINDOWS (ce0f56cf17cfeeba8486af22280fe19a)] -&gt; xpath: //div[1]/ion-header[1]/ion-buttons[2]/ion-buttons[2]/ion-button[1]] Session ID: ce0f56cf17cfeeba8486af22280fe19a)] -&gt; xpath: //div[1]/ion-header[1]/ion-buttons[2]/ion-buttons[2]/ion-button[1]] Session ID: ce0f56cf17cfeeba8486af22280fe19a] -&gt; xpath: //div[1]/ion-header[1]/ion-buttons[2]/ion-buttons[2]/ion-buttons[2]/ion-buttons</ion-button>		


DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.FIXEDASSET_AssetRevaluvation.save_the_revaluation_record(FIXEDASSET_AssetRevaluvation.java:129) at ?.save the Revaluation record(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/ FIXEDASSET_AssetRevaluation.feature:253) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.113 s
	### OF THE PROPERTY OF THE PRO		


EXPANDED SECTION --- 9 --




EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --

