

Cucumber Report

7 Feb 2023, 12:29:20 PM

Start : Feb 07, 12:28:15.773 PM

End : Feb 07, 12:29:17.873 PM

Duration : 1 m 2.100 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 6
FAILED - 1
SKIPPED - 7







| # | Feature Name | T | P | F | S | Duration |
|---|--------------|---|---|---|---|-------------|
| 1 | AR/AP Module | 1 | 0 | 1 | 0 | 1 m 2.100 s |







| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------|---|----|---|---|---|-------------|
| 1 | AR/AP Module | Verify creating po against cancelled order is not allowed | 14 | 6 | 1 | 7 | 1 m 2.094 s |



(F)- AR/AP Module

| | | | | | |
|--|-------------------------------|--|---|---|---|
| FAILED | DURATION - 1 m 2.100 s | Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0 |  | Steps Total - 14 Pass - 6 Fail - 1 Skip - 7 |  |
| / 12:28:15.773 PM // 12:29:17.873 PM / | | | | | |

(S)- Verify creating po against cancelled order is not allowed

| | | | | |
|---|--|---|--|--|
| <div>FAILED</div> <div>DURATION - 1 m 2.094 s</div> | | <div></div> | <div>Steps</div> <div>Total - 14</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 7</div> | <div></div> |
| <div>/ 12:28:15.779 PM // 12:29:17.873 PM /</div> | | | | |
| <div>AR/AP Module</div> | | | | |
| <div>@KUBS_AR/AP_UAT_003_001TC_02 @AR/AP</div> | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User should go to the kubs url and login as a maker user | PASSED | 36.017 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.923 s |
| | screenshot | | |
| |  | | |
| 2 | And user should navigate to accounts payable menu | PASSED | 3.605 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.773 s |
| | screenshot | | |
| |  | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 3 | When click on eye button of vendor contract | PASSED | 1.840 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 1.764 s |
| | screenshot | | |
| |  | | |
| 4 | And user click search icon | PASSED | 0.977 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.575 s |
| | screenshot | | |
| |  | | |
| 5 | And user update the data set ID for po against cancelled order | PASSED | 0.010 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.341 s |
| | screenshot | | |
| |  | | |
| 6 | And user search cancelled vendor contract | PASSED | 4.378 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.254 s |
| | screenshot | | |
| |  | | |
| 7 | And user click the cancelled vendor contract eye icon | FAILED | 0.049 s |
| org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.122', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3942069bedcc3d75580f9bbb4ba3d329, actions {actions=[org.openqa.selenium.interactions.Sequence@702f4124]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.74, | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <p>chrome: {chromedriverVersion: 108.0.5359.22 (ec46c90f5938..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:52806}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52806/devtoo..., se:cdpVersion: 109.0.5414.74, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3942069bedcc3d75580f9bbb4ba3d329</p> <p>at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:362) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:154) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:169) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183) at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179) at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1845) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182) at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:66) at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278) at org.openqa.selenium.json.Json.toJson(Json.java:42) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:253) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:615) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:617) at org.openqa.selenium.interactions.Actions.perform(Actions.java:573) at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) at stepdefinitions.AccountPayable_VendorPurchaseOrder. user_click_the_cancelled_vendor_contract_eye_icon(AccountPayable_VendorPurchaseOrder.java:528) at ?.user click the cancelled vendor contract eye icon(file:///C:/Users/ININDC00089/git/AzentioAutomationFramework/ArAp/ AzentioAutomationFramework_ARAP_Excel/src/test/java/features/ArAp3.feature:27) Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.0.0-rc-1', revision:</p> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.122', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '17.0.1' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:303) at org.openqa.selenium.json.Json.toJson(Json.java:40) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec. encode(AbstractHttpCommandCodec.java:253) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec. encode(AbstractHttpCommandCodec.java:127) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor. java:172) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org. openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote. RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver. java:615) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:617) at org.openqa.selenium.interactions. Actions.perform(Actions.java:573) at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) at stepdefiniti ons.AccountPayable_VendorPurchaseOrder.user_click_the_cancelled_vendor_contract_eye_icon(AccountPayable_VendorPurchaseOrder. java:528) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect. NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl. invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java. Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition. invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io. cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch. runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io. cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io. cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner. lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext. runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner. runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests. runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect. DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method. java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal. TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org. testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent. invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal. TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker. java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng. SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng. SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng. SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng. TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG. java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG. initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: java.lang.reflect. InvocationTargetException at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:358) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:154) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:169) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183) at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179) at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1845) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182) at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:66) at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278) at org.openqa.selenium.json.Json.toJson(Json.java:42) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:253) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:615) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:617) at org.openqa.selenium.interactions.Actions.perform(Actions.java:573) at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) at stepdefinitions.AccountPayable_VendorPurchaseOrder. user_click_the_cancelled_vendor_contract_eye_icon(AccountPayable_VendorPurchaseOrder.java:528) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//datatable-body-cell[1]/div/ion-buttons/ion-button[1][2]"} (Session info: chrome=109.0.5414.74) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.122', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.</p> | | |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | <p>version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3942069bedcc3d75580f9bbb4ba3d329, findElement {using=xpath, value=("//datatable-body-cell[1]/div/ion-buttons/ion-button[1])[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.74, chrome: {chromedriverVersion: 108.0.5359.22 (ec46c90f5938..., userDataDir: C:\Users\ININDC~1\AppData\Local\Temp\scoped_dir1012_1012\}, goog:chromeOptions: {debuggerAddress: localhost:52806}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52806/devtools, se:cdpVersion: 109.0.5414.74, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3942069bedcc3d75580f9bbb4ba3d329</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor37.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.getWrappedElement(Unknown Source) at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:201) at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:152) at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:73) at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:82)</p> <p>* Not displayable characters are replaced by '?'.</p> | | |
| | <p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>  | PASSED | 0.220 s |
| 8 | And get buisness partner name and get contract name | SKIPPED | 0.000 s |
| 9 | Then Click on purchase order Eye Icon | SKIPPED | 0.000 s |
| 10 | Then Click on purchase order Add button | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| 11 | And select buisness partner we get in cancelled list | SKIPPED | 0.000 s |
| 12 | And select referece type as contract | SKIPPED | 0.000 s |
| 13 | And select the contract Name | SKIPPED | 0.000 s |
| 14 | Then verify not able to select contract and po creation is not allowed | SKIPPED | 0.000 s |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify creating po against cancelled
order is not allowed


(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify creating po against cancelled
order is not allowed

(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify creating po against cancelled
order is not allowed

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify creating po against cancelled
order is not allowed

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify creating po against cancelled
order is not allowed

(F) AR/AP Module

≡

AZENTIO[™]
ONEBanking

Finance

⚙️

↔️

🕒

🕒

General ledger transaction

🕒

Budget

🕒

Accounts payable

🕒

Vendor contracts

🕒

Vendor purchase orders

🕒

Goods received note (GRN)

🕒

Invoice booking

22 Appro...

11 Mess...

10-Dec-2022

English

Azentio Software

(AZENTMAIN)

ANANT

Contract Creation View

| Actions | Branch Code - Name Search Branch Code | Contract Number Search Contract Nui | Contract Description Search Contract De | Contract Type Search Contract Typ | Business Partner Search Business Pa | Txn Date Search |
|---------|--|--|--|--------------------------------------|--|--------------------|
| 👁️ / ✎️ | AZENTMAIN - Azentio | Bank-9-28-06022023 | Contract-002 | Purchases Contract | Shasheekant | 09-Dec- |
| 👁️ / ✎️ | AZENTMAIN - Azentio | Bank-9-27-03022023 | Contract-002 | Purchases Contract | Shasheekant | 06-Dec- |
| 👁️ / ✎️ | AZENTMAIN - Azentio | Bank-9-26-03022023 | Contract-002 | Purchases Contract | Shasheekant | 06-Dec- |
| 👁️ / ✎️ | AZENTMAIN - Azentio | Bank-9-25-03022023 | Contract-002 | Purchases Contract | Shasheekant | 06-Dec- |
| 👁️ / ✎️ | AZENTMAIN - Azentio | Bank-9-24-03022023 | Contract-002 | Purchases Contract | Shasheekant | 06-Dec- |
| 👁️ / ✎️ | AZENTMAIN - Azentio | Bank-9-23-03022023 | Contract-002 | Purchases Contract | Shasheekant | 06-Dec- |
| 👁️ / ✎️ | AZENTMAIN - Azentio | Bank-9-22-02022023 | Contract-002 | Purchases Contract | Shasheekant | 05-Dec- |
| 👁️ / ✎️ | AZENTMAIN - Azentio | Bank-9-21-01022023 | Contract-002 | Purchases Contract | Shasheekant | 04-Dec- |
| 👁️ / ✎️ | AZENTMAIN - Azentio | Bank-9-20-31012023 | Contract-002 | Purchases Contract | Shasheekant | 03- |

133 total

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify creating po against cancelled
order is not allowed

(F) AR/AP Module

≡

AZENTIO[™]
ONEBanking

Finance

⚙️

↔️

🕒

🕒

General ledger transaction

🕒

Budget

🕒

Accounts payable

🕒

Vendor contracts

🕒

Vendor purchase orders

🕒

Goods received note (GRN)

🕒

Invoice booking

22 Appro...

11 Mess...

10-Dec-2022

English

Azentio Software

(AZENTMAIN)

ANANT

Contract Creation View

| e - Name Branch Code | Contract Number Search Contract Nui | Contract Description Search Contract De | Contract Type Search Contract Typ | Business Partner Search Business Pa | Txn Date Search Txn Date | Contract Status CANCELLED |
|-------------------------|--|--|--------------------------------------|--|-----------------------------|------------------------------|
| ↓ - Azentio | Bank-9-3-11102022 | DD | Expense Contract | Shasheekant | 10-Sep-2023 | CANCELLED |

```
(Step) AFTER_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)
```

(S) Verify creating po against cancelled order is not allowed

(F) AR/AP Module

10-Dec-2022
English ▾
Azentio Software ▾
(AZENTMAIN)

 ANANT

Finance ▾

- General ledger transaction
- Budget
- Accounts payable
- Vendor contracts
- Vendor purchase orders
- Goods received note (GRN)
- Invoice booking

22 Appro... ✕
11 Mess... ✕

← Contract Creation View
✕

| e - Name | Contract Number | Contract Description | Contract Type | Business Partner | Txn Date | Contract Status |
|---------------------|---------------------|----------------------|--------------------|------------------|-------------|-----------------|
| Search Contract Num | Search Contract Des | Search Contract Ty | Search Business Pa | Search Txn Date | | CANCELLED |
| N - Azentio N | Bank-9-3-11102022 | DD | Expense Contract | Shasheekant | 10-Sep-2023 | CANCELLED |