


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	19.706 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	GRN against above create PO for above vendor Reviewer	5	4	1	0	19.703 s
		Approve the record					

DETAILED SECTION -- 4 --

## (F)- AR/AP Module

FAILED	DURATION - 19.706 s	Scenarios		Steps	
		Total - 1		Total - 5	
/ 11:04:17.634 P	PM // 11:04:37.340 PM /	Pass - 0	1	Pass - 4	5
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

## (S)- GRN against above create PO for above vendor Reviewer Approve the record

FAILED	DURATION - 19.703 s	10	7[						Steps	
/ 11:04:17 63	37 PM // 11:04:37.340 PM /	8							Total - 5	
7 11.0 7.177.00		4							Pass - 4	5
AR/AP Module	e	2	$\parallel$			<u>-  -</u>			Fail - 1	
@KUBS_AR/	AP_UAT_001_001_TC_003_02	0	1				1	1	Skip - 0	
				1	2	3	4	5		l

#	Step / Hook Details	Status	Duration
1	And user update the data set ID for GRN Reviewer	PASSED	0.632 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
	screenshot		
	+		
2	And User login as a reviewer user Approve Grn against PO	PASSED	9.721 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.423 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Click on notification button in reviewer	PASSED	1.325 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.269 s
	Then Search the grn record	PASSED	1.059 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
	screenshot		
	A		
	And Approve Grn against PO the record by reviewer user		3.266 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <textarea aria-labelledby="ion-textarea-0-lbl" autocapitalize="none" class="native-textarea sc-ion-textarea-md" name="remarks" placeholder="" spellcheck="false">(lextarea&gt;) is not clickable at point (827, 563). Other element would receive the click: &lt;ion-content _ngcontent-abn-c292="" class="ion-padding md hydrated" style="offset-top:0px;offset-bottom:0px;"&gt;(lextarea&gt;) is not clickable at point (827, 563). Other element would receive the click: &lt;ion-content _ngcontent-abn-c292="" class="ion-padding md hydrated" style="offset-top:0px;offset-bottom:0px;"&gt;(lextarea&gt;) is not clickable at point (827, 563). Other element would receive the click: &lt;ion-content _ngcontent-abn-c292="" class="ion-padding md hydrated" style="offset-top:0px;offset-bottom:0px;"&gt;(lextarea) is not clickable at point (827, 563). Other element would receive the click: &lt;ion-content _ngcontent-abn-c292="" class="ion-padding md hydrated" style="offset-top:0px;offset-bottom:0px;"&gt;(lextarea) is not clickable at point (827, 563). Other element would receive the click: &lt;ion-content _ngcontent-abn-c292="" class="ion-padding md hydrated" style="offset-top:0px;"&gt;(lextarea) is not clickable at point (827, 563). Other element would receive the click: &lt;ion-content _ngcontent-abn-c292="" class="ion-padding md hydrated" style="offset-top:0px;"&gt;(lextarea) in clickable at point (827, 563). Other element would receive the click: &lt;ion-content-abn-c292="" class="ion-padding md hydrated" style="offset-top:0px;"&gt;(lextarea) in clickable at point (827, 563). Other element would receive the click: &lt;ion-content-abn-c292="" class="ion-padding md hydrated" style="offset-top:0px;"&gt;(lextarea) in clickable at point (827, 563). Other element would receive the click: &lt;ion-content-abn-c292="" class="ion-padding md hydrated" style="offset-top:0px;"&gt;(lextarea) in clickable at point (827, 563). Other element would receive the click: &lt;ion-content-abn-c292=" class&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java.133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java.133)&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;/tbody&gt;&lt;/table&gt;</textarea>		

DETAILED SECTION -- 6 --


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.AccountsPayable_GRN.approve_grn_against_po_the_record_by_reviewer_user(AccountsPayable_GRN.java:305) at ?.Approve Grn against PO the record by reviewer user(file:///C:/Users/inindc00089/eclipse-workspace/ AzentioAutomationFramework_ARAP/src/test/java/features/ArAp1.feature:102) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  +	PASSED	0.132 s


EXPANDED SECTION -- 7

(Step) AFTER\_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) GRN against above create PO for
above vendor Reviewer Approve the
record

(F) AR/AP Module





EXPANDED SECTION -- 9 --

