Cucumber Report

| Start : Jan 20, 9:42:11.682 PM	End : Jan 20, 9:42:59.466 PM	Duration : 47.784 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 13 FAILED - 1 SKIPPED - 1

Features: 1

Scenarios: 1

Steps: 15

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 86 %

#	Feature Name	T	P	F	S	Duration
1	Checking the Supplementary Budget functionality	1	0	1	0	47.784 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Supplementary Budget functionality	BP_SB_03_02 To verify system generates notification at checker login	15	13	1	1	47.781 s

(F)- Checking the Supplementary Budget functionality

FAILED	DURATION - 47.784 s	Scenarios		Steps	
		Total - 1		Total - 15	
/ 9:42:11.682 PM // 9:42:59.466 PM /		Pass - 0	1	Pass - 13	15
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

## (S)- BP_SB_03_02   To verify system generates notification at checker login

FAILED	DURATION - 47.781 s		Steps	
/ 9:42:11.685 PM // 9:42:59.466 PM /			Total - 15	
Checking the Supplementary Budget functionality			Pass - 13	15
			Fail - 1	
@Budget_BudgetSupplementary_BP_SB_03_02			Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given maker should navigate to the url and login with valid credentials	PASSED	15.529 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.399 s
	screenshot		
2	And maker should navigate to the budget module	PASSED	3.261 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.319 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And maker click on budget field	PASSED	1.201 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.354 s
	screenshot		
4	When maker click on budget supplementary eye icon	PASSED	1.501 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.186 s
	screenshot		
5	And click on add button on budget supplementary view page	PASSED	2.179 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
	screenshot		
6	Then fill the input fields	PASSED	0.979 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.100 s
	screenshot		

| #	Step / Hook Details	Status	Duration
7	Then fill apportion amount and save the record	PASSED	2.422 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.091 s
	screenshot 		
8	Then validate maker can save request for the Annually budget	PASSED	5.216 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.098 s
	screenshot 		
9	Then Navigate to URL and login to Checker1	PASSED	4.562 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.099 s
	screenshot 		
10	When Click on the Security management	PASSED	0.072 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.081 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then Click on open pool & click clam button	PASSED	1.762 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.104 s
	screenshot		
12	Then Click on the Notification	PASSED	2.248 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
	screenshot		
13	And Find the budget code which is submitted from maker	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.190 s
	screenshot		
14	Then Click on action Button	FAILED	0.011 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text(),'776')]/ancestor::datatable-body-cell/preceding-sibling::datatable-body-cell//ion-button"} (Session info: chrome=96.0.4664.45) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:		

#	Step / Hook Details	Status	Duration

	[193a1310f03eab0d8f031d5241cbe602, findElement {using=xpath, value=//span[contains(text(),'776')]/ancestor::datatable-body-cell/preceding-sibling::datatable-body-cell//ion-button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:62117}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62117/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 193a1310f03eab0d8f031d5241cbe602
	
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)
	    at stepdefinitions.BUDGET_SupplementaryBudget.click_on_action_button(BUDGET_SupplementaryBudget.java:853)
	    at ?.Click on action Button(file:///C:/Users/inindc00089/git/repository/Priyanka_AzentioAutomationFramework/src/test/java/features/BUDGET_SupplementaryBudget.feature:212)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.149 s
15	And Verify the record is generated by opening the record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) BP_SB_03_02   To verify system generates notification at checker login

(F) Checking the Supplementary Budget functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) BP_SB_03_02   To verify system generates notification at checker login

(F) Checking the Supplementary Budget functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) BP_SB_03_02 To verify system generates notification at checker login	
(F) Checking the Supplementary Budget functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) BP_SB_03_02 To verify system generates notification at checker login	
(F) Checking the Supplementary Budget functionality	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) (S) BP_SB_03_02 To verify system generates notification at checker login (F) Checking the Supplementary Budget functionality	
(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) (S) BP_SB_03_02 To verify system generates notification at checker login (F) Checking the Supplementary Budget functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) BP_SB_03_02   To verify system generates notification at checker login

(F) Checking the Supplementary Budget functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) BP_SB_03_02   To verify system generates notification at checker login

(F) Checking the Supplementary Budget functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) BP_SB_03_02 To verify system generates notification at checker login	
(F) Checking the Supplementary Budget functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) BP_SB_03_02 To verify system generates notification at checker login	
(F) Checking the Supplementary Budget functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) BP_SB_03_02   To verify system generates notification at checker login

(F) Checking the Supplementary Budget functionality

	Kastle Universal Banking				21-Oct-2021	English	Azentio Software		Claimed SuccessFully	

Configuration

Security management

Open pool

← Open Pool

Actions	ibxhdrid	referenceId	eventCode	stageCode	employeeName	eventDesc	workflowDesc
CLAIM	20686	553	BUDGET_REGISTER	CHECKER		Budget Defination	LIMIT
CLAIM	20683	552	BUDGET_REGISTER	CHECKER		Budget Defination	LIMIT
CLAIM	20668	547	BUDGET_REGISTER	CHECKER		Budget Defination	LIMIT
CLAIM	20635	536	BUDGET_REGISTER	CHECKER		Budget Defination	LIMIT
CLAIM	20625	535	BUDGET_REGISTER	CHECKER		Budget Defination	LIMIT

27 total |◄ < **1** 2 3 4 5 > ►|

22 Appro...   11 Messa...

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) BP_SB_03_02   To verify system generates notification at checker login

(F) Checking the Supplementary Budget functionality

	Kastle Universal Banking		21-Oct-2021	English	Azentio Software	(AZENT-MAIN)	CHECKER

Configuration

Security management

Open pool

← Inbox

Actions	referenceId	eventCode	stageCode	roleCode	employeeName	eventDesc	workflowDesc
	776	BUDGET_SUPPLIMENT	CHECKER	CHECKER	1002437		Workflow mkr
	775	BUDGET_SUPPLIMENT	CHECKER	CHECKER	1002437		Workflow mkr
	773	BUDGET_SUPPLIMENT	CHECKER	CHECKER	1002437		Workflow mkr
	772	BUDGET_SUPPLIMENT	CHECKER	CHECKER	1002437		Workflow mkr
	771	BUDGET_SUPPLIMENT	CHECKER	CHECKER	1002437		Workflow mkr

268 total |◄ < **1** 2 3 4 5 > ►|

22 Appro...   11 Messa...

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) BP_SB_03_02   To verify system generates notification at checker login

(F) Checking the Supplementary Budget functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) BP_SB_03_02   To verify system generates notification at checker login

(F) Checking the Supplementary Budget functionality