


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	FIXED ASSETS	1	0	1	0	1 m 2.624 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	FIXED ASSETS	Check if the given asset is sold at higher price	21	5	1	15	1 m 2.620 s

DETAILED SECTION -- 4 --

(F)- FIXED ASSETS

FAILED	DURATION - 1 m 2.624 s	Scenarios		Steps	
		Total - 1		Total - 21	
/ 4:33:14.338 A	M // 4:34:16.962 AM /	Pass - 0	1	Pass - 5	21 📜
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 15	

(S)- Check if the given asset is sold at higher price



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	23.709 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.164 s
	screenshot		
	The Continue of the Continue o		
2	And user should navigate to fixed asset menu	PASSED	0.823 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
	screenshot		


#	Step / Hook Details	Status	Duration
	** O TOTAL CONTINUES OF THE PARTY OF THE PAR		
3	When click on eye button of asset sale	PASSED	1.026 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.649 s
	screenshot		
	The state of the s		
4	And click on add button to create sale asset record	PASSED	1.037 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.196 s
	Screenshot * *** *** *** *** *** *** *** *** **		
5	And Fill the required fields to sale asset	PASSED	3.246 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.274 s
	screenshot		
6	Then Save and submit the asset sale record	FAILED	0.313 s
	org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of null (reading 'innerText') (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7a87d24c1695fe5d698b4bc2c6febd40, executeScript {script=return document.querySelector("ion-toast").shadowRoot. querySelector("div[class='toast-message']").innerText, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome,		

#	Step / Hook Details	Status	Duration
	browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:\Users\ININDC-1\AppData\L), goog:chromeOptions: {debuggerAddress: localhost.57051}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, proxy: Proxy(), sez.6cp: ws://localhost.57051/devtoo, sez.6cp/version: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 7a87d24c1695fe5d698b4bc2c6febd40 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(NativeConstructorAccessorImpl.java:77) at java.base/jdx.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(ConstructorJava:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at stepdefinitions.FIXEDASSETS_AssetSale.save_and_submit_the_asset_sale_record(FIXEDASSETS_AssetSale.java:127) at ?Save and submit the asset sale record(file:///C:/Users/inindc00091/git/repository/Deves		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.315 s
	screenshot		
7	And User should go to the kubs url and login as a reviewer user	SKIPPED	0.001 s
8	Then Click on notification button in reviewer	SKIPPED	0.001 s
9	And approve the record by reviewer user	SKIPPED	0.000 s
10	Given User should go to the kubs url and login as a checker user	SKIPPED	0.000 s
11	And Click on security management in checker	SKIPPED	0.000 s
12	Then Click on open pool in checker	SKIPPED	0.001 s
13	And Click on claim button in checker	SKIPPED	0.000 s
14	And capture claimed status	SKIPPED	0.001 s


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
15	Then click on notification in checker	SKIPPED	0.000 s
16	Then checker should approved the asset sale	SKIPPED	0.000 s
17	Given User should go to the kubs url and login as a maker user	SKIPPED	0.000 s
18	And user should navigate to fixed asset menu	SKIPPED	0.000 s
19	When click on eye button of asset sale	SKIPPED	0.000 s
20	Then click on first eye button to get the profit earned	SKIPPED	0.000 s
21	And maker should logout	SKIPPED	0.000 s

EXPANDED SECTION -- 8 --



EXPANDED SECTION



EXPANDED SECTION -- 10 --

