# Cucumber Report

Jan 13, 2022, 2:36:37 AM

| Start : Jan 13, 2:36:14.428 AM | End : Jan 13, 2:36:36.596 AM | Duration : 22.168 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 1<br>FAILED - 0<br>SKIPPED - 0 | PASSED - 1<br>FAILED - 0<br>SKIPPED - 0 | PASSED - 8<br>FAILED - 0<br>SKIPPED - 0 |












| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Checking the Supplementary Budget functionality | 1 | 1 | 0 | 0 | 22.168 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Checking the Supplementary Budget functionality | Check the functionality  Request of the supplementary budget for the branch | 8 | 8 | 0 | 0 | 22.165 s |

## (F)- Checking the Supplementary Budget functionality

| PASSED | DURATION - 22.168 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| / 2:36:14.428 AM // 2:36:36.596 AM / | | Total - 1<br>Pass - 1<br>Fail - 0<br>Skip - 0 | | Total - 8<br>Pass - 8<br>Fail - 0<br>Skip - 0 | |

## (S)- Check the functionality Request of the supplementary budget for the branch

| PASSED | DURATION - 22.165 s | | Steps | |
|---|---|---|---|---|
| / 2:36:14.431 AM // 2:36:36.596 AM / | |  | Total - 8<br>Pass - 8<br>Fail - 0<br>Skip - 0 | |
| Checking the Supplementary Budget functionality | | | | |
| @SupplementaryBudget_KUBS_BP_UAT_005 | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given maker should navigate to the url and login with valid credentials | PASSED | 8.967 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.232 s |
| | screenshot | | |
| | + | | |
| 2 | And maker should navigate to the budget module | PASSED | 0.326 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.236 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 3 | And maker click on budget field | PASSED | 0.090 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.189 s |
| | screenshot | | |
| |  | | |
| 4 | When maker click on budget supplementary eye icon | PASSED | 0.188 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.153 s |
| | screenshot | | |
| |  | | |
| 5 | And click on add button on budget supplementary view page | PASSED | 0.091 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.151 s |
| | screenshot | | |
| |  | | |
| 6 | Then fill the input fields | PASSED | 7.138 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.102 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 7 | Then fill apportion amount and save it | PASSED | 0.403 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.214 s |
| | screenshot | | |
| |  | | |
| 8 | Then validate maker can submit thr record | PASSED | 1.590 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.137 s |
| | screenshot | | |
| |  | | |

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Check the functionality  Request of the supplementary budget for the branch

(F) Checking the Supplementary Budget functionality




(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Check the functionality  Request of the supplementary budget for the branch

(F) Checking the Supplementary Budget functionality



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Check the functionality  Request of the supplementary budget for the branch

(F) Checking the Supplementary Budget functionality




(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Check the functionality  Request of the supplementary budget for the branch

(F) Checking the Supplementary Budget functionality



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Check the functionality  Request of the supplementary budget for the branch

(F) Checking the Supplementary Budget functionality




(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Check the functionality  Request of the supplementary budget for the branch

(F) Checking the Supplementary Budget functionality



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the functionality Request of the supplementary budget for the branch

(F) Checking the Supplementary Budget functionality




(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the functionality Request of the supplementary budget for the branch

(F) Checking the Supplementary Budget functionality