# Cucumber Report

| Start : Jan 31, 5:35:54.200 PM | End : Jan 31, 8:24:25.834 PM | Duration : 168 m 31.634 s |
| --- | --- | --- |
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 8<br>FAILED - 1<br>SKIPPED - 0 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | To verify the reports for fixed asset | 1 | 0 | 1 | 0 | 168 m 31.634 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | To verify the reports for fixed asset | Check Asset Undertaking | 9 | 8 | 1 | 0 | 168 m 31.627 s |

## (F)- To verify the reports for fixed asset

| FAILED | DURATION - 168 m 31.634 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| | / 5:35:54.200 PM // 8:24:25.834 PM / | Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 | 1 | Total - 9<br>Pass - 8<br>Fail - 1<br>Skip - 0 | 9 |

## (S)- Check Asset Undertaking

| FAILED | DURATION - 168 m 31.627 s | | Steps | |
|---|---|---|---|---|
| | / 5:35:54.207 PM // 8:24:25.834 PM / | | Total - 9 | |
| | To verify the reports for fixed asset | | Pass - 8<br>Fail - 1 | 9 |
| | @KUBS_FAT_UAT_013_012_AssetUndertaking | | Skip - 0 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User should go to the kubs url and login as a maker user | PASSED | 51.253 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 1.675 s |
| 2 | Then click on report icon | PASSED | 2.911 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 0.321 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 3 | And user should navigate to reports menu | PASSED | 2.131 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.336 s |
| | screenshot | | |
| |  | | |
| 4 | Then click on temp grid button of asset transfer | PASSED | 0.384 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.671 s |
| | screenshot | | |
| |  | | |
| 5 | And choose the data set id for asset undertaking report | PASSED | 0.013 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.263 s |
| | screenshot | | |
| |  | | |
| 6 | And Get the system date for asset undertaking | PASSED | 0.085 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.233 s |
| | screenshot | | |
| |  | | |
| 7 | And select the asset code and date to check the asset undertaking details are displaying | PASSED | 2.016 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.269 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 8 | Then click in the view button to check | PASSED | 0.269 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.378 s |
| | screenshot | | |
| |  | | |
| 9 | Then the report is displaying all the asset undertaking details for a branch | FAILED | 166 m 41.683 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.126) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.60', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [3e3ad3584f9dee2a8d5d250fe68399ac, findElement {using=xpath, value=//table[@id='layout']/tbody/tr[4]/td[2]/table/tbody/tr[2]/td/table/tbody/tr/td[2]/div/div/div[1]/table/tbody/tr[2]/td/div[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.126, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:55600}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55600/devtoo..., se:cdpVersion: 108.0.5359.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3e3ad3584f9dee2a8d5d250fe68399ac<br>   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)<br>   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)<br>   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>at jdk.proxy2/jdk.proxy2.$Proxy46.toString(Unknown Source)<br>at java.base/java.lang.String.valueOf(String.java:4225)<br>at java.base/java.lang.StringBuilder.append(StringBuilder.java:173)<br>at org.openqa.selenium.support.ui.ExpectedConditions$23.toString(ExpectedConditions.java:673)<br>at java.base/java.lang.String.valueOf(String.java:4225)<br>at java.base/java.lang.StringBuilder.append(StringBuilder.java:173)<br>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229)<br>at helper.WaitHelper.waitForElement(WaitHelper.java:81)<br>at stepdefinitions.Reports_AssetCreationCommon.<br>the_report_is_displaying_all_the_asset_undertaking_details_for_a_branch(Reports_AssetCreationCommon.java:798)<br>at ?.the report is displaying all the asset undertaking details for a branch(file:///C:/Users/ININDC00073/git/<br>KamalaPriya_ExcelUpdated_KUBS/AzentioAutomationFramework_ExcelKUBS_Kamalapriya2/src/test/java/features/FixedAssetReports.<br>feature:103)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | FAILED | 0.039 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found<br>(Session info: chrome=108.0.5359.126) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip:<br>'10.200.4.60', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.<br>ChromeDriver Command: [3e3ad3584f9dee2a8d5d250fe68399ac, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName:<br>chrome, browserVersion: 108.0.5359.126, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir:<br>C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:55600}, javascriptEnabled: true,<br>networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp:<br>ws://localhost:55600/devtoo..., se:cdpVersion: 108.0.5359.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,<br>pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,<br>webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3e3ad3584f9dee2a8d5d250fe68399ac<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)<br>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347)<br>at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42) | | |
| | AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario) | FAILED | 32.397 s |
| | org.openqa.selenium.WebDriverException: disconnected: unable to connect to renderer   (failed to check if window was closed: disconnected: | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | unable to connect to renderer)   (Session info: chrome=108.0.5359.126) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.60', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [3e3ad3584f9dee2a8d5d250fe68399ac, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.126, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:55600}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55600/devtoo..., se:cdpVersion: 108.0.5359.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3e3ad3584f9dee2a8d5d250fe68399ac<br>   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)<br>   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)<br>   at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432)<br>   at stepdefinitions.HooksClass.TearDown(HooksClass.java:52) | | |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check Asset Undertaking

(F) To verify the reports for fixed asset



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check Asset Undertaking

(F) To verify the reports for fixed asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check Asset Undertaking

(F) To verify the reports for fixed asset



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check Asset Undertaking

(F) To verify the reports for fixed asset

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
|---|---|
| (S) Check Asset Undertaking | |
| (F) To verify the reports for fixed asset | |

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
|---|---|
| (S) Check Asset Undertaking | |
| (F) To verify the reports for fixed asset | |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)



(S) Check Asset Undertaking

(F) To verify the reports for fixed asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)



(S) Check Asset Undertaking

(F) To verify the reports for fixed asset