
Duration: 40.808 s Start: Apr 11, 5:21:21.870 PM End: Apr 11, 5:22:02.678 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 7 SKIPPED - 0 SKIPPED - 0 SKIPPED - 32 40 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 17 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Checking accountsPayable and accounts Receivable module	1	0	1	0	40.808 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking accountsPayable and	Verify cancelling Advance To employee is not allowed if the	40	7	1	32	40.802 s
	accounts Receivable module	same has been adjusted at payment settlement					

DETAILED SECTION -- 4 --

(F)- Checking accounts Payable and accounts Receivable module

FAILED	DURATION - 40.808 s	Scenarios		Steps	
		Total - 1		Total - 40	
/ 5:21:21.870 F	PM // 5:22:02.678 PM /	Pass - 0	1	Pass - 7	40
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 32	

(S)- Verify cancelling Advance To employee is not allowed if the same has been adjusted at payment settlement

FAILED DURATION - 40.802 s								1								;	Steps		
/ 5:21:21.876 PM // 5:22:02.678 PM /	15 -																Total - 40		
Checking accountsPayable and accounts Receivable module	10 -	-							-	-				-			Pass - 7 Fail - 1	40	
	0 -			<u> </u>	_		_			<u>. i</u>	<u> </u>	<u> </u>	<u> </u>		<u> </u>		Skip - 32		
@KUBS_AR_AP_UAT_003_008_TC_03		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15			

#	Step / Hook Details	Status	Duration
1	Given Navigate to KUBS URL and login with maker credentials	PASSED	17.917 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
	screenshot		
	IN DESTRUCTION OF THE PROPERTY OF THE PROPERT		
2	And Goto accounts receivable advances module	PASSED	1.648 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.363 s
	screenshot		

3 Then click on search AFTER STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) A And go to accounts payable module AFTER STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot AFTER STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 And select the advance to employee active record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And go to aacounts payable module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) pASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.474 s PASSED 0.194 s				
screenshot 4 And select the advance to employee active record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot 5 And go to aacounts payable module AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 1.474 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.194 s	3	Then click on search	PASSED	0.120 s
And select the advance to employee active record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 1.474 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.194 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.254 s
4 And select the advance to employee active record PASSED 0.668 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And go to aacounts payable module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.474 s PASSED 0.194 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And go to aacounts payable module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Go to payment settlement module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) DASSED O.209 s O.275 s O.220 s		C		
Screenshot And go to aacounts payable module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And Go to payment settlement module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And Go to payment settlement module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.474 s PASSED 0.194 s	4	And select the advance to employee active record	PASSED	0.668 s
5 And go to aacounts payable module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Go to payment settlement module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.275 s 0.220 s 1.474 s PASSED 1.474 s PASSED 0.194 s			PASSED	0.209 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 And Go to payment settlement module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.474 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.220 s		© Yeard 0		
Screenshot 6 And Go to payment settlement module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.194 s	5	And go to aacounts payable module	PASSED	0.275 s
6 And Go to payment settlement module AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.194 s			PASSED	0.220 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.194 s			-	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.194 s	6	And Go to payment settlement module	PASSED	1.474 s
screenshot				
			1	


#	Step / Hook Details	Status	Duration
	■ © 10 1 10 1 10 1 10 1 10 1 10 1 10 1 1		
7	And click on Add Icon	PASSED	0.338 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.332 s
	screenshot		
	### OF THE PROPERTY AND PROPERT		
8	And fill the form for settlement	FAILED	5.332 s
	org.openga.selenium.NoSuchElementException: no such element: Unable to locate element: "method": "path", "selector": "Int/@aria-label='April 7, 2023']/span"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014584', ip: '10.1.47.109', os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [c717f0541a23f9754fef52ce76a0b6a4, findElement {using=xpath, value=/l/td[@aria-label='April 7, 2023']/span}] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51} (d537ec02474b5, userDataDir: C:\UserSiNINIDC=1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:65469}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws:/localhost:65469/devtoo, se:cdp\version: 99.0.4844.82, set\vertifondowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtabla-label-dat		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.ACCOUNTSPAYABLE_PaymentSettlement.fill_the_form_for_settlement(ACCOUNTSPAYABLE_PaymentSettlement.java:330) at ?.fill the form for settlement(file:///C:/Users/inindc00076/git/AzentioAutomationFrameworkAnandh/ Anandh_AzentioAutomationFramework1/src/test/java/features/ACCOUNTSPAYABLE_ACCOUNTSRECEIVABLE.feature:348) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.246 s
	screenshot		
9	And Save the form	SKIPPED	0.001 s
10	And click notification button	SKIPPED	0.000 s
11	Then choose first record in the notification record	SKIPPED	0.000 s
12	And click on Submit button	SKIPPED	0.000 s
13	Then enter remark in confirmation alert	SKIPPED	0.000 s
14	Then click on submit button in alert	SKIPPED	0.000 s
15	And capture the reviewer ID in pop up which is open when we submit our record in maker stage	SKIPPED	0.000 s
16	Then logout from maker	SKIPPED	0.000 s
17	And login with reviewer credentials	SKIPPED	0.000 s
18	Then click on notification button	SKIPPED	0.001 s
19	And select our record in notification records using reference ID	SKIPPED	0.000 s
20	Then Approve the record from reviewer	SKIPPED	0.001 s
21	And enter the remark in alert	SKIPPED	0.000 s
22	Then click on submit in alert	SKIPPED	0.001 s
23	Then verify the approval status of the record	SKIPPED	0.001 s
24	And logout from reviewer	SKIPPED	0.001 s
25	Then login as a checker	SKIPPED	0.000 s
26	And click on security management menu in checker	SKIPPED	0.001 s
27	Then click on action button under security management menu	SKIPPED	0.000 s
28	And select our record and clime using reference ID	SKIPPED	0.000 s
29	Then click on Notification button	SKIPPED	0.000 s
30	Then select our record in notification records by the help of reference ID	SKIPPED	0.020 s


DETAILED SECTION -- 8 --


#	Step / Hook Details	Status	Duration
31	And click on approve button in checker stage	SKIPPED	0.000 s
32	Then give alert remark	SKIPPED	0.000 s
33	Then click on submit button on alert	SKIPPED	0.000 s
34	And verify the record got approved from checker	SKIPPED	0.001 s
35	Then logout from checker	SKIPPED	0.000 s
36	And login with Maker ID	SKIPPED	0.001 s
37	And goto arap adjustment main module	SKIPPED	0.000 s
38	Then go to ar ap adjustment module	SKIPPED	0.000 s
39	And click on Add Icon	SKIPPED	0.001 s
40	Then check the settlement completed advance can be cancelled	SKIPPED	0.000 s

EXPANDED SECTION



EXPANDED SECTION --- 10 --





EXPANDED SECTION -- 12 --

