Cucumber Report

| Start : May 11, 4:32:13.126 pm	End : May 11, 4:32:56.964 pm	Duration : 43.838 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 13 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of the GL1 Module	1	1	0	0	43.838 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of the GL1 Module	If COA marked as de-active when accounting transaction carried out	13	13	0	0	43.830 s

(F)- Check the Functionality of the GL1 Module

PASSED	DURATION - 43.838 s	Scenarios		Steps	
/ 4:32:13.126 pm // 4:32:56.964 pm /		Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Total - 13 Pass - 13 Fail - 0 Skip - 0	13

(S)- If COA marked as de-active when accounting transaction carried out

PASSED	DURATION - 43.830 s		Steps	
/ 4:32:13.134 pm // 4:32:56.964 pm /			Total - 13 Pass - 13 Fail - 0 Skip - 0	13
Check the Functionality of the GL1 Module				
@KUBS_GL_UAT_005_009				

#	Step / Hook Details	Status	Duration
1	Given Navigate to URL and user should login as a maker	PASSED	12.563 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.588 s
	screenshot		
2	Then Click on the Finance	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	Then click on accounting setup	PASSED	2.169 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot		
4	Then Click on Chart of account definatation	PASSED	0.209 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.416 s
	screenshot		
5	Then Click on search button to search COA	PASSED	0.463 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	screenshot		
6	Then Click on Edit button to edit COA record	PASSED	0.095 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.344 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Click on status to make it inactive	PASSED	5.352 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.118 s
	screenshot		
8	Then Click on save button to save record	PASSED	0.139 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.204 s
	screenshot		
9	Then Validation message should pop up	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.225 s
	screenshot		
10	Given Navigate to URL and user should login as a maker	PASSED	8.454 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
	screenshot		

#	Step / Hook Details	Status	Duration
	+		
11	Then Click on the Finance	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.135 s
	screenshot		
	+		
12	Then click on accounting setup	PASSED	2.937 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.120 s
	screenshot		
	+		
13	Then Click on Chart of account definatation	PASSED	0.201 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.382 s
	screenshot		
	+		

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) If COA marked as de-active when accounting transaction carried out	
(F) Check the Functionality of the GL1 Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) If COA marked as de-active when accounting transaction carried out	
(F) Check the Functionality of the GL1 Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) If COA marked as de-active when accounting transaction carried out	
(F) Check the Functionality of the GL1 Module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) If COA marked as de-active when accounting transaction carried out	
(F) Check the Functionality of the GL1 Module	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) If COA marked as de-active when
accounting transaction carried out

(F) Check the Functionality of the GL1
Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) If COA marked as de-active when
accounting transaction carried out

(F) Check the Functionality of the GL1
Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) If COA marked as de-active when accounting transaction carried out

(F) Check the Functionality of the GL1 Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) If COA marked as de-active when accounting transaction carried out

(F) Check the Functionality of the GL1 Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) If COA marked as de-active when accounting transaction carried out

(F) Check the Functionality of the GL1 Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) If COA marked as de-active when accounting transaction carried out

(F) Check the Functionality of the GL1 Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) If COA marked as de-active when accounting transaction carried out	
(F) Check the Functionality of the GL1 Module	

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) If COA marked as de-active when accounting transaction carried out	
(F) Check the Functionality of the GL1 Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) If COA marked as de-active when accounting transaction carried out

(F) Check the Functionality of the GL1 Module