Cucumber Report

| *Start : Mar 08, 11:03:58.996 AM*	*End : Mar 08, 11:05:14.385 AM*	*Duration : 1 m 15.389 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 8 FAILED - 1 SKIPPED - 0
1	1	9
Pass % 0 %	Pass % 0 %	Pass % 88 %

#	Feature Name	T	P	F	S	Duration
1	General Ledger2 Transaction	1	0	1	0	1 m 15.389 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	General Ledger2 Transaction	Check the transactions as per GL number feeded	9	8	1	0	1 m 15.383 s

(F)- General Ledger2 Transaction

FAILED	DURATION - 1 m 15.389 s	Scenarios		Steps	
		Total - 1		Total - 9	
/ 11:03:58.996 AM // 11:05:14.385 AM /		Pass - 0	1	Pass - 8	9
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Check the transactions as per GL number feeded

FAILED	DURATION - 1 m 15.383 s		Steps	
/ 11:03:59.002 AM // 11:05:14.385 AM /			Total - 9	
General Ledger2 Transaction			Pass - 8	9
@KUBS_GL2_UAT_006_002 @Report			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	24.938 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.196 s
	screenshot		
2	And user should navigate to general ledger transaction menu	PASSED	0.871 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.361 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	When click on eye button of journal voucher	PASSED	0.686 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.861 s
	screenshot		
4	Then click on the record to get the GL number	PASSED	2.440 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.289 s
	screenshot		
5	Then click on report icon	PASSED	0.335 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.250 s
	screenshot		
6	Then click on enquiry menu	PASSED	0.166 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.235 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then click on temp grid button of financial transaction	PASSED	0.281 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.392 s
	screenshot 		
8	And fill the GL number field of financial transaction	PASSED	0.495 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.181 s
	screenshot 		
9	Then click on view button to view the report as per reference number	FAILED	1.510 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button _ngcontent-nav-c640="" shape="round" color="primary" ng-reflect-shape="round" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-round button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled="">...</ion-button> is not clickable at point (1404, 88). Other element would receive the click: <ion-buttons _ngcontent-nav-c640="" slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6303498ddde05e47de16a7983244cd72, clickElement {id=4d2010b3-58fb-47e3-a2f0-3df6dfc6577f}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:62220}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62220/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (6303498ddde05e47de16a7983244cd72)] -> xpath: //ion-button[contains(text(),'View')]] Session ID: 6303498ddde05e47de16a7983244cd72 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.GeneralLedger2_JournalVoucher_Reports. click_on_view_button_to_view_the_report_as_per_reference_number(GeneralLedger2_JournalVoucher_Reports.java:107) at ?.click on view button to view the report as per reference number(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/ src/test/java/features/GeneralLedger2_JournalVoucher.feature:26) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.234 s
	screenshot 		

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the transactions as per GL number feeded

(F) General Ledger2 Transaction

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the transactions as per GL number feeded

(F) General Ledger2 Transaction

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the transactions as per GL number feeded

(F) General Ledger2 Transaction

Actions		Branch Code - Name	JV Type	CCY	Cr Amount	Dr Amount	Posting Date	Value Date
👁 ✏		AZENTMAIN - Azentio N	1105617	INR	1000	1000	22-Oct-2022	22-Oct-2022
👁 ✏		AZENTMAIN - Azentio N	1105617	INR	100000	100000	22-Oct-2022	22-Oct-2022
👁 ✏		AZENTMAIN - Azentio N	1105617	INR	100000	100000	22-Oct-2022	22-Oct-2022
👁 ✏		AZENTMAIN - Azentio N	1105617	INR	10000000	10000000	22-Oct-2022	22-Oct-2022
👁 ✏		AZENTMAIN - Azentio N	1105617	INR	1000000	1000000	22-Oct-2022	22-Oct-2022
👁 ✏		AZENTMAIN - Azentio N	1105617	INR	5000000	5000000	19-Oct-2022	19-Oct-2022
👁 ✏		AZENTMAIN - Azentio N	1105617	INR	250000	250000	02-Jun-2022	02-Jun-2022
👁 ✏		BR0003 - East Zone	1105617	INR	1000000	1000000	02-Jun-2022	02-Jun-2022

23 total

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the transactions as per GL number feeded

(F) General Ledger2 Transaction

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the transactions as per GL number feeded	
(F) General Ledger2 Transaction	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the transactions as per GL number feeded	
(F) General Ledger2 Transaction	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the transactions as per GL
number feeded

(F) General Ledger2 Transaction

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the transactions as per GL
number feeded

(F) General Ledger2 Transaction

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the transactions as per GL number feeded

(F) General Ledger2 Transaction

≡ 🌐 **Kastle Universal Banking** (Beta)   23-Oct-2022 English ▾   Azentio Software ▾ (AZENTMAIN) 🔔 ⬛ 👤 ANANT

Finance ▾

🛠 🚏 📋

Financial Transaction   VIEW

⊙ Reports

⊙ Financial reporting

⊙ Enquiry

▶ **Financial transaction** ✏️

⊙ Petty cash

* Branch Code

Branch Name

GI Code
IFRS-1000046-AS - ICICI Bank AC ICICI8837437... × ▾

Transaction From Date   📅

Transaction To Date   📅

Transaction Ref No   ▾

Account Number   ▾

22 Appro... ✕   11 Messa... ✕   ⠿ **Home**   ➤ **Preference**