

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	1	1	0	0	15.846 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel	To verify user can able to see modification history of	11	11	0	0	15.841 s
	<u>feature</u>	updated budget code					

DETAILED SECTION -- 4 --

(F)- To check BudgetDefinition moduel feature

PASSED	DURATION - 15.846 s	Scenarios		Steps	
		Total - 1		Total - 11	
/ 1:51:50.201 PM	1 // 1:52:06.047 PM /	Pass - 1	1	Pass - 11	11
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- To verify user can able to see modification history of updated budget code

PASSED	DURATION - 15.841 s	10	1		-	-	-		-		-				Steps	
/ 1:51:50 200	6 PM // 1:52:06.047 PM /	8			-	- +	-	- + -		- +			-		Total - 11	
1.01.00.200	37 W// 1.32.00.047 T W/	4]				-	- + -	!	- +					Pass - 11	11
To check Bud	lgetDefinition moduel feature	2	-	-	-										Fail - 0	
@Modification	n history	0		<u> </u>			<u> </u>	<u> </u>		<u> </u>		<u> </u>			Skip - 0	
	,			1	2	3	4	5	6	7	8	9	10	11		

1	#	Step / Hook Details	Status	Duration
1		Given navigate to URL and login as a maker and choose finance option	PASSED	9.855 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.554 s
		screenshot		
		Based Space Annahome (annum () () () () () () () () () () () () ()		
2		Then click on budget configuration Menu	PASSED	0.321 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
		screenshot		


After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario)	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And Find the budet code in the list AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot FASSED AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Then verify system should display the status of the record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.ja				
screenshot And Find the budet code in the list AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Then verify system should display the status of the record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.	3	And click on action button in budget configuration	PASSED	0.171 s
And Find the budet code in the list AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Soreenshot Then verify system should display the status of the record AFSED AFSE		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.468 s
4 And Find the budet code in the list AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 Then verify system should display the status of the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) FASSED O.045 s 0.245 s 0.071 s PASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucum		screenshot		
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then verify system should display the status of the record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And verify system should display the name or id who created the record And verify system should display the name or id who created the record PASSED 0.245 s 0.245 s 0.245 s 0.245 s				
Screenshot Then verify system should display the status of the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And verify system should display the name or id who created the record And verify system should display the name or id who created the record PASSED 0.0071 s PASSED 0.129 s 0.129 s	4	And Find the budet code in the list	PASSED	0.040 s
5 Then verify system should display the status of the record PASSED 0.071 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.245 s
5 Then verify system should display the status of the record PASSED 0.071 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot The verify system should display the status of the record PASSED 0.071 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.129 s ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.129 s ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.129 s ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.032 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And verify system should display the name or id who created the record PASSED 0.129 s 0.032 s		### OF THE PROPERTY OF THE PRO		
Screenshot And verify system should display the name or id who created the record PASSED 0.032 s	5	Then verify system should display the status of the record	PASSED	0.071 s
6 And verify system should display the name or id who created the record PASSED 0.032 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.129 s
6 And verify system should display the name or id who created the record PASSED 0.032 s		screenshot		
		O 10000 Total Tota		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.134 s	6	And verify system should display the name or id who created the record	PASSED	0.032 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.134 s
screenshot		screenshot		

#	Step / Hook Details	Status	Duration
	## OF ADDITIONAL PROPERTY OF ADDITION OF A		
7	And verify system should display record created date	PASSED	0.022 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.117 s
	screenshot		
	## OF TAX PARTY OF		
8	And verify system should display the name or id who made changes the record at last	PASSED	0.024 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.123 s
	screenshot		
	## OF ADDRESS ## OF ADDRESS		
9	And verify system should display record modified date	PASSED	0.028 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.132 s
	screenshot		
	# O STORY STATE OF THE STATE OF		
10	Then verify system should display name or id of the authorized person of that record	PASSED	0.069 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
	screenshot		


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	## Open Control of Con		
11	And verify system should diplay the authorized date	PASSED	0.097 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s
	screenshot		
	### OF THE PROPERTY OF THE PRO		


EXPANDED SECTION --- 8 --




EXPANDED SECTION



EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --

