
Duration: 1 m 17.592 s Start: Feb 09, 2:59:26.800 PM End: Feb 09, 3:00:44.392 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 12 SKIPPED - 0 SKIPPED - 0 SKIPPED - 4 17 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 70 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	1 m 17.592 s

SCENARIOS SUMMARY



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify Accounts Receivable Report post bill is approved.	17	12	1	4	1 m 17.586 s

DETAILED SECTION -- 4 --

(F)- AR/AP Module

FAILED	DURATION - 1 m 17.592 s	Scenarios		Steps	
		Total - 1		Total - 17	
/ 2:59:26.800 P	M // 3:00:44.392 PM /	Pass - 0	1	Pass - 12	17
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 4	

(S)- Verify Accounts Receivable Report post bill is approved.

FAILED DURATION - 1 m 17.586 s	50			-													-	Steps			
/ 2:59:26.806 PM // 3:00:44.392 PM /	30		-	1	- -	-1-	- + -	-	- + -	-			-1-	- + - - + -	- -	- + - - - + -	-	Total - 17			
	20	- -	-		-		- + -	-	- + -	-		-		- + -		-	-	Pass - 12		17	
AR/AP Module	10	╂	-	<u> </u>					- 1 -	-								Fail - 1			,
@KUBS_AR/AP_UAT_002_001TC_04 @AR/AP	0	-	1	2	3	+	- 5	6	-	8	9	10	11	12	13	14	15	Skip - 4	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	49.922 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.062 s
	screenshot		
	TABLE TO THE PARTY OF THE PARTY		
2	Then Click on the Direction	PASSED	2.791 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.436 s
	screenshot		
	CENTRO WHO REE EXPLOY AND SHOWN A SHOWN OF B ONE WHO REE EXPLOY AND SHOWN A SHOWN OF B ONE WHO REE EXPLOY AND SHOWN A SHOWN OF B ONE WHO REE EXPLOY AND SHOWN A SHOWN OF B ONE WHO REE EXPLOYER WHO REE EXPL		


AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AATURATER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AAU Update the data set id for Accounts Payable Report APR13 post bill is approved AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Sorcenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AATTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AAT	#	Step / Hook Details	Status	Duration
screenshot 4 And Update the data set id for Accounts Payable Report APR13 post bill is approved AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And click debit note eye icon AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Creenshot 4 AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.265 s 0.277 s And search sale of assert in debit list PASSED 0.279 s AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.292 s	3	Then Click on Account Recivable button	PASSED	0.796 s
4 And Update the data set id for Accounts Payable Report APR13 post bill is approved AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 And click debit note eye icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 And click debit note eye icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.265 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.279 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.279 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.281 s
4 And Update the data set id for Accounts Payable Report APR13 post bill is approved AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.205 s PASSED 0.279 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.279 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.292 s		screenshot		
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.279 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.292 s		AZENTO WHATE Days: Annotations: Advisor Digits: Annotations: Advisor Digi		
Screenshot 5 And click debit note eye icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And click search button and then click debit note status search AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.265 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.279 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.279 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.292 s	4	And Update the data set id for Accounts Payable Report APR13 post bill is approved	PASSED	0.604 s
5 And click debit note eye icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And click search button and then click debit note status search AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.265 s PASSED 0.257 s 7 And search sale of assert in debit list PASSED 0.279 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.292 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.256 s
5 And click debit note eye icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And click search button and then click debit note status search AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And search sale of assert in debit list PASSED 0.279 s PASSED 0.279 s PASSED 0.279 s PASSED 0.292 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And click search button and then click debit note status search AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.265 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 And search sale of assert in debit list AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.279 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.279 s		ASSETTO The Married State of the State of t		
And click search button and then click debit note status search AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 And search sale of assert in debit list AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.279 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.279 s	5	And click debit note eye icon	PASSED	0.735 s
And click search button and then click debit note status search AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And search sale of assert in debit list AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.265 s 0.257 s 0.257 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.093 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 And search sale of assert in debit list AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.257 s PASSED 0.279 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 0.292 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 And search sale of assert in debit list AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.257 s PASSED 0.279 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 0.292 s				
Screenshot 7 And search sale of assert in debit list AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.279 s 0.292 s	6	And click search button and then click debit note status search	PASSED	0.265 s
7 And search sale of assert in debit list AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.279 s 0.292 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.257 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.292 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.292 s		ASSISTO 10 MONTHS (gg) 10 Action (see See See See See See See See See See		
	7	And search sale of assert in debit list	PASSED	0.279 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.292 s
		screenshot		

#	Step / Hook Details	Status	Duration
	SACRITIO		
8	And click first eye icon in list view	PASSED	0.177 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.788 s
	screenshot		
	Description		
9	And get the debit note number and buisnes partner name, debit note date	PASSED	0.428 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
	screenshot		
	### CANADA		
10	And click the notes option in top	PASSED	1.134 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.501 s
	screenshot		
	### AND PROFESSION STATES OF THE PROFESSION ST		
11	And click the Reports Sub Module	PASSED	0.179 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.280 s
	screenshot		
	SECUTION SECUTI		


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
12	And click the Account Receivable Report	PASSED	0.509 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.491 s
	screenshot		
	ACENTO What 25 Maps Annotations - Advisor 2		
13	And select the vendor name	FAILED	0.264 s
	java.lang.lllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:92) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) at stepdefinitions.ARAP_AccountReceivableReport.select_the_vendor_name(ARAP_AccountReceivableReport.java:81) at ?.select the vendor name(file:///C:/Users/ININDC00089/git/AzentioAutomationFramework/ArAp/ AzentioAutomationFramework_ARAP_Excel/src/test/java/features/ArAp2.feature:66) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.291 s
	screenshot	-	
	Shared Sequence of the control of th		
14	And select the Receivable status based on we get from Debit note	SKIPPED	0.000 s
15	And select the date	SKIPPED	0.000 s
16	And click the view icon	SKIPPED	0.000 s
17	Then verify the debit note is available in Receivable Report	SKIPPED	0.000 s


EXPANDED SECTION -- 8 --




EXPANDED SECTION -- 9 --




EXPANDED SECTION --- 10 --



EXPANDED SECTION --- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

