


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check Budget Request and Allocation feature module	1	1	0	0	23.068 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check Budget Request and Allocation	To verify the impact if user enters all the valid details and	19	19	0	0	23.062 s
	feature module	clicking on save button					

DETAILED SECTION -- 4 --

(F)- Check Budget Request and Allocation feature module

PASSED	DURATION - 23.068 s	Scenarios		Steps	
		Total - 1		Total - 19	
/ 1:37:50.619 pm	n // 1:38:13.687 pm /	Pass - 1	1	Pass - 19	19
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- To verify the impact if user enters all the valid details and clicking on save button



#	Step / Hook Details	Status	Duration
1	Given Navigate The url	PASSED	10.543 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.408 s
	screenshot		
	Description of the control of the co		
2	Then Transfer icon	PASSED	0.363 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.340 s
	screenshot		

3 And Budget module field PASSED 0.122 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 Then Budget module Budget Request and Allocation clk Eye Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And the Budget Code fields AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		Prince Layer beautiful		
Screenshot 4 Then Budget module Budget Request and Allocation clk Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And the Budget Code fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.472 s 0.212 s 0.212 s	3	And Budget module field	PASSED	0.122 s
4 Then Budget module Budget Request and Allocation clk Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And the Budget Code fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.033 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.022 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.202 s
4 Then Budget module Budget Request and Allocation clk Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And the Budget Code fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.472 s PASSED 0.212 s 0.212 s DASSED 0.212 s 0.212 s 0.212 s		screenshot		
AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) Screenshot 5 And the Budget Code fields AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) Screenshot PASSED 0.212 s 0.212 s				
Screenshot 5 And the Budget Code fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.033 s 0.202 s	4	Then Budget module Budget Request and Allocation clk Eye Icon	PASSED	0.472 s
5 And the Budget Code fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.033 s PASSED 0.202 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
5 And the Budget Code fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.033 s 0.202 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot		# Contractorations		
screenshot	5	And the Budget Code fields	PASSED	0.033 s
If Q contractions Print type - contract, after Q II 0 cm		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.202 s
The Control Space of the Contr		screenshot		
© 100 100		3 kapender 0		
6 Then the Budget Name Fields PASSED 0.031 s	6	Then the Budget Name Fields	PASSED	0.031 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.142 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
screenshot		screenshot		

#	Step / Hook Details	Status	Duration
	## OF THE PROPERTY OF THE PROP		
7	And the Budget Year fields	PASSED	0.031 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.139 s
	screenshot		
	Part		
8	Then the Budget Type fields	PASSED	0.023 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.125 s
	screenshot		
	Principle Space Principle		
9	And the Budget Budget Amount fields	PASSED	0.026 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	screenshot		
	## OF THE PROPERTY OF THE PROP		
10	Then the Budget Status fields	PASSED	0.023 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.144 s
	screenshot	1	


#	Step / Hook Details	Status	Duration
11	And Add icon Request and Allocation	PASSED	0.216 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.239 s
	screenshot		
	Particular Par		
12	Then choose current Budget Code	PASSED	0.312 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
	Screenshot * * *** Anti-institute*** *** * *** * *** * *** * *** * *** * *** *	_	
13	And Clk current Budget Year	PASSED	0.334 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.247 s
	Part		
14	Then Clk on Branch fields	PASSED	0.163 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
	screenshot		


15 And Clk one Branch in branch field AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 16 Then Clk on Branch ok button in pop up AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 37 Then Clk Need currency AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 38 AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 48 AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 49 AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 40 AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 50 AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 50 AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 51 And Select Amount for which Budget Type Show in Budget type AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP_step	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot 16 Then Clk on Branch ok button in pop up AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot 17 Then Clk Need currency AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED O.164 s PASSED O.188 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) B And Select Amount for which Budget Type Show in Budget type AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED O.152 s		100		
Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.164 s PASSED O.188 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.258 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.137 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.152 s	15	And Clk one Branch in branch field	PASSED	
16 Then Clk on Branch ok button in pop up AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 17 Then Clk Need currency AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.457 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.152 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
Then Clk Need currency AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Then Clk Need currency AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.457 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.457 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 17 Then Clk Need currency AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 0.188 s 0.188 s 0.188 s 18 And Select Amount for which Budget Type Show in Budget type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.188 s 0.188 s		### 0		
screenshot Then Clk Need currency AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.258 s 0.137 s 2.258 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.457 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.457 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.152 s	16	Then Clk on Branch ok button in pop up	PASSED	0.164 s
Then Clk Need currency AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Select Amount for which Budget Type Show in Budget type AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.457 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.152 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.188 s
Then Clk Need currency AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot And Select Amount for which Budget Type Show in Budget type AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 1.457 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.258 s 0.137 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 18 And Select Amount for which Budget Type Show in Budget type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.457 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.137 s		© Martin 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Screenshot 18 And Select Amount for which Budget Type Show in Budget type AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.152 s	17	Then Clk Need currency	PASSED	0.258 s
18 And Select Amount for which Budget Type Show in Budget type AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.152 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
18 And Select Amount for which Budget Type Show in Budget type AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.152 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.152 s		O Mar. Section O Market O		
	18	And Select Amount for which Budget Type Show in Budget type	PASSED	1.457 s
screenshot		· · · · · · · · · · · · · · · · · · ·	PASSED	0.152 s
		screenshot	1	

#	Step / Hook Details	Status	Duration
	10 10 10 10 10 10 10 10		
19	And Clk on save icon	PASSED	2.107 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
	screenshot		
	# 0 10 10 10 10 10 10 10 10 10 10 10 10 1		


-- 9 --

EXPANDED SECTION -- 10 --







EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --

