


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	testing the fuctionalities of bank reconciliation module	1	0	1	0	28.393 s



#	Feature Name	Scenario Name		P	F	S	Duration
1	testing the fuctionalities of bank	Click on Process button on Bank Recon Process screen	16	15	1	0	28.389 s
	reconciliation module	post creating additional entries					

DETAILED SECTION -- 4 --

(F)- testing the fuctionalities of bank reconciliation module

FAILED	DURATION - 28.393 s	Scenarios		Steps	
		Total - 1		Total - 16	
/ 10:14:57.20	7 AM // 10:15:25.600 AM /	Pass - 0	1	Pass - 15	16
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Click on Process button on Bank Recon Process screen post creating additional entries

FAILED DURATION - 28.389 s		П							-			-						Steps			
/ 10:14:57.211 AM // 10:15:25.600 AM /	10	#1		-	-		-		-					-				Total - 16			
testing the fuctionalities of bank reconciliation	5	-			-		-					-						Pass - 15		16	
module					1		_	<u> </u>				-	_	-	_			Skip - 0	V		7
@KUBS_TAX_UAT_0010_001TC_001	7		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15				

#	Step / Hook Details	Status	Duration
1	Given user log in to Azentio for bank recon	PASSED	13.931 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.410 s
	screenshot		
2	And user click bank recon module	PASSED	0.095 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
	screenshot		

# Step / Hook Details	Status	Duration
# * ** ** ** ** ** ** ** ** ** ** ** **		
3 And user click eye icon in bank recon module	PASSED	0.315 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.291 s
screenshot		
## O		
4 And user click add icon in bank recon	PASSED	0.345 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.242 s
screenshot		
Total		
5 And user select bank name in bank recon Module for csv file	PASSED	0.256 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.181 s
screenshot		
# \$ manufacture		
6 And user select bank account Number in bank recon Module	PASSED	0.188 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.130 s

#	Step / Hook Details	Status	Duration
	The Continue of the Continue o		
7	And user click bank recon from date and select the date for csv file	PASSED	1.507 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
	screenshot		
	D D D D D D D D D D		
8	And user click bank recon to date and select the date for csv file	PASSED	1.433 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
	Screenshot	_	
9	And user click choose file and upload the bank statement for csv	PASSED	0.226 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.253 s
	screenshot	-	
	10 10 10 10 10 10 10 10		
10	And user click save button in bank recon	PASSED	0.114 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
	screenshot		


11 And user click process button in bank recon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 12 And user click the unmatched data in bank recon process AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ACTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) APASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ACTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.add	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 12 And user click the unmatched data in bank recon process AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 13 And user match the records in unmached tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 14 And user match the records in unmached tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.206 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.305 s		© Motor P to the first of th		
screenshot 2 And user click the unmatched data in bank recon process AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 3 And user match the records in unmached tab AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.206 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.305 s	11		PASSED	
2 And user click the unmatched data in bank recon process AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.206 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.305 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.741 s
Arter step - step definitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) And user match the records in unmached tab Arter step - step definitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) And user match the records in unmached tab Arter step - step definitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) Screenshot Arter step - step definitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) Arter step - step definitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) Arter step - step definitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) Arter step - step definitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) Arter step - step definitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) Arter step - step definitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) Arter step - step definitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) PASSED 0.206 s AFTER_STEP - step definitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) PASSED 0.305 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 13 And user match the records in unmached tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 14 And user click matched data tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.348 s 0.348 s 0.348 s PASSED 0.721 s 0.721 s 0.186 s 0.206 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.206 s PASSED 0.305 s		0 10 10 10 10 10 10 10		
screenshot 13 And user match the records in unmached tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 14 And user click matched data tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.206 s PASSED 0.305 s	12	And user click the unmatched data in bank recon process	PASSED	0.177 s
And user match the records in unmached tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user click matched data tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.721 s 0.186 s PASSED 0.206 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.305 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.348 s
AAND USER MATCHER STEP - Stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - Stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) ARTER_STEP - Stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.721 s 0.721 s 0.186 s PASSED 0.206 s AFTER_STEP - Stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.305 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 14 And user click matched data tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.186 s PASSED 0.206 s PASSED 0.305 s		0 10 10 10 10 10 10 10		
Screenshot 14 And user click matched data tab AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.206 s 0.305 s	13	And user match the records in unmached tab	PASSED	0.721 s
And user click matched data tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.206 s 0.305 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.186 s
14 And user click matched data tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.206 s 0.305 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.305 s		State		
	14	And user click matched data tab	PASSED	0.206 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.305 s
Scientific		screenshot]	

#	Step / Hook Details	Status	Duration
	With the control of t		
15	Then user verify that Book entry will be matched with Bank entry and will be displayed in Matched Tab	PASSED	0.079 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.226 s
	screenshot		
	Statistics Statis		
16	Then user verify that Unmatched entry from Bank Side will not be displayed	FAILED	0.023 s
	org.openga.selenium.NoSuchElementException: no such element: Unable to locate element: ("method": "xpath", "selector": "//div[contains(ext(), CAN_478")"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element_Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016585', ip: '10.1.47.108', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openga. selenium.chrome.ChromeDriver Command: [c112d090f9a2823a72f7c3db244e49da, findElement (using=xpath, value=//lidi/contains(text(), 'CAN_478")]) Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5, userDataDir: C:\Users\ININDC-1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:56053}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), sectop: ws://localhost:56053/devto, secdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBiob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c112d090f9a2823a72f7c3db244e49da at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:480) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.jav		


DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)		
	at stepdefinitions.Bank_ReconModule.user_verify_that_unmatched_entry_from_bank_side_will_not_be_displayed(Bank_ReconModule.		
	java:285)		
	at ?.user verify that Unmatched entry from Bank Side will not be displayed(file:///C:/Users/inindc00077/git/		
	repository2/Ajith_AzentioAutomationFramework/src/test/java/features/Bank_ReconciliationModule.feature:80)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.215 s
	screenshot		


EXPANDED SECTION -- 10 --




EXPANDED SECTION




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --

