


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Checking the Acount Receivable Updating deposited cheques functionality	1	0	1	0	50.866 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Acount Receivable	Bouncing of deposited cheques	18	10	1	7	50.863 s
	Updating deposited cheques *						

^{*} The feature name and/or scenario name has been cropped to fit in the available space.

DETAILED SECTION

(F)- Checking the Acount Receivable Updating deposited cheques functionality

FAILED	DURATION - 50.866 s	Scenarios		Steps	
		Total - 1		Total - 18	
/10:36:28.820	AM // 10:37:19.686 AM /	Pass - 0	1	Pass - 10	18
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 7	

(S)- Bouncing of deposited cheques

FAILED DURATION - 50.863 s				-													Steps		
/ 10:36:28.823 AM // 10:37:19.686 AM /	20 -	:-				-	-		-			-	÷-		÷-		Total - 18		
Checking the Acount Receivable Updating deposited cheques functionality	10 -				-							-					Pass - 10 Fail - 1	18	
@MultiAuth @KUBS_AR/AP_UAT_010_003_TC_01	0 -	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	Skip - 7		,

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	8.848 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.290 s
	screenshot		
	*** **** ***** ***********************		
2	Then Click on Direction icon	PASSED	2.315 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		

#	Step / Hook Details	Status	Duration
	*** O TOTAL POLICY CONTROL STATE OF THE STAT		
3	Then Click on Account Recivable button	PASSED	0.121 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.115 s
	screenshot		

4	Then Click on Update cheque status Note icon	PASSED	0.299 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.145 s
5	Then Select the Record	PASSED	0.114 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.290 s
6	Then Select Cheque Status Bounced	PASSED	0.270 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	screenshot	1	


7 Then Add Bank Charges PASSED 0.187 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.187 s 8 Then Select the bounced reason PASSED 0.227 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.327 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.358 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.358 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.103 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.126 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot ### PASSED		Note 0 0 0 0 0 0 0 0 0		
Screenshot Select the bounced reason PASSED 0.327 s PASSED 0.328 s PASSED	7	Then Add Bank Charges	PASSED	0.187 s
Then Select the bounced reason AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.327 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.135 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.135 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) To Passed 0.126 s PASSED 0.126 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.166 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.101 s
8 Then Select the bounced reason PASSED 0.327 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then Click on save button to save the Record for Account Recivable AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot FASSED 0.35 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Then Click on save button to save the Record for Account Recivable AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Then Click on Account Payable Notification PASSED 0.126 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.126 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then Click on save button to save the Record for Account Recivable AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then Click on Account Payable Notification AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) O.126 s		Manual M		
screenshot 9 Then Click on save button to save the Record for Account Recivable AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then Click on Account Payable Notification AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.126 s PASSED 0.166 s	8	Then Select the bounced reason	PASSED	0.327 s
Then Click on save button to save the Record for Account Recivable AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Then Click on Account Payable Notification AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.126 s PASSED 0.166 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.135 s
9 Then Click on save button to save the Record for Account Recivable AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then Click on Account Payable Notification AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.126 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.166 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then Click on Account Payable Notification AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.103 s 0.103 s PASSED 0.126 s		Note 0 0 0 0 0 0 0 0 0		
Screenshot 10 Then Click on Account Payable Notification AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.126 s 0.166 s	9	Then Click on save button to save the Record for Account Recivable	PASSED	2.095 s
10 Then Click on Account Payable Notification PASSED 0.126 s AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.166 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.103 s
10 Then Click on Account Payable Notification AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.126 s 0.166 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.166 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.166 s	10	Then Click on Account Payable Notification	PASSED	0.126 s
screenshot		·	PASSED	0.166 s
		screenshot	1	


#	Step / Hook Details	Status	Duration
11	Then Select the record from Notification	FAILED	27.871 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc551.16bd's System info: host: 'INMUVADP016372'; ip: '10.1.47.119', os.name: 'Windows 10', os.ach': 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bd1e65c46851a4125563524b593dca0], isElementDisplayed [id=79d05b94-6649-479f-8a92-83747/491613]] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664 45, ChromedriverVersion: 96.0.46		

#	Step / Hook Details	Status	Duration
	features/AccountReceivable_UpdateDepositedCheque.feature:16)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	4.017 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bd1e8f5c46851a4125563524b593dca0, screenshot {} {} {} {} {} {} {} {} {} {} {} {} {}		
12	And Submit the Selected record	SKIPPED	0.000 s
13	Then log in to the reviewer account	SKIPPED	0.001 s
14	Then click on the Notification select the record and Approve	SKIPPED	0.000 s
15	Then log in to the Checker Account	SKIPPED	0.000 s
16	And then checker claim the record	SKIPPED	0.000 s
17	Then click on the checker Notification	SKIPPED	0.000 s
18	And select the record and Approve by checker	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.246 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bd1e8f5c46851a4125563524b593dca0, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:53867},		


#	Step / Hook Details	Status	Duration
	javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:		
	Proxy(), se:cdp: ws://localhost:53867/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts:		
	{implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		
	webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: bd1e8f5c46851a4125563524b593dca0		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)		
	at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432)		
	at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

EXPANDED SECTION -- 10 --






EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --

