

Cucumber Report

Mar 2, 2022, 11:04:31 PM

Start : Mar 02, 11:02:16.585 PM

End : Mar 02, 11:04:30.337 PM

Duration : 2 m 13.752 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 5
FAILED - 1
SKIPPED - 3







#	Feature Name	T	P	F	S	Duration
1	Checking the Acount Receivable Updating deposited cheques functionality	1	0	1	0	2 m 13.752 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Account Receivable Updating deposited cheques *	Bouncing of deposited cheques	9	5	1	3	2 m 13.750 s


* The feature name and/or scenario name has been cropped to fit in the available space.





(F)- Checking the Account Receivable Updating deposited cheques functionality

FAILED	DURATION - 2 m 13.752 s	Scenarios		Steps	
/ 11:02:16.585 PM // 11:04:30.337 PM /		Total - 1		Total - 9	
		Pass - 0		Pass - 5	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

(S)- Bouncing of deposited cheques

<div>FAILED</div> <div>DURATION - 2 m 13.750 s</div>		<div>Steps</div> <div>Total - 9</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 3</div>	
<div>/ 11:02:16.587 PM // 11:04:30.337 PM /</div>			
<div>Checking the Account Receivable Updating deposited cheques functionality</div>			
<div>@MultiAuth</div> <div>@KUBS_AR/AP_UAT_010_003_TC_01</div>			

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	9.640 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.286 s
	screenshot		
			
2	Then Click on Direction icon	PASSED	2.309 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then Click on Account Recivable button	PASSED	0.153 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.148 s
	screenshot 		
4	Then Click on Update cheque status Note icon	PASSED	0.332 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	screenshot 		
5	Then Select the Record	PASSED	0.116 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
	screenshot 		
6	Then Select Cheque Status Bounced	FAILED	1 m 53.567 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b180e2b64eb2e015700399f9ace9d773, findElement {using=xpath, value=//ion-row[1]/ion-col[8]/app-kub-lov[1]/span[1]/ng-select[1]/div[1]/div[1]/div[2]/input}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir:		

#	Step / Hook Details	Status	Duration
	<p>C:\Users\ININDC~1\AppData\Local\Google\Chrome\User Data\Default\DevTools\goog:chromeOptions: {debuggerAddress: localhost:52464}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52464/devtools, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b180e2b64eb2e015700399f9ace9d773</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.AccountReceivable_UpdateDepositedCheque. select_cheque_status_bounced(AccountReceivable_UpdateDepositedCheque.java:49) at ?.Select Cheque Status Bounced(file:///C:/Users/inindc00089/git/repository/Priyanka_AzentioAutomationFramework/src/test/java/features/AccountReceivable_UpdateDepositedCheque.feature:11) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b180e2b64eb2e015700399f9ace9d773, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\Local\Google\Chrome\User Data\Default\DevTools\goog:chromeOptions: {debuggerAddress: localhost:52464},</p>	FAILED	4.014 s


#	Step / Hook Details	Status	Duration
	<p>javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52464/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b180e2b64eb2e015700399f9ace9d773</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)</p>		
7	Then Add Bank Charges	SKIPPED	0.001 s
8	Then Select the bounced reason	SKIPPED	0.000 s
9	Then Click on save button to save the Record for Account Recivable	SKIPPED	0.000 s
	<p>AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b180e2b64eb2e015700399f9ace9d773, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\Local\Google\Chrome\User Data\Default\Profile 1\Extensions\pfnlnbfh...}, goog:chromeOptions: {debuggerAddress: localhost:52464}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52464/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b180e2b64eb2e015700399f9ace9d773</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p>	FAILED	0.246 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bouncing of deposited cheques


(F) Checking the Account Receivable
Updating deposited cheques functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bouncing of deposited cheques

(F) Checking the Account Receivable
Updating deposited cheques functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bouncing of deposited cheques

(F) Checking the Account Receivable
Updating deposited cheques functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bouncing of deposited cheques

(F) Checking the Account Receivable
Updating deposited cheques functionality

Actions	Branch Code - Name	Cheque Number	Deposit Slip Date	Slip Number	Bank	Branch	Account Number
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio A	RRN2802202213	03-Mar-2022	DEP-RRN2802202213-	ICICIBANK	JAIPUR BRANCH	ICICI883298
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio A	12	26-Feb-2022	DEP-12-20220226	HDFC BANK	Ashok Marg, Jaipur Branch	1234534555
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio A	RR121996	25-Feb-2022	DEP-RR121996-20220	ICICIBANK	JAIPUR BRANCH	ICICI883298
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio A	RR000076	27-Feb-2022	DEP-RR000076-20220	ICICIBANK	JAIPUR BRANCH	ICICI883298
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio A	3345344	28-Dec-2021	DEP-3345344-202112	ICICIBANK	JAIPUR BRANCH	ICICI883298

5 total

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bouncing of deposited cheques

(F) Checking the Account Receivable
Updating deposited cheques functionality

Kastle Universal Banking (Beta)

19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Accounts receivable (Advances)

Receipts

Receipts reversals

Cheque deposit

Update cheque status

Appropriation

Appropriation reversals

Fixed assets

Inventory management

Petty cash

Bank recon

Update Cheque Status

Actions	Branch Code - Name	Cheque Number	Deposit Slip Date	Slip Number	Bank	Branch	Account Num
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio A	RRN2802202213	03-Mar-2022	DEP-RRN2802202213-	ICICIBANK	JAIPUR BRANCH	ICICI883298
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio A	12	26-Feb-2022	DEP-12-20220226	HDFC BANK	Ashok Marg Jaipur Branch	1234534555
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio A	RR121996	25-Feb-2022	DEP-RR121996-20220	ICICIBANK	JAIPUR BRANCH	ICICI883298
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio A	RR000076	27-Feb-2022	DEP-RR000076-20220	ICICIBANK	JAIPUR BRANCH	ICICI883298
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio A	3345344	28-Dec-2021	DEP-3345344-202112	ICICIBANK	JAIPUR BRANCH	ICICI883298

5 total

22 Appro...

11 Messa...

Home

Preference