# Cucumber Report

| Start : Nov 28, 1:37:42.296 PM | End : Nov 28, 1:38:28.509 PM | Duration : 46.213 s |
| --- | --- | --- |
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 11<br>FAILED - 1<br>SKIPPED - 4 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | AR/AP Module | 1 | 0 | 1 | 0 | 46.213 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | AR/AP Module | PO should be created successfully and displayed in approved queue with Active Status | 16 | 11 | 1 | 4 | 46.208 s |

## (F)- AR/AP Module

| FAILED | DURATION - 46.213 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| | | Total - 1 | | Total - 16 | |
| / 1:37:42.296 PM // 1:38:28.509 PM / | | Pass - 0 | 1 | Pass - 11 | 16 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 4 | |

## (S)- PO should be created successfully and displayed in approved queue with Active Status

| FAILED | DURATION - 46.208 s | | Steps | |
|---|---|---|---|---|
| / 1:37:42.301 PM // 1:38:28.509 PM / | | | Total - 16 | |
| AR/AP Module | | | Pass - 11 | 16 |
| | | | Fail - 1 | |
| @KUBS_AR/AP_UAT_001_001_TC_02_01 | | | Skip - 4 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User should go to the kubs url and login as a maker user | PASSED | 13.267 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.333 s |
| | screenshot | | |
| |  + | | |
| 2 | And user should navigate to accounts payable menu | PASSED | 2.469 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.175 s |
| | screenshot | | |
| |  + | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 3 | Then Click on purchase order Eye Icon | PASSED | 0.396 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.229 s |
| | screenshot | | |
| |  + | | |
| 4 | Then Click on purchase order Add button | PASSED | 1.568 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.272 s |
| | screenshot | | |
| |  + | | |
| 5 | And user update the data set ID for Purchase Order | PASSED | 0.002 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.123 s |
| | screenshot | | |
| |  + | | |
| 6 | Then Fill purchase order Mandatory fields | PASSED | 7.182 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.169 s |
| | screenshot | | |
| |  + | | |
| 7 | Then Click on Account Payable Save button | PASSED | 0.081 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.180 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 8 | Then close the confrimation msg | PASSED | 1.031 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.166 s |
| | screenshot | | |
| |  | | |
| 9 | Then Click on Item Details Record | PASSED | 2.095 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.239 s |
| | screenshot | | |
| |  | | |
| 10 | And user update the data set ID for Purchase Order | PASSED | 0.001 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.280 s |
| | screenshot | | |
| |  | | |
| 11 | Then Edit the item details fields | PASSED | 5.284 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.132 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 12 | Then Click on Account Payable Save button | FAILED | 1.059 s |
| | org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled="">...</ion-button> is not clickable at point (1895, 118). Other element would receive the click: <ion-buttons slot="end" class="ng-star-inserted buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons>   (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [efe4d26bea145739fc38c5d166430cc7, clickElement {id=7152423b-5801-4166-ac1e-4dc606304c18}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:56848}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56848/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (efe4d26bea145739fc38c5d166430cc7)] -> xpath: (//ion-toolbar[1]/ion-buttons[2]/ion-button[1])[2]] Session ID: efe4d26bea145739fc38c5d166430cc7<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)<br>    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)<br>    at jdk.internal.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)<br>    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>    at java.base/java.lang.reflect.Method.invoke(Method.java:568)<br>    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)<br>    at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)<br>    at stepdefinitions.AccountPayable_VendorPurchaseOrder.click_on_account_payable_save_button(AccountPayable_VendorPurchaseOrder.java:157)<br>    at ?.Click on Account Payable Save button(file:///C:/Users/inindc00089/eclipse-workspace/AzentioAutomationFramework_ARAP/src/test/ | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | java/features/ArAp1.feature:77)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 0.128 s |
| 13 | Then Click on Account Payable Notification | SKIPPED | 0.000 s |
| 14 | Then Search purchase order record in List | SKIPPED | 0.000 s |
| 15 | Then Select the record from Notification | SKIPPED | 0.000 s |
| 16 | And Submit the Selected record | SKIPPED | 0.000 s |

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
|---|---|
| (S) PO should be created successfully and displayed in approved queue with Active Status | |
| (F) AR/AP Module | |

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
|---|---|
| (S) PO should be created successfully and displayed in approved queue with Active Status | |
| (F) AR/AP Module | |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) PO should be created successfully
and displayed in approved queue with
Active Status

(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) PO should be created successfully
and displayed in approved queue with
Active Status

(F) AR/AP Module

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) PO should be created successfully and displayed in approved queue with Active Status | |
| (F) AR/AP Module | |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) PO should be created successfully and displayed in approved queue with Active Status | |
| (F) AR/AP Module | |

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
|---|---|
| (S) PO should be created successfully and displayed in approved queue with Active Status | |
| (F) AR/AP Module | |

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
|---|---|
| (S) PO should be created successfully and displayed in approved queue with Active Status | |
| (F) AR/AP Module | |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)



(S) PO should be created successfully and displayed in approved queue with Active Status

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)



(S) PO should be created successfully and displayed in approved queue with Active Status

(F) AR/AP Module

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
|---|---|
| (S) PO should be created successfully and displayed in approved queue with Active Status | |
| (F) AR/AP Module | |

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
|---|---|
| (S) PO should be created successfully and displayed in approved queue with Active Status | |
| (F) AR/AP Module | |