
Cucumber Report




FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of Inventory	1	0	1	0	1 m 13.590 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Inventory	Bill(invoice) Booking	9	7	1	1	1 m 13.585 s

(F)- Check the Functionality of Inventory

FAILED	DURATION - 1 m 13.590 s	Scenarios		Steps	
		Total - 1		Total - 9	
/ 4:26:56.801	PM // 4:28:10.391 PM /	Pass - 0	1	Pass - 7	9
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

(S)- Bill(invoice) Booking



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	46.008 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.434 s
	screenshot		
	ACENTO Paradio lagar considerar source () () () (100)		
2	Then select data set ID for bill booking	PASSED	0.567 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.518 s
	screenshot		
	CASTON CASTON		


And user should navigate to accounts payable menu AFTER_STEP - steptdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - steptdefinitions. HooksClas	#	Step / Hook Details	Status	Duration
screenshot Then click on po creation module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.Hoo	3	And user should navigate to accounts payable menu	PASSED	2.983 s
4 Then click on po creation module PASSED 0.510 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And get the approved po number from approved po record for invoice booking AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 When click on the eye button of invoice booking PASSED AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.382 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.382 s O.510 s PASSED O.221 s PASSED O.382 s O.54 s PASSED O.554 s PASSED O.654 s PASSED O.654 s PASSED O.727 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.319 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And get the approved po number from approved po record for invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot When click on the eye button of invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.7 And click on add button for invoice booking PASSED 2.046 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And get the approved po number from approved po record for invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot When click on the eye button of invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.7 And click on add button for invoice booking PASSED 2.046 s		# ASSETTION Part P		
screenshot 5 And get the approved po number from approved po record for invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 When click on the eye button of invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And click on add button for invoice booking PASSED 2.046 s	4	·	PASSED	0.510 s
5 And get the approved po number from approved po record for invoice booking AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot When click on the eye button of invoice booking AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 7 And click on add button for invoice booking PASSED 2.046 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.709 s
5 And get the approved po number from approved po record for invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 When click on the eye button of invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) pASSED 0.221 s 0.382 s 0.382 s 0.654 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) pASSED 0.327 s 4 And click on add button for invoice booking PASSED 2.046 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot When click on the eye button of invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.382 s O.382 s O.654 s O.327 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And click on add button for invoice booking PASSED O.382 s O.382 s				
Screenshot 6 When click on the eye button of invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And click on add button for invoice booking PASSED 0.654 s PASSED 0.327 s	5	And get the approved po number from approved po record for invoice booking	PASSED	0.221 s
6 When click on the eye button of invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 And click on add button for invoice booking PASSED 0.654 s PASSED 0.327 s PASSED 2.046 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.382 s
6 When click on the eye button of invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 And click on add button for invoice booking PASSED 0.654 s 0.327 s PASSED 0.327 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And click on add button for invoice booking PASSED 0.327 s PASSED 0.327 s				
screenshot 7 And click on add button for invoice booking PASSED 2.046 s	6	When click on the eye button of invoice booking	PASSED	0.654 s
7 And click on add button for invoice booking PASSED 2.046 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.327 s
7 And click on add button for invoice booking PASSED 2.046 s		screenshot		
	7	And click on add button for invoice booking	PASSED	2.046 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.467 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.467 s
screenshot		screenshot		


#	Step / Hook Details	Status	Duration
	CALCATION Control		
8	And Fill the required fields for invoice booking record	FAILED	13.583 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element		

DETAILED SECTION --- 7 -


#	Step / Hook Details	Status	Duration
	ARAP_AzentioAutomationFramework_Excel/src/test/java/features/InventoryManagement_UAT.feature:230) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.218 s
	screenshot		
	### ACCUPATION ### AC		
9	Then Save and submit the invoice billing	SKIPPED	0.000 s

EXPANDED SECTION --- 8 -





EXPANDED SECTION -- 10 --



EXPANDED SECTION

