Cucumber Report

Start : Nov 28, 2:04:39.553 PM	*End : Nov 28, 2:05:09.841 PM*	*Duration : 30.288 s*
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 9 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	1	0	0	30.288 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	PO should be approved by checker	9	9	0	0	30.285 s

(F)- AR/AP Module

PASSED	DURATION - 30.288 s	Scenarios		Steps	
/ 2:04:39.553 PM // 2:05:09.841 PM /		Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Total - 9 Pass - 9 Fail - 0 Skip - 0	9

(S)- PO should be approved by checker

PASSED	DURATION - 30.285 s		Steps	
/ 2:04:39.556 PM // 2:05:09.841 PM /			Total - 9	
AR/AP Module			Pass - 9 Fail - 0	9
@KUBS_AR/AP_UAT_001_001_TC_02_03			Skip - 0	

#	Step / Hook Details	Status	Duration
1	And user update the data set ID for purchase order Reviewer	PASSED	0.783 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	screenshot +		
2	Given User should go to the kubs url and login as a checker user	PASSED	8.099 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.310 s
	screenshot +		

#	Step / Hook Details	Status	Duration
3	And Click on security management in checker	PASSED	2.028 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.305 s
	screenshot		
4	Then Click on open pool in checker	PASSED	0.153 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.162 s
	screenshot		
5	And Click on claim button in checker for purchase order	PASSED	1.068 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
	screenshot		
6	And capture claimed status	PASSED	0.974 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
	screenshot		
7	Then click on notification in checker	PASSED	0.220 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.232 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	Then Search purchase order record in List	PASSED	1.092 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.148 s
	screenshot 		
9	Then checker should approved the purchase order record	PASSED	11.019 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.162 s
	screenshot 		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) PO should be approved by checker

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) PO should be approved by checker

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) PO should be approved by checker

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) PO should be approved by checker

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) PO should be approved by checker

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) PO should be approved by checker

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) PO should be approved by checker

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) PO should be approved by checker

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) PO should be approved by checker

(F) AR/AP Module