

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	1	0	0	1 m 23.114 s

SCENARIOS SUMMARY -- 3 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify status for the receipt is auto changed to Deposit	9	9	0	0	1 m 23.107 s

DETAILED SECTION -- 4 --

(F)- AR/AP Module

PASSED	DURATION - 1 m 23.114 s	Scenarios		Steps	
		Total - 1		Total - 9	
7:37:59.703 AM	/ // 7:39:22.817 AM /	Pass - 1	1	Pass - 9	9
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Verify status for the receipt is auto changed to Deposit


PASSED DURATION - 1 m 23.107 s				1	,		-	,	1	-	Steps		
/ 7:37:59.709 AM // 7:39:22.816 AM /	30 -					-	- +				Total - 9		
AR/AP Module	20 -	 				-					Pass - 9	9	
@AR/AP	10 -			+	<u>-</u>	-	_				Skip - 0		,
@KUBS_AR_AP_UAT_010_002_TC_02_01	3	1	2	3	4	5	6	7	8	9			

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	48.201 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.859 s
	screenshot		
	SALENTIO Whose I figure - Audithories Address E @ 4000 Whose I figure		
2	Then select data set ID for verify status of the receipt is auto changed to deposit	PASSED	0.361 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.622 s
	screenshot		
	TENTO VENTO VENTO Inper- Annihmer- Allower		


And goto accouts Receivable module Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And goto accouts receipt module And goto accouts receipt module Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Arter_step - stepdefinitions.HooksClass.addScreenshot(io.c	#	Step / Hook Details	Status	Duration
screenshot And goto accouts receipt module Arter_step - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Arter_step - step -	3	And goto accouts Receivable module	PASSED	2.299 s
4 And goto accouts receipt module PASSED 0.719 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And click on Add Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucu		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.248 s
4 And goto accouts receipt module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And click on Add Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepd		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AGUICK on Add Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksC		TOTAL STATE OF THE PROPERTY OF		
screenshot 5 And click on Add Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And fill the all receipt mendatory details AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And save the receipt record PASSED 2.740 s PASSED 0.600 s 4.467 s PASSED 0.316 s	4	And goto accouts receipt module	PASSED	0.719 s
5 And click on Add Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And fill the all receipt mendatory details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And save the receipt record PASSED 2.740 s PASSED 2.740 s PASSED 0.600 s 0.600 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.719 s
5 And click on Add Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 And fill the all receipt mendatory details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 4.467 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 4.467 s PASSED 0.316 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And fill the all receipt mendatory details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And save the receipt record DASSED 0.600 s PASSED 0.600 s				
Screenshot 6 And fill the all receipt mendatory details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And save the receipt record PASSED 2.202 s	5	And click on Add Icon	PASSED	2.740 s
6 And fill the all receipt mendatory details AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 And save the receipt record PASSED 4.467 s PASSED 0.316 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.600 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And save the receipt record PASSED 0.316 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And save the receipt record PASSED 0.316 s		Cartino		
Screenshot 7 And save the receipt record PASSED 2.202 s	6	And fill the all receipt mendatory details	PASSED	4.467 s
7 And save the receipt record PASSED 2.202 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.316 s
7 And save the receipt record PASSED 2.202 s		screenshot		
·		Description		
AFTER_STEP - stendefinitions HooksClass addScreenshot(in cucumber java Scenario) PASSED 0.391 s	7	And save the receipt record	PASSED	2.202 s
71 TEIX_GTEI Stepatimitario: Totalo di accidenta di Control (10.0000 millor) di Valencia di Control (10.0000 millor) di Control (10.00		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.391 s
screenshot		screenshot		


#	Step / Hook Details	Status	Duration
	### ACCUPTION Washington Column		
8	Then Click on Update Deposited Cheque Notification	PASSED	0.386 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.615 s
	screenshot		
	### ALEXATION Part		
9	And Select and Submit the Update Deposit Cheque record	PASSED	10.895 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.316 s
	screenshot		
	### CONTROL CO		

EXPANDED SECTION -- 7 --




EXPANDED SECTION -- 8 --





EXPANDED SECTION -- 9 --



EXPANDED SECTION --- 10 --

