Duration: 56.807 s Start: Jan 09, 9:45:08.693 PM End: Jan 09, 9:46:05.500 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 5 SKIPPED - 0 SKIPPED - 0 SKIPPED - 3 40 50 60 40 50 60 40 50 60 Pass % 70 30 Pass / 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 55 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	56.807 s

SCENARIOS SUMMARY

-- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify status for the receipt is auto changed to Deposit	9	5	1	3	56.800 s

DETAILED SECTION -- 4 --

(F)- AR/AP Module

FAILED	DURATION - 56.807 s	Scenarios		Steps	
		Total - 1		Total - 9	
/ 9:45:08.693 PN	1 // 9:46:05.500 PM /	Pass - 0	1	Pass - 5	9
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

(S)- Verify status for the receipt is auto changed to Deposit




#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	39.256 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.758 s
	screenshot		
	ALEXTIC INNORES Space - Assistance - Assista		
2	Then select data set ID for verify status of the receipt is auto changed to deposit	PASSED	0.159 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.309 s
	screenshot		
	MADERITO PROPERTY AND SOUTH OF THE PROPERTY OF		


#	Step / Hook Details	Status	Duration
3	And goto accouts Receivable module	PASSED	2.388 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.426 s
	screenshot		
	ASSETTION THE METERS THE MAN AND ADDRESS AND ADDRES		
4	And goto accouts receipt module	PASSED	1.418 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.735 s
	screenshot		
	A Section Se		
5	And click on Add Icon	PASSED	1.404 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.539 s
	screenshot		
	ASSITIO PROFEE Spin. Automotions - Series		
6	And fill the all receipt mendatory details	FAILED	0.471 s
	java.lang.lllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:92) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) at stepdefinitions.ARAP_ClearingReceiptViaChequeMode.fill_the_all_receipt_mendatory_details(ARAP_ClearingReceiptViaChequeMode. java:121) at ?.fill the all receipt mendatory details(file:///C:/Users/ININDC00091/git/AzentioAutomationFramework/DeveshFW_Excel/ARAP_AzentioAutomationFramework_Excel/src/test/java/features/ArAp_2_Excel.feature:1056) * Not displayable characters are replaced by '?'.		


DETAILED SECTION -- 6 --

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.365 s
	screenshot		
	AZENTO New year logal - tons linear - szenene ()		
	Note Note		
	© Nove 1		
7	And save the receipt record	SKIPPED	0.000 s
8	Then Click on Update Deposited Cheque Notification	SKIPPED	0.000 s
9	And Select and Submit the Update Deposited Cheque record	SKIPPED	0.000 s

EXPANDED SECTION -- 7







EXPANDED SECTION -- 9 --

