Cucumber Report

| Start : Mar 31, 7:38:43.913 PM	End : Mar 31, 7:39:06.716 PM	Duration : 22.803 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 10 FAILED - 1 SKIPPED - 32

1

1

43

40 50 60
30 Pass % 70
20 80
10 90
0 0 % 100

40 50 60
30 Pass % 70
20 80
10 90
0 0 % 100

40 50 60
30 Pass % 70
20 80
10 90
0 23 % 100

#	Feature Name	T	P	F	S	Duration
1	To check the asset impairement module in fixed asset module	1	0	1	0	22.803 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check the asset impairement module in fixed asset module	Check the impairement of asset (de allocated)	43	10	1	32	22.797 s

(F)- To check the asset impairement module in fixed asset module

FAILED	DURATION - 22.803 s	Scenarios		Steps	
/ 7:38:43.913 PM // 7:39:06.716 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 43 Pass - 10 Fail - 1 Skip - 32	43

(S)- Check the impairement of asset (de allocated)

FAILED	DURATION - 22.797 s		Steps	
/ 7:38:43.919 PM // 7:39:06.716 PM /			Total - 43	
To check the asset impairement module in fixed asset module			Pass - 10 Fail - 1 Skip - 32	43
@KUBS_FAT_UAT_009_003				

#	Step / Hook Details	Status	Duration
1	Given Navigate to KUBS URL and login with maker credentials	PASSED	12.792 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.570 s
	screenshot		
2	And click on fixed asset main module	PASSED	0.458 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.219 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And go to asset de allocation module	PASSED	0.458 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.348 s
	screenshot		
4	And click on search icon	PASSED	0.306 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.225 s
	screenshot		
5	And get the active reference number in asset de allocation module	PASSED	0.321 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
	screenshot		
6	And click on view button near by asset impairement module	PASSED	0.222 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.512 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And click on Add Icon	PASSED	0.278 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.318 s
	screenshot		
8	Then Check System shuld display the input fields	PASSED	0.152 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.121 s
	screenshot		
9	And choose the asset Item no	PASSED	0.208 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
	screenshot		
10	And choose the asset Item no	PASSED	0.127 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	And choose the transcation type as impairment	FAILED	0.522 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-col[2]/app-kub-lov[1]/span[1]/ng-select[1]/div[1]/div[1]/div[2]/span[2]"}   (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014584', ip: '10.1.47.109', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ea8b8891c68c3700c159456b54401ff, findElement {using=xpath, value=//ion-col[2]/app-kub-lov[1]/span[1]/ng-select[1]/div[1]/div[1]/div[2]/span[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58900}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58900/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1ea8b8891c68c3700c159456b54401ff

   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)
   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
   at jdk.proxy2/jdk.proxy2.$Proxy46.getText(Unknown Source)
   at stepdefinitions.FIXEDASSET_AssetImpairement.choose_the_transcation_type_as_impairment(FIXEDASSET_AssetImpairement.java:896)
   at ?.choose the transcation type as impairment(file:///C:/Users/inindc00076/git/AzentioAutomationFrameworkMasterNew/AzentioAutomationFramework/src/test/java/features/FIXEDASSET_AssetImpairement.feature:106)
* Not displayable characters are replaced by '?'.

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.211 s
	screenshot		
12	And check the book value of asset	SKIPPED	0.001 s
13	Then click on Save Button	SKIPPED	0.000 s
14	Then click on notification button	SKIPPED	0.000 s
15	Then choose first record in the notification record	SKIPPED	0.000 s
16	And click on Submit button	SKIPPED	0.000 s
17	Then enter remark in confirmation alert	SKIPPED	0.000 s
18	Then click on submit button in alert	SKIPPED	0.000 s
19	And capture the reviewer ID in pop up which is open when we submit our record in maker stage	SKIPPED	0.000 s
20	Then logout from maker	SKIPPED	0.001 s
21	And login with reviewer credentials	SKIPPED	0.000 s
22	Then click on notification button	SKIPPED	0.000 s
23	And select our record in notification records using reference ID	SKIPPED	0.001 s
24	Then Approve the record from reviewer	SKIPPED	0.000 s
25	And enter the remark in alert	SKIPPED	0.000 s
26	Then click on submit in alert	SKIPPED	0.000 s
27	Then verify the approval status of the record	SKIPPED	0.000 s
28	And logout from reviewer	SKIPPED	0.002 s
29	Then login as a checker	SKIPPED	0.000 s
30	And click on security management menu in checker	SKIPPED	0.000 s
31	Then click on action button under security management menu	SKIPPED	0.000 s
32	And select our record and clime using reference ID	SKIPPED	0.000 s
33	Then click on Notification button	SKIPPED	0.000 s
34	Then select our record in notification records by the help of reference ID	SKIPPED	0.000 s
35	And click on approve button in checker stage	SKIPPED	0.001 s
36	Then give alert remark	SKIPPED	0.003 s
37	Then click on submit button on alert	SKIPPED	0.002 s
38	And verify the record got approved from checker	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
39	Then logout from checker	SKIPPED	0.000 s
40	And login with Maker ID	SKIPPED	0.001 s
41	And click on fixed asset main module	SKIPPED	0.000 s
42	And click on view button near by asset impairement module	SKIPPED	0.001 s
43	Then check the approved record is displayed in appeared in maker list view stage	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the impairement of asset (de allocated)	
(F) To check the asset impairement module in fixed asset module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the impairement of asset (de allocated)	
(F) To check the asset impairement module in fixed asset module	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the impairement of asset (de
allocated)

(F) To check the asset impairement
module in fixed asset module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the impairement of asset (de
allocated)

(F) To check the asset impairement
module in fixed asset module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the impairement of asset (de allocated)	
(F) To check the asset impairement module in fixed asset module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the impairement of asset (de allocated)	
(F) To check the asset impairement module in fixed asset module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the impairement of asset (de allocated)	
(F) To check the asset impairement module in fixed asset module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the impairement of asset (de allocated)	
(F) To check the asset impairement module in fixed asset module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the impairement of asset (de allocated)	
(F) To check the asset impairement module in fixed asset module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the impairement of asset (de allocated)	
(F) To check the asset impairement module in fixed asset module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the impairement of asset (de allocated)	
(F) To check the asset impairement module in fixed asset module	