

FEATURES SUMMARY -- 2 --



| # | Feature Name                              | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | Check the Functionality of the GL2 Module | 1 | 1 | 0 | 0 | 18.961 s |

SCENARIOS SUMMARY -- 3 --




| # | Feature Name                       | Scenario Name                                       | T | P | F | S | Duration |
|---|------------------------------------|---|---|---|---|---|----------|
| 1 | Check the Functionality of the GL2 | Check the created already and trying to create same | 8 | 8 | 0 | 0 | 18.956 s |
|   | Module                             | accounting book                                     |   |   |   |   |          |

DETAILED SECTION -- 4 --

## **(F)- Check the Functionality of the GL2 Module**

| PASSED           | DURATION - 18.961 s | Scenarios |   | Steps     |   |
|------------------|---------------------|-----------|---|-----------|---|
|                  |                     | Total - 1 |   | Total - 8 |   |
| / 3:27:08.650 pm | // 3:27:27.611 pm / | Pass - 1  | 1 | Pass - 8  | 8 |
|                  |                     | Fail - 0  |   | Fail - 0  |   |
|                  |                     | Skip - 0  |   | Skip - 0  |   |

## (S)- Check the created already and trying to create same accounting book




| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Navigate to Azentio Kubs   | PASSED | 11.910 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.159 s  |
|   | screenshot   |        |          |
|   |  |        |          |
| 2 | And Click on Accounting Setup module   | PASSED | 0.102 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.173 s  |
|   | screenshot   |        |          |


| The Click sub module Accounting book definition   | # | Step / Hook Details   | Status | Duration |
|---|---|---|--------|----------|
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  And Click on Add icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Choose the Template Type of Custom Template  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.217 s  PASSED  0.184 s |   |   |        |          |
| screenshot  4 And Click on Add icon  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario)  5 Then Choose the Template Type of Custom Template  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario)  Screenshot  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario)  PASSED  0.284 s  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario)  PASSED  0.217 s  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario)  PASSED  0.184 s           | 3 | •   | PASSED |          |
| And Click on Add icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Choose the Template Type of Custom Template  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.217 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.184 s   |   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  | PASSED | 0.444 s  |
| 4 And Click on Add icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 Then Choose the Template Type of Custom Template  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.284 s  0.156 s  0.156 s  |   | screenshot  |        |          |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Choose the Template Type of Custom Template  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AGTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AGTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.217 s  PASSED  0.184 s  |   | ***   *** |        |          |
| screenshot  Then Choose the Template Type of Custom Template  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And Enter Another Book Name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.217 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.184 s   | 4 | And Click on Add icon   | PASSED | 0.250 s  |
| 5 Then Choose the Template Type of Custom Template  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 And Enter Another Book Name  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.217 s  0.184 s  |   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  | PASSED | 0.268 s  |
| 5 Then Choose the Template Type of Custom Template  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And Enter Another Book Name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.217 s  PASSED  0.217 s   |   | screenshot  |        |          |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 And Enter Another Book Name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.156 s  PASSED  0.217 s  PASSED  0.184 s  |   | Comparation   |        |          |
| Screenshot  6 And Enter Another Book Name  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.217 s  0.184 s  | 5 | Then Choose the Template Type of Custom Template  | PASSED | 0.284 s  |
| 6 And Enter Another Book Name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.217 s  0.184 s  |   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  | PASSED | 0.156 s  |
| 6 And Enter Another Book Name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.217 s  0.184 s   |   | screenshot  |        |          |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.184 s   |   | Commerce   Commerce |        |          |
|   | 6 | And Enter Another Book Name   | PASSED | 0.217 s  |
| screenshot  |   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  | PASSED | 0.184 s  |
|   |   | screenshot  |        |          |


DETAILED SECTION -- 6 --

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | ### OF CONTRACTORS   ### OF CO |        |          |
| 7 | Then Enter the Remark  | PASSED | 0.261 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.195 s  |
|   | screenshot   |        |          |
|   | P  |        |          |
| 8 | Then Validate the Message we get   | PASSED | 0.016 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.178 s  |
|   | screenshot   |        |          |
|   |  |        |          |

EXPANDED SECTION --- 7 -







EXPANDED SECTION -- 10 --

