

FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|------------------------------------|---|---|---|---|----------|
| 1 | Check The Azentio UAT functionaliy | 1 | 1 | 0 | 0 | 24.657 s |

SCENARIOS SUMMARY -- 3 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|------------------------------------|------------------------------------|----|----|---|---|----------|
| 2 | Check The Azentio UAT functionally | budget for Budgetcode type monthly | 13 | 13 | 0 | 0 | 24.651 s |

DETAILED SECTION -- 4 --

(F)- Check The Azentio UAT functionally

| PASSED | DURATION - 24.657 s | Scenarios | | Steps | |
|------------------|---------------------|-----------|---|------------|----|
| | | Total - 1 | | Total - 13 | |
| / 8:09:28.340 am | // 8:09:52.997 am / | Pass - 1 | 1 | Pass - 13 | 13 |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

(S)- budget for Budgetcode type monthly




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Navigate to the Azentio Url | PASSED | 13.146 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.148 s |
| | screenshot | | |
| | POSITION Space: Association Common Q | | |
| 2 | Then click the Two Direction Icon | PASSED | 0.274 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.249 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | Final Processors Final Proces | | |
| 3 | And click to the Budget | PASSED | 0.093 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.186 s |
| | screenshot | | |
| | # Descriptions Part | | |
| 4 | Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon | PASSED | 0.176 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.331 s |
| | screenshot | | |
| 5 | And click on the Add icon in Request and Allocation | PASSED | 0.204 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot | PASSED | 0.309 s |
| 6 | Then select the Budget Code | PASSED | 0.285 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.172 s |
| | screenshot | | |


| AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED PA | # | Step / Hook Details | Status | Duration |
|--|----|---|--------|----------|
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 8 | | | | |
| screenshot Then click on the Branch AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Then click on the Branch ok button AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.179 s 0.179 s 0.179 s | 7 | And select the Budget Year | PASSED | 0.344 s |
| Then click on the Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And select to one Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Additional Company of the Stephane of the Branch of Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Then click on the Branch ok button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.099 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.212 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.238 s |
| Then click on the Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And select to one Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot To Then click on the Branch ok button PASSED O.088 s PASSED O.179 s O.170 s O. | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And select to one Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then click on the Branch ok button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.179 s 0.179 s 0.151 s 0.146 s | | 0 100 | | |
| screenshot 9 And select to one Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 70 Then click on the Branch ok button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.099 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.212 s | 8 | Then click on the Branch | PASSED | 0.088 s |
| 9 And select to one Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then click on the Branch ok button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.099 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.212 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.179 s |
| 9 And select to one Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then click on the Branch ok button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.099 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.212 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then click on the Branch ok button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.146 s PASSED 0.099 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.212 s | | | | |
| screenshot 10 Then click on the Branch ok button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.099 s 0.212 s | 9 | And select to one Branch | PASSED | 0.151 s |
| 10 Then click on the Branch ok button AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.099 s 0.212 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.146 s |
| 10 Then click on the Branch ok button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.099 s 0.212 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.212 s | | Name | | |
| | 10 | Then click on the Branch ok button | PASSED | 0.099 s |
| screenshot | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.212 s |
| | | screenshot | 7 | |

| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| | ### C | | |
| 11 | Then select one currency we need | PASSED | 0.199 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.139 s |
| | screenshot | | |
| | 10 10 10 10 10 10 10 10 | | |
| 12 | And Enter the Amount for Monthly Budget type | PASSED | 4.011 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.110 s |
| | screenshot | | |
| | # 10 Page - 10 P | | |
| 13 | And click on the save button | PASSED | 0.092 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.202 s |
| | screenshot |] | |
| | # ** ** ** ** ** ** ** ** ** ** ** ** ** | | |


EXPANDED SECTION -- 8 --




EXPANDED SECTION -- 9 --




EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --

