# Cucumber Report

| Start : Mar 25, 2:20:48.836 PM | End : Mar 25, 2:22:20.121 PM | Duration : 1 m 31.285 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 17<br>FAILED - 1<br>SKIPPED - 17 |

1

1

35

Pass %

0 %

0 %

48 %

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | To verify user can see the GL report for stock return to vendors | 1 | 0 | 1 | 0 | 1 m 31.285 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | To verify user can see the GL report for stock return to vendors | Return inventories unwanted by branch to issuers | 35 | 17 | 1 | 17 | 1 m 31.280 s |

## (F)- To verify user can see the GL report for stock return to vendors

| FAILED | DURATION - 1 m 31.285 s | Scenarios | | Steps | |
|--------|--------------------------|-----------|---|-------|---|
| / 2:20:48.836 PM // 2:22:20.121 PM / | | Total - 1 | | Total - 35 | |
| | | Pass - 0 | 1 | Pass - 17 | 35 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 17 | |

## (S)- Return inventories unwanted by branch to issuers

| FAILED | DURATION - 1 m 31.280 s | | Steps | |
|--------|--------------------------|---|-------|---|
| / 2:20:48.841 PM // 2:22:20.121 PM / | | | Total - 35 | |
| To verify user can see the GL report for stock return to vendors | | | Pass - 17 | 35 |
| | | | Fail - 1 | |
| @KUBS_INV_MGMT_UAT_005_StockReturn | | | Skip - 17 | |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| 1 | Given Azentio Maker user url | PASSED | 25.562 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.466 s |
| | screenshot | | |
| | | | |
| 2 | Then Click on Second icon page | PASSED | 0.370 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.256 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 3 | And Click Inventory Management module | PASSED | 0.488 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.150 s |
| | screenshot | | |
| |  | | |
| 4 | And Click on stock return from branch SubModule Eye icon | PASSED | 0.561 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.235 s |
| | screenshot | | |
| |  | | |
| 5 | Then Click on stock return from branch Add icon | PASSED | 0.456 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.612 s |
| | screenshot | | |
| |  | | |
| 6 | And Click on Request Referance No code | PASSED | 0.852 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.129 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 7 | Then Click on Issue Referance No code | PASSED | 0.342 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.165 s |
| | screenshot | | |
| |  | | |
| 8 | And Click on item code | PASSED | 0.301 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.185 s |
| | screenshot | | |
| |  | | |
| 9 | And Enter Return Quantity Stock value | PASSED | 0.198 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.169 s |
| | screenshot | | |
| |  | | |
| 10 | Then Click on Return Type and Choose Type | PASSED | 0.429 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.206 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 11 | And Click on Return Reason and Choose Type | PASSED | 0.374 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.151 s |
| | screenshot  | | |
| 12 | Then Save the Inventory Stock Record | PASSED | 3.182 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.144 s |
| | screenshot  | | |
| 13 | And goto the maker Notification icon | PASSED | 0.964 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.258 s |
| | screenshot  | | |
| 14 | Then Click Submit icon to Inventory Record | PASSED | 0.853 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.201 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 15 | And Give Remark and submit Inventory field | PASSED | 3.811 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.171 s |
| | screenshot | | |
| |  | | |
| 16 | Given Login As Reviewer user | PASSED | 14.322 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.109 s |
| | screenshot | | |
| |  | | |
| 17 | And Goto the Reviewer Notification | PASSED | 1.335 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.211 s |
| | screenshot | | |
| |  | | |
| 18 | Then Find submitted Record from maker End and open the Record | FAILED | 0.470 s |
| | org.openqa.selenium.StaleElementReferenceException: stale element reference: element is not attached to the page document   (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d9bf638f6e079033b337a14269790ffb, clickElement {id=a54ffd9d-6a19-431d-a5c2-a42bac517ea0}] Capabilities {acceptInsecureCerts: false, | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:59282}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59282/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (d9bf638f6e079033b337a14269790ffb)] -> xpath: //datatable-row-wrapper[1]/datatable-body-row/div/datatable-body-cell[1]//ion-button] Session ID: d9bf638f6e079033b337a14269790ffb<br>   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>   at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)<br>   at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)<br>   at jdk.internal.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)<br>   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>   at java.base/java.lang.reflect.Method.invoke(Method.java:568)<br>   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)<br>   at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)<br>   at stepdefinitions.INVENTORY_StockReturnBranch.find_submitted_code_from_maker_end_and_open_the_record(INVENTORY_StockReturnBranch.java:247)<br>   at ?.Find submitted Record from maker End and open the Record(file:///C:/Users/inindc00082/git/AzentioAutomationFramework2403/AzentioAutomationFramework/src/test/java/features/INVENTORY_InventoryManagement.feature:78)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.227 s |
| | screenshot | | |
| |  | | |
| 19 | And Approve the Record from Reviewer End | SKIPPED | 0.000 s |
| 20 | Then Enter The Remark and submit from Reviewer End | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 21 | Given Login As Checker user | SKIPPED | 0.001 s |
| 22 | Then Click module Security management | SKIPPED | 0.000 s |
| 23 | And Click Sub module open Pool | SKIPPED | 0.000 s |
| 24 | And Claim the Record Which submit from Reviewer | SKIPPED | 0.000 s |
| 25 | Then Goto the Checker Notification | SKIPPED | 0.000 s |
| 26 | And Find submitted Record from Reviewer End and Open the Record | SKIPPED | 0.000 s |
| 27 | Then Get Item Description value | SKIPPED | 0.001 s |
| 28 | And Approve the Record from Checker End | SKIPPED | 0.000 s |
| 29 | Then Enter the Remark and submit from checker End | SKIPPED | 0.000 s |
| 30 | Given Azentio Maker user url | SKIPPED | 0.001 s |
| 31 | Then Click on Inventory Maintance module | SKIPPED | 0.000 s |
| 32 | And click on Master Item eye icon | SKIPPED | 0.000 s |
| 33 | Then click on the search icon | SKIPPED | 0.000 s |
| 34 | And Give Item description value and Click Edit icon | SKIPPED | 0.001 s |
| 35 | When validate the quantity of the Item | SKIPPED | 0.000 s |

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
|---|---|
| (S) Return inventories unwanted by branch to issuers | |
| (F) To verify user can see the GL report for stock return to vendors | |

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
|---|---|
| (S) Return inventories unwanted by branch to issuers | |
| (F) To verify user can see the GL report for stock return to vendors | |

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| --- | --- |
| (S) Return inventories unwanted by branch to issuers | |
| (F) To verify user can see the GL report for stock return to vendors | |

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| --- | --- |
| (S) Return inventories unwanted by branch to issuers | |
| (F) To verify user can see the GL report for stock return to vendors | |

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| --- | --- |
| (S) Return inventories unwanted by branch to issuers | |
| (F) To verify user can see the GL report for stock return to vendors | |

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| --- | --- |
| (S) Return inventories unwanted by branch to issuers | |
| (F) To verify user can see the GL report for stock return to vendors | |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Return inventories unwanted by branch to issuers | |
| (F) To verify user can see the GL report for stock return to vendors | |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Return inventories unwanted by branch to issuers | |
| (F) To verify user can see the GL report for stock return to vendors | |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Return inventories unwanted by branch to issuers | |
| (F) To verify user can see the GL report for stock return to vendors | |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Return inventories unwanted by branch to issuers | |
| (F) To verify user can see the GL report for stock return to vendors | |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Return inventories unwanted by branch to issuers

(F) To verify user can see the GL report for stock return to vendors



☰  🌐 Kastle Universal Banking (Beta)    04-Nov-2022  English ▾   Azentio Software ▾   (AZENTMAIN)  🔔  ⬛  👤 ANANT

← Stock Return From Branch    💾

> Accounts receivable
> Fixed assets
∨ Inventory management

▶ Inventory request  ✎ 👁 🗑
▶ Purchase requisition confirmation  ✎ 👁 🗑
▶ Inventory stock receipt  ✎ 👁 🗑
▶ Inventory stock issue  ✎ 👁 🗑
▶ Inventory stock confirmation  ✎ 👁 🗑
▶ Stock return from branch  ✎ 👁 🗑

> Petty cash
> Bank recon

| * Request Reference Number | * Issue Reference No | * Item Code |
|---|---|---|
| TRN_IR_82_20211228092903 | TRN_SI_8_20211228101157 | MARKER-White boad Marker |

| * Return Quantity | Start Serial Number | End Serial Number |
|---|---|---|
| 2 | 1 | 100 |

| * Inventory Branch | Inventory Branch Name | * Return Type |
|---|---|---|
| AZENTMAIN | Azentio Main Branch | Return to inventory |

* Return Reason
Other Reasons

22 Appro...  ✖   11 Messa...  ✖          Home    Preference

---

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Return inventories unwanted by branch to issuers

(F) To verify user can see the GL report for stock return to vendors



☰  🌐 Kastle Universal Banking (Beta)    04-Nov-2022  English ▾   Azentio Software ▾   (AZENTMAIN)  🔔  ⬛  👤 ANANT

← Stock Return From Branch Temp    🔍

> Accounts receivable
> Fixed assets
∨ Inventory management

▶ Inventory request  ✎ 👁 🗑
▶ Purchase requisition confirmation  ✎ 👁 🗑
▶ Inventory stock receipt  ✎ 👁 🗑
▶ Inventory stock issue  ✎ 👁 🗑
▶ Inventory stock confirmation  ✎ 👁 🗑
▶ Stock return from branch  ✎ 👁 🗑

> Petty cash
> Bank recon

| Actions | Branch Code - Name | Issue Id | Request Reference no | Transaction Date | Return Type | Return reason | Status |
|---|---|---|---|---|---|---|---|
| ✎ | AZENTMAIN - Azentio M | 32 | 95 | 2022-11-04T08:51:46.( | 1105172 | 1105623 | Active |
| ✎ | AZENTMAIN - Azentio M | 32 | 95 | 2022-11-04T08:45:55. | 1105172 | 1105623 | Active |
| ✎ | AZENTMAIN - Azentio M | 32 | 95 | 2022-11-04T08:42:53. | 1105172 | 1105623 | Active |
| ✎ | AZENTMAIN - Azentio M | 32 | 95 | 2022-11-04T08:38:19.( | 1105172 | 1105623 | Active |
| ✎ | | | | | 172 | 1105623 | Active |
| ✎ | AZENTMAIN - Azentio M | 32 | 95 | 2022-10-19T16:27:38.( | 1105172 | 1105623 | Active |
| ✎ | AZENTMAIN - Azentio M | 32 | 95 | 2022-10-19T16:25:14.( | 1105172 | 1105623 | Active |
| ✎ | AZENTMAIN - Azentio M | 32 | 95 | 2022-10-19T16:12:24.( | 1105172 | 1105623 | Active |

success ✖

9 total                      |◀ ◀ 1 2 ▶ ▶|

22 Appro...  ✖   11 Messa...  ✖          Home    Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Return inventories unwanted by
branch to issuers

(F) To verify user can see the GL report
for stock return to vendors



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Return inventories unwanted by
branch to issuers

(F) To verify user can see the GL report
for stock return to vendors

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Return inventories unwanted by
branch to issuers

(F) To verify user can see the GL report
for stock return to vendors



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Return inventories unwanted by
branch to issuers

(F) To verify user can see the GL report
for stock return to vendors

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Return inventories unwanted by branch to issuers

(F) To verify user can see the GL report for stock return to vendors



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Return inventories unwanted by branch to issuers

(F) To verify user can see the GL report for stock return to vendors