


FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|-----------------------------------|---|---|---|---|----------|
| 1 | testing the General Ledger Module | 1 | 0 | 1 | 0 | 35.014 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|-----------------------------------|--|----|----|---|----|----------|
| 1 | testing the General Ledger Module | check Accounting schemes should mapped to the same | 34 | 18 | 1 | 15 | 35.009 s |
| | | Transaction event | | | | | |

DETAILED SECTION -- 4 --

(F)- testing the General Ledger Module

| FAILED | DURATION - 35.014 s | Scenarios | | Steps | |
|-----------------|-----------------------|-----------|---|------------|----|
| | | Total - 1 | | Total - 34 | |
| / 5:24:26.380 P | M // 5:25:01.394 PM / | Pass - 0 | 1 | Pass - 18 | 34 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 15 | |

(S)- check Accounting schemes should mapped to the same Transaction event



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Login as a Azentio Maker | PASSED | 11.174 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.215 s |
| | screenshot | | |
| | What is a state of the state of | | |
| 2 | When user click the Accounting setup | PASSED | 0.093 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.154 s |
| | screenshot | | |

| 3 And click the Accounting Scheme Event Mapping Eye icon AFTER_STEP - stepdefinitions HooksClass.addScreenshot((o.cucumber.java.Scenario)) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot((o.cucumber.java.Scenario)) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot((o.cucumber.java.Scenario)) | # | Step / Hook Details | Status | Duration |
|---|---|--|--------|----------|
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 And click add icon in Gl AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And select the event AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 And click add icon in Gl AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And click the Scheme AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.343 s 0.223 s 0.223 s | | To To To To To To To To | | |
| screenshot 4 And click add icon in Gl AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And select the event AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 6 And click the Scheme AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | 3 | | | |
| 4 And click add icon in GI AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.086 s | | | PASSED | 0.343 s |
| 4 And click add icon in GI AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And select the event AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) pASSED 0.23 s 0.23 s 0.23 s 0.23 s 0.23 s 4 TER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) pASSED 0.330 s PASSED 0.159 s 6 And click the Scheme AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.086 s PASSED 0.188 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And select the event AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And click the Scheme AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.223 s 0.330 s 0.159 s 0.159 s | | | | |
| Screenshot 5 And select the event AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And click the Scheme AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.086 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.188 s | 4 | And click add icon in GI | PASSED | 0.208 s |
| 5 And select the event PASSED 0.330 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 And click the Scheme AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.086 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.188 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.223 s |
| 5 And select the event AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And click the Scheme AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.330 s 0.159 s PASSED O.86 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.086 s O.086 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 And click the Scheme AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.159 s PASSED 0.086 s PASSED 0.088 s | | 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - | | |
| Screenshot 6 And click the Scheme AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.086 s 0.188 s | 5 | And select the event | PASSED | 0.330 s |
| 6 And click the Scheme AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.086 s 0.188 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.159 s |
| 6 And click the Scheme AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.086 s 0.188 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.188 s | | | | |
| | 6 | And click the Scheme | PASSED | 0.086 s |
| screenshot | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.188 s |
| | | screenshot | | |

| A click Add button | # | Step / Hook Details | Status | Duration |
|---|----|--|--------|----------|
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And click next Scheme AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | | Comparison Com | | |
| Screenshot 8 And click next Scheme AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And click Add button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.054 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.054 s | 7 | And click Add button | PASSED | 0.058 s |
| 8 And click next Scheme AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And click Add button PASSED ACTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED ACTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Creenshot ACTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.054 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.168 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.189 s |
| 8 And click next Scheme PASSED 0.068 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And click Add button PASSED 0.139 s FATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.139 s ATTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ATTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ADDITIONAL OF THE PASSED O.054 s ATTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ADDITIONAL OF THE PASSED O.054 s ATTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ADDITIONAL OR OF THE PASSED O.054 s ATTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.054 s O.054 s O.058 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And click Add button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 Screenshot 10 And click save button in event mapping AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.139 s 0.139 s 0.139 s 0.139 s 0.043 s 0.154 s 0.154 s 0.054 s 0.054 s 0.054 s | | Name 5 1 1 1 1 1 1 1 1 1 | | |
| screenshot 9 And click Add button PASSED 0.043 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.154 s screenshot PASSED 0.054 s And click save button in event mapping PASSED 0.054 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.189 s | 8 | And click next Scheme | PASSED | 0.068 s |
| 9 And click Add button PASSED 0.043 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And click save button in event mapping AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.054 s PASSED 0.054 s PASSED 0.054 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.139 s |
| 9 And click Add button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And click save button in event mapping AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.043 s PASSED O.154 s PASSED O.054 s PASSED O.054 s PASSED O.054 s PASSED O.058 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 And click save button in event mapping AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.154 s PASSED 0.054 s PASSED 0.189 s | | 9 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - | | |
| Screenshot 10 And click save button in event mapping AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.054 s 0.189 s | 9 | And click Add button | PASSED | 0.043 s |
| 10 And click save button in event mapping AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.189 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.154 s |
| 10 And click save button in event mapping AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.054 s O.189 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.189 s | | 1 | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.189 s | 10 | And click save button in event mapping | PASSED | 0.054 s |
| screenshot | | 11 1 | | |
| | | screenshot | 1 | |

| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| | | | |
| 11 | And Click on notification icon | PASSED | 1.086 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.212 s |
| | screenshot | | |
| | | | |
| 12 | And select the first record | PASSED | 0.148 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot | PASSED | 0.210 s |
| 13 | And click on submit button | PASSED | 0.089 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot | PASSED | 0.173 s |
| 14 | And enter remark in alert tab | PASSED | 2.091 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.136 s |
| | screenshot | | |


| 15 And click on submit AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.172 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) | # | Step / Hook Details | Status | Duration |
|--|----|--|--------|----------|
| AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java. Scenario) 16 | | | | |
| Screenshot 16 Given Navigate to Url and login as a reviewer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 17 Then Click on Notification button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.755 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 0.124 s | 15 | And click on submit | PASSED | 4.116 s |
| 16 Given Navigate to Url and login as a reviewer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 17 Then Click on Notification button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.172 s |
| 16 Given Navigate to Url and login as a reviewer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 17 Then Click on Notification button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 17 Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 17 Then Click on Notification button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.119 s 0.124 s | | | | |
| screenshot 17 Then Click on Notification button AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot O.755 s O.755 s O.124 s | 16 | Given Navigate to Url and login as a reviewer | PASSED | 6.943 s |
| 17 Then Click on Notification button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.755 s 0.124 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.119 s |
| 17 Then Click on Notification button AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) screenshot + PASSED 0.755 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot O.124 s | | Some statements was as the part of the statement of the s | | |
| Screenshot * * *** *** *** *** *** *** *** *** * | 17 | Then Click on Notification button | PASSED | 0.755 s |
| ## \$\$\text{\$\tex{ | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.124 s |
| | | screenshot | | |
| | | | | |
| 18 And Find the budget code which submitted from maker PASSED 1.412 s | 18 | And Find the budget code which submitted from maker | PASSED | 1.412 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.185 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.185 s |
| screenshot | | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | The continue of the continue o | | |
|) | Then Click on action button | FAILED | 0.021 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//span[contains(text(),38]/parent::datatable-body-cell/preceding-sibling-datatable-body-cell/preceding-sibling-datatable-body-cell/preceding-sibling-datatable-body-cell/preceding-sibling-datatable-body-cell/preceding-sibling-datatable-body-cell/preceding-sibling-datatable-body-cell/preceding-sibling-datatable-body-cell/preceding-sibling-datatable-body-cell/preceding-sibling-datatable-body-cell/preceding-sibling-datatable-body-cell/preceding-data-sibling-datatable-body-cell/preceding-data-sibling-datatable-body-cell/preceding-data-sibling-datatable-body-cell/preceding-data-sibling-data-sibling-data-sibling-data-sibling-data-sibling-data-sibling-data-sibling-data-sibling-data-sibling-data-sibling-data-sibling-da | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.155 s |


DETAILED SECTION -- 10 --

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | ** O STATEMENT S | | |
| 20 | And Approve the record | SKIPPED | 0.000 s |
| 21 | Given Navigate to Url and login as a Checker | SKIPPED | 0.000 s |
| 22 | Then Click the Notification icon | SKIPPED | 0.000 s |
| 23 | And Click on security management | SKIPPED | 0.000 s |
| 24 | Then Click on open pool | SKIPPED | 0.000 s |
| 25 | And Click on claim button | SKIPPED | 0.000 s |
| 26 | Then click on notification | SKIPPED | 0.000 s |
| 27 | Then approve the records | SKIPPED | 0.000 s |
| 28 | Given Login as a Azentio Maker | SKIPPED | 0.000 s |
| 29 | When user click the Accounting setup | SKIPPED | 0.000 s |
| 30 | And click the Accounting Scheme Event Mapping Eye icon | SKIPPED | 0.000 s |
| 31 | And click the search icon | SKIPPED | 0.000 s |
| 32 | And search Event name based on which we created | SKIPPED | 0.001 s |
| 33 | And clck the first edit icon in list view | SKIPPED | 0.000 s |
| 34 | Then verify System should allow to map to the transaction event more than one Accounting Scheme | SKIPPED | 0.001 s |


EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION --- 15 --




EXPANDED SECTION -- 16 --




EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --



EXPANDED SECTION -- 19 --



EXPANDED SECTION -- 20 --

