

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	1	0	0	1 m 16.883 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify details are auto populated on Inventory Stock Receipt	12	12	0	0	1 m 16.870 s
		Confirmation post entering GRN reference.					

DETAILED SECTION

(F)- AR/AP Module

PASSED	DURATION - 1 m 16.883 s	Scenarios		Steps	
		Total - 1		Total - 12	
/ 1:27:05.266 PM	1 // 1:28:22.149 PM /	Pass - 1	1	Pass - 12	12
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Verify details are auto populated on Inventory Stock Receipt Confirmation post entering GRN reference.

PASSED	DURATION - 1 m 16.870 s			İ						-						Steps			
/ 1:27:05 279	9 PM // 1:28:22.149 PM /	40	╫				!		- +		!		- + -	- +	!	Total - 12			
7 1.27.00.27	7 1 10 7 1.20.22.143 1 10 7	20			. j	i			. i	. j	i	<u>.</u>				Pass - 12		12	
AR/AP Modul	e	-														Fail - 0		ر2'	,
@AR/AP @K	UBS_AR/AP_UAT_001_004_TC_04	0 -		<u> </u>	•	<u> </u>		<u> </u>		Skip - 0	\								
	= = =			1	2	3	4	5	6	7	8	9	10	11	12				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	50.315 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.003 s
	screenshot		
	This is the interest to the second of the se		
2	And user should navigate to accounts payable menu	PASSED	3.210 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.270 s
	screenshot		
	TABLETTO Veneto lique - Anni lone - Alleven C		


AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 4 Then update data set id for grn auto populated1 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - st	#	Step / Hook Details	Status	Duration
screenshot 4 Then update data set id for grn auto populated1 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Then click on search AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.663 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.663 s PASSED O.663 s PASSED O.663 s PASSED O.664 s	3	Then Click on Good Recived Note GRN Eye buutton	PASSED	2.169 s
4 Then update data set id for grn auto populated1 PASSED 0.038 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.562 s Then click on search PASSED 0.231 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.236 s screenshot PASSED 0.266 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.366 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.663 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.662 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.662 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.934 s
4 Then update data set id for grn auto populated1 PASSED 0.038 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.562 s 5 Then click on search PASSED 0.231 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.326 s creenshot PASSED 0.326 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.663 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.663 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.663 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.662 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on search AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then open the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP				
screenshot Then click on search AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then open the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Click on the item Details tab PASSED 2.180 s	4	Then update data set id for grn auto populated1	PASSED	0.038 s
5 Then click on search AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then open the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.231 s 0.326 s 0.326 s 0.663 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 Then Click on the item Details tab		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.562 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then open the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then Click on the item Details tab AFTER_STED - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.326 s 0.326 s 0.326 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then open the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then Click on the item Details tab AFTER_STED - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.326 s 0.326 s 0.326 s		ACENTO STORY THE CONTROL OF THE CO		
Screenshot 6 Then open the record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 Then Click on the item Details tab PASSED 2.180 s	5	Then click on search	PASSED	0.231 s
6 Then open the record PASSED 0.663 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 Then Click on the item Details tab PASSED 2.180 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.326 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 Then Click on the item Details tab PASSED 0.642 s PASSED 2.180 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 Then Click on the item Details tab PASSED 0.642 s PASSED 2.180 s		**************************************		
Screenshot Then Click on the item Details tab PASSED 2.180 s	6	Then open the record	PASSED	0.663 s
7 Then Click on the item Details tab		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.642 s
		screenshot		
		AZENTO WHOSE SERVICE		
AETED STED standafinitions HooksClass addScroopshot(in queumber java Scopario)	7	Then Click on the item Details tab	PASSED	2.180 s
AFTER_3TEP - stepute illilitions. Hooks Class. add Screen shot (io. cucumber. Java. Sceniano)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.766 s
screenshot		screenshot		

#	Step / Hook Details	Status	Duration
	### 200 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 10		
8	Then Click on Account Payable	PASSED	0.390 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.237 s
	screenshot		
	*** ADMINISTRATION OF THE PROPERTY OF THE PROP		
9	Then Click on Inventory Management	PASSED	0.111 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.251 s
	screenshot]	
	*** ACENTRO **** OF THE PROPERTY OF THE PROPE		
10	Then Click on inventory stock receipt Eye Icon	PASSED	0.466 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.238 s
	screenshot		
	### A PART OF THE		
11	Then Click on inventory stock Add button	PASSED	0.435 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.287 s
	screenshot		
	*** *** *** *** *** *** *** *** *** **		


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
12	Then enter GRN reference check details auto populated	PASSED	2.576 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.313 s
	SCREENShot **DOTE Spars* Annihology Address Company Company		


EXPANDED SECTION -- 8 --




EXPANDED SECTION --- 9 --




EXPANDED SECTION --- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION



EXPANDED SECTION -- 13 --

