Cucumber Report

| Start : Jan 14, 1:48:15.143 AM	End : Jan 14, 1:49:00.678 AM	Duration : 45.535 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 11 FAILED - 1 SKIPPED - 2

Features: 1

Scenarios: 1

Steps: 14

Pass % — 0 %

Pass % — 0 %

Pass % — 78 %

#	Feature Name	T	P	F	S	Duration
1	Checking the Supplementary Budget functionality	1	0	1	0	45.535 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Supplementary Budget functionality	To verify checker is able to Approve the Supplementory Budgets record	14	11	1	2	45.532 s

(F)- Checking the Supplementary Budget functionality

FAILED	DURATION - 45.535 s	Scenarios		Steps	
		Total - 1		Total - 14	
/ 1:48:15.143 AM // 1:49:00.678 AM /		Pass - 0	1	Pass - 11	14
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

(S)- To verify checker is able to Approve the Supplementory Budgets record

FAILED	DURATION - 45.532 s		Steps	
/ 1:48:15.146 AM // 1:49:00.678 AM /			Total - 14	
Checking the Supplementary Budget functionality			Pass - 11	14
			Fail - 1	
@SupplementaryBudget_BP_SB_06_03			Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given maker should navigate to the url and login with valid credentials	PASSED	9.645 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.136 s
	screenshot		
2	And maker should navigate to the budget module	PASSED	0.090 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.097 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And maker click on budget field	PASSED	10.356 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.107 s
	screenshot		
4	When maker click on budget supplementary eye icon	PASSED	0.154 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.130 s
	screenshot		
5	And click on add button on budget supplementary view page	PASSED	2.181 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.166 s
	screenshot		
6	Then fill the input fields	PASSED	1.027 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	screenshot		

| #	Step / Hook Details	Status	Duration
7	Then fill apportion amount and save the record	PASSED	2.412 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.086 s
	screenshot		
8	Then validate maker can save request for the Annually budget	PASSED	9.219 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.088 s
	screenshot		
9	Given Navigate to URL and login to Checker1	PASSED	4.907 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.112 s
	screenshot		
10	When Click on the Security management	PASSED	0.066 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.091 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then Click on open pool & click clam button	PASSED	1.785 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.115 s
	screenshot 		
12	Then Click on the Notification	FAILED	0.308 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text(),'511')]"} (Session info: chrome=96.0.4664.45) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [a85678d2231efc9f8584130c7c7f9e83, findElement {using=xpath, value=//span[contains(text(),'511')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:63481}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63481/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a85678d2231efc9f8584130c7c7f9e83
	    at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.BUDGET_SupplementaryBudget.click_on_the_notification(BUDGET_SupplementaryBudget.java:936) at ?.Click on the Notification(file:///C:/Users/inindc00089/eclipse-workspace/AzentioAutomationFramework2/src/test/java/features/BUDGET_SupplementaryBudget.feature:180) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.150 s
13	Then Click on action Button	SKIPPED	0.001 s
14	And Verify the record is generated by opening the record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker is able to Approve the Supplementory Budgets record	
(F) Checking the Supplementary Budget functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker is able to Approve the Supplementory Budgets record	
(F) Checking the Supplementary Budget functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker is able to Approve the Supplementory Budgets record	
(F) Checking the Supplementary Budget functionality	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker is able to Approve the Supplementory Budgets record	
(F) Checking the Supplementary Budget functionality	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker is able to Approve
the Supplementory Budgets record

(F) Checking the Supplementary Budget
functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker is able to Approve
the Supplementory Budgets record

(F) Checking the Supplementary Budget
functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker is able to Approve the Supplementory Budgets record

(F) Checking the Supplementary Budget functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker is able to Approve the Supplementory Budgets record

(F) Checking the Supplementary Budget functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker is able to Approve the Supplementory Budgets record	
(F) Checking the Supplementary Budget functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker is able to Approve the Supplementory Budgets record	
(F) Checking the Supplementary Budget functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker is able to Approve the Supplementory Budgets record	
(F) Checking the Supplementary Budget functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker is able to Approve the Supplementory Budgets record	
(F) Checking the Supplementary Budget functionality	