

Cucumber Report

2 Feb 2023, 10:47:14 AM

Start : Feb 02, 10:44:53.209 AM

End : Feb 02, 10:47:11.157 AM

Duration : 2 m 17.948 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 10


FAILED - 1

SKIPPED - 1







| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|--------------|
| 1 | <u>To verify the reports for fixed asset</u> | 1 | 0 | 1 | 0 | 2 m 17.948 s |







| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---------------------------------------|----------------|----|----|---|---|--------------|
| 1 | To verify the reports for fixed asset | Check Asset GL | 12 | 10 | 1 | 1 | 2 m 17.940 s |




(F)- To verify the reports for fixed asset



| | | | | | |
|--|--------------------------------|-----------|---|------------|---|
| FAILED | DURATION - 2 m 17.948 s | Scenarios |  | Steps |  |
| / 10:44:53.209 AM // 10:47:11.157 AM / | | Total - 1 | 1 | Total - 12 | 12 |
| | | Pass - 0 | | Pass - 10 | |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 1 | |


(S)- Check Asset GL

| | | | | |
|--|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 2 m 17.940 s</div> | | <div></div> | <div>Steps</div> <div>Total - 12</div> <div>Pass - 10</div> <div>Fail - 1</div> <div>Skip - 1</div> | <div></div> |
| <div>/ 10:44:53.217 AM // 10:47:11.157 AM /</div> | | | | |
| <div>To verify the reports for fixed asset</div> | | | | |
| <div>@KUBS_FAT_UAT_013_005_AssetGI</div> | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|--------------|
| 1 | Given Maker Navigate to UAT URL login | PASSED | 1 m 10.474 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.975 s |
| | screenshot | | |
| |  | | |
| 2 | Then click on report segment button | PASSED | 3.607 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.436 s |
| | screenshot | | |
| |  | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 3 | And click on equiry menu | PASSED | 0.905 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.381 s |
| | screenshot | | |
| |  | | |
| 4 | Then click on edit icon near by fiancial transaction menu | PASSED | 2.051 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.549 s |
| | screenshot | | |
| |  | | |
| 5 | And choose branch code | PASSED | 0.815 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.408 s |
| | screenshot | | |
| |  | | |
| 6 | And choose GI code | PASSED | 1.080 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.404 s |
| | screenshot | | |
| |  | | |
| 7 | Then Get the system date for asset ammenment report | PASSED | 2.319 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.382 s |
| | screenshot | | |


| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| |  | | |
| 8 | And click on transaction from date calender icon | PASSED | 0.768 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.486 s |
| | screenshot | | |
| |  | | |
| 9 | Then choose the from date | PASSED | 0.649 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.412 s |
| | screenshot | | |
| |  | | |
| 10 | And click on the transaction to date calender icon | PASSED | 4.794 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.613 s |
| | screenshot | | |
| |  | | |
| 11 | Then choose the to date | FAILED | 0.305 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button']"} (Session info: chrome=108.0.5359.126) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.60', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [02d08005c7ce4a0c9b59a198c50a677f, findElement {using=xpath, value=//button[@type='button']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.126, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:55739}, | | |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | <p>javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55739/devtoo..., se:cdpVersion: 108.0.5359.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 02d08005c7ce4a0c9b59a198c50a677f</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.FixedAsset_Reports.choose_the_to_date(FixedAsset_Reports.java:639) at ?.choose the to date(file:///C:/Users/ININDC00073/git/KamalaPriya_ExcelUpdated_KUBS/AzentioAutomationFramework_ExcelKUBS_Kamalapriya2/src/test/java/features/FixedAssetReports.feature:182)</p> <p>* Not displayable characters are replaced by '?'. </p> | | |
| | <p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>  | PASSED | 0.338 s |
| 12 | And click on view button | SKIPPED | 0.001 s |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check Asset GL


(F) To verify the reports for fixed asset



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check Asset GL


(F) To verify the reports for fixed asset



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check Asset GL


(F) To verify the reports for fixed asset



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check Asset GL

(F) To verify the reports for fixed asset



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check Asset GL

(F) To verify the reports for fixed asset

AZENTIO ONEBanking

05-Dec-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Financial Transaction

VIEW

* Branch Code AZENTMAIN-Azentio Main Branch x

GI Code

Transaction From Date

Transaction To Date

Transaction Ref No

Account Number

22 Appro... 11 Mess...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check Asset GL

(F) To verify the reports for fixed asset

AZENTIO ONEBanking

05-Dec-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Financial Transaction

VIEW

* Branch Code AZENTMAIN-Azentio Main Branch x

GI Code IFRS-AS-AS1000017 - Non-Financial Inventories x

Transaction From Date

Transaction To Date

Transaction Ref No

Account Number

22 Appro... 11 Mess...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check Asset GL

(F) To verify the reports for fixed asset

Azentio ONEBanking

05-Dec-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Financial Transaction

VIEW

Branch Code: AZENTMAIN-Azentio Main Branch

GI Code: IFRS-AS-AS1000017 - Non-Financial Inventories

Transaction From Date

Transaction To Date

Transaction Ref No

Account Number

22 Appro... 11 Mess...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check Asset GL

(F) To verify the reports for fixed asset

Azentio ONEBanking

05-Dec-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Financial Transaction

VIEW

Branch Code: AZENTMAIN-Azentio Main Branch

GI Code: IFRS-AS-AS1000017 - Non-Financial Inventories

Transaction From Date

Transaction To Date

Transaction Ref No

Account Number

22 Appro... 11 Mess...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check Asset GL

(F) To verify the reports for fixed asset

05-Dec-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Financial Transaction

VIEW

* Branch Code AZENTMAIN-Azentio Main Branch x

GI Code IFRS-AS-AS1000017 - Non-Financial Inventories x

Transaction From Date 05-Dec-2022

Transaction To Date

Transaction Ref No

Account Number

22 Appro... 11 Mess...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check Asset GL

(F) To verify the reports for fixed asset

05-Dec-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Financial Transaction

VIEW

* Branch Code AZENTMAIN-Azentio Main Branch x

GI Code IFRS-AS-AS1000017 - Non-Financial Inventories x

Transaction From Date 05-Dec-2022

Transaction To Date

Transaction Ref No

Account Number

22 Appro... 11 Mess...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check Asset GL

(F) To verify the reports for fixed asset

The screenshot displays the AZENTIO ONEBanking interface. The top navigation bar includes the date '05-Dec-2022', language 'English', software version 'Azentio Software', user 'AZENTMAIN', and a profile icon for 'ANANT'. The left sidebar menu is dark blue with white text, listing options: Reports, Financial reporting, Enquiry, Financial transaction (highlighted in light blue), Petty cash, Master reports, and Transaction reports. The main content area is titled 'Financial Transaction' and features a 'VIEW' button in the top right. Below the title, there are three input fields: 'Branch Code' (AZENTMAIN-Azentio Main Branch), 'GL Code' (IFRS-AS-AS1000017 - Non-Financial Inventories), and 'Transaction From Date' (05-Dec-2022). Below these, there are two more input fields: 'Transaction To Date' and 'Transaction Ref No'. The bottom status bar shows '22 Appro...' and '11 Mess...'.