


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	1	0	1	0	33.981 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel	To verify reviewer can able approve budget code which is	23	22	1	0	33.973 s
	<u>feature</u>	submitted by maker					

DETAILED SECTION -- 4 --

## (F)- To check BudgetDefinition moduel feature

FAILED	DURATION - 33.981 s	Scenarios		Steps	
		Total - 1		Total - 23	
/ 3:19:10.179 PI	M // 3:19:44.160 PM /	Pass - 0	1	Pass - 22	23
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

## (S)- To verify reviewer can able approve budget code which is submitted by maker



#	Step / Hook Details	Status	Duration
1	Given navigate to URL and login as a maker and choose finance option	PASSED	10.287 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.265 s
	screenshot		
	# O AND TO AND		
2	Then click on budget configuration Menu	PASSED	0.616 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		

S C NACIONAL PROPERTO DE PORTO	
3 And click on budget definition sub menu and click on eye icon PASSE	D 0.156 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	D 0.438 s
screenshot	
File	
4 And click on add icon PASSE	D 0.163 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot	D 0.261 s
5 Then enter budget code PASSE	D 0.138 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	D 0.128 s
6 And enter budget type PASSE	D 0.227 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSE	
screenshot	

#	Step / Hook Details	Status	Duration
	# Orange State   Proceedings   Procedings   Orange State   Orange		
7	And enter warning percentage	PASSED	0.076 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.162 s
	screenshot		
	Participations  Participations		
8	And enter budget name	PASSED	0.151 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  **Texation of the step of the st	PASSED	0.181 s
9	Then give remark	PASSED	0.096 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  **Ten_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  **Ten_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  **Ten_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
10	Then click on save button	PASSED	3.137 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	screenshot		

11 Then Click on notification icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  12 And select the first record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  12 And select the first record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  13 APTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  12 And select the first record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  PASSED  0.347 s  0.347 s  0.347 s
Screenshot  12 And select the first record  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot
12 And select the first record PASSED 0.136 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot    PASSED   0.233 s   0.23
12 And select the first record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  PASSED  0.136 s  0.233 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  PASSED  0.233 s
Screenshot
### \$\$\text{\$\texitt{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\t
O manufacture
13 Then click on submit button PASSED 0.716 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.213 s
screenshot
The Contraction of the Contracti
14 And enter remark in alert tab PASSED 0.158 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.237 s
screenshot


# Descriptions    Part	
Characteristics  Charac	
15 And click on submit PASSED 0.0	065 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0	178 s
screenshot	
## Outstanding   Standard land   Standard land land land land land land land lan	
16 When click on submit button save the reviewer id PASSED 1.	182 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0	169 s
screenshot	
# \$ 0 cm contains    # 0 cm contains   # 0 cm co	
17 Given navigate to URL and login as a reviewer PASSED 7.3	235 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.	100 s
screenshot	
# 0 minutation	
18 Then click on notification icon PASSED 0.	118 s
AFTER STEP, standafinitions HadroClass addServanehat/in quaumhar inva Scanaria)	203 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.3	

19 When click on notification icon to check reviewer can get a record which is submited by maker  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  20 And click on action button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.194 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.251 s  21 Then verify the budget record is matched with maker submited record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.043 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.178 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  20 And click on action button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  21 Then verify the budget record is matched with maker submited record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.194 s  0.194 s  0.194 s				
20 And click on action button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  21 Then verify the budget record is matched with maker submited record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.059 s  0.251 s  21 Then verify the budget record is matched with maker submited record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  1 PASSED  0.178 s	19	When click on notification icon to check reviewer can get a record which is submited by maker	PASSED	0.152 s
20 And click on action button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  21 Then verify the budget record is matched with maker submited record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.194 s
20 And click on action button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  21 Then verify the budget record is matched with maker submited record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.059 s  0.251 s  0.251 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  21 Then verify the budget record is matched with maker submited record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot				
21 Then verify the budget record is matched with maker submitted record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  1	20	And click on action button	PASSED	0.059 s
21 Then verify the budget record is matched with maker submited record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  The step is the budget record is matched with maker submited record  PASSED  0.043 s  0.178 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.251 s
21 Then verify the budget record is matched with maker submitted record  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  PASSED  0.043 s  0.178 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot		Part		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot	21	Then verify the budget record is matched with maker submited record	PASSED	0.043 s
Screenshot  *** ********************************				
B Continuelous   Final Displayer   MERCIN   B Continuel				
		DESCRIPTION OF THE PROPERTY OF		
22 And approve the record in reviewer stage PASSED 0.074 s	22	And approve the record in reviewer stage	PASSED	0.074 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.160 s			PASSED	0.160 s
screenshot		screenshot		


DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
23	Then enter remark then submit	FAILED	1.374 s
	org.junit.ComparisonFailure: expected:<[Record is available in CHECKER's Open Pool with status PENDING]> but was:<[Record is available in CHECKER's Open Pool with status PENDING]> at org.junit.Assert.assertEquals(Assert.java:115) at org.junit.Assert.assertEquals(Assert.java:144) at stepdefinitions.KUBS_reviewer.enter_remark_then_submit(KUBS_reviewer.java:112) at ?.enter remark then submit(file:///C:/Users/inindc00076/git/AzentioAutomationFramework2/AzentioAutomationFramework/src/test/java/features/KUBS_BudgetDefinition.feature:70) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	screenshot		
	TO SET MANY STATE OF THE PARTY		
	2 2 · 2 .		


EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --





EXPANDED SECTION -- 14 --







EXPANDED SECTION -- 16 --






EXPANDED SECTION -- 18 --






EXPANDED SECTION -- 20 --



EXPANDED SECTION -- 21 --



EXPANDED SECTION -- 22 --

