Cucumber Report

Start : Feb 07, 1:23:37.496 pm	*End : Feb 07, 1:24:05.904 pm*	*Duration : 28.408 s*
Features	Scenarios	Steps

PASSED - 0	PASSED - 0	PASSED - 15
FAILED - 1	FAILED - 1	FAILED - 1
SKIPPED - 0	SKIPPED - 0	SKIPPED - 13

1	1	29

0 %	0 %	51 %

#	Feature Name	T	P	F	S	Duration
1	Check The Azentio UAT Budget Request and Allocation functionaliy	1	0	1	0	28.408 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check The Azentio UAT Budget Request and Allocation functionaliy	Check the rejected budget can be used	29	15	1	13	28.400 s

## (F)- Check The Azentio UAT Budget Request and Allocation functionaliy

| FAILED	DURATION - 28.408 s	Scenarios		Steps	
/ 1:23:37.496 pm // 1:24:05.904 pm /		Total - 1		Total - 29	
		Pass - 0	1	Pass - 15	29
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 13	

(S)- Check the rejected budget can be used

FAILED	DURATION - 28.400 s		Steps	
/ 1:23:37.504 pm // 1:24:05.904 pm /			Total - 29	
Check The Azentio UAT Budget Request and Allocation functionaliy			Pass - 15	29
			Fail - 1	
@KUBS_UAT_KUBS_BP_UAT_002_007			Skip - 13	

#	Step / Hook Details	Status	Duration
1	Given Navigate to the Azentio Url	PASSED	11.712 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.141 s
	screenshot		
2	Then click the Two Direction Icon	PASSED	0.331 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And click to the Budget	PASSED	1.137 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.112 s
	screenshot		
4	Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon	PASSED	0.332 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.263 s
	screenshot		
5	And click on the Add icon in Request and Allocation	PASSED	0.260 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.269 s
	screenshot		
6	Then Current Budget Code	PASSED	0.371 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And select the Budget Year	PASSED	0.191 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.241 s
	screenshot		
8	Then click on the Branch	PASSED	0.106 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.295 s
	screenshot		
9	And Select Branch checkbox	PASSED	0.081 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
	screenshot		
10	Then click on the Branch ok button	PASSED	0.150 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.284 s
	screenshot		

| #	Step / Hook Details	Status	Duration
11	Then select one currency we need	PASSED	0.232 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.132 s
	screenshot		
12	And Budget Amount for Budget Type Show in Budget type field	PASSED	0.451 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.159 s
	screenshot		
13	And click on the save button	PASSED	2.115 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.125 s
	screenshot		
14	Then click on the Maker icon button	PASSED	0.881 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.228 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	And click on the Record Reject	PASSED	2.801 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.196 s
16	And Logout the Maker	FAILED	1.097 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-icon _ngcontent-oyy-c276="" slot="start" name="person-circle" ng-reflect-name="person-circle" role="img" class="md hydrated" aria-label="person circle"></ion-icon> is not clickable at point (1347, 27). Other element would receive the click: <ion-button _ngcontent-oyy-c276="" class="md button button-clear in-toolbar in-toolbar-color ion-activatable ion-focusable hydrated">...</ion-button> (Session info: chrome=97.0.4692.99) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [530b9ed18af56bafe4c865bc8b78e1d5, clickElement {id=8a07339d-43eb-4b05-9688-724daeb6f577}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 97.0.4692.99, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:56801}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56801/devtoo..., se:cdpVersion: 97.0.4692.99, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (530b9ed18af56bafe4c865bc8b78e1d5)] -> xpath: //ion-button/ion-icon[@name='person-circle']] Session ID: 530b9ed18af56bafe4c865bc8b78e1d5
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor6.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.Budget_BudgetRequestandAllocation_UAT.logout_the_maker(Budget_BudgetRequestandAllocation_UAT.java:862) at ?.Logout the Maker(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/BUDGET_BudgetRequestandAllocation_UAT.feature:153) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.129 s
17	Then Again Login the Maker	SKIPPED	0.000 s
18	Then click the Two Direction Icon	SKIPPED	0.000 s
19	And click to the Budget	SKIPPED	0.000 s
20	Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon	SKIPPED	0.000 s
21	And click on the Add icon in Request and Allocation	SKIPPED	0.000 s
22	Then Current Budget Code	SKIPPED	0.000 s
23	And select the Budget Year	SKIPPED	0.000 s
24	Then click on the Branch	SKIPPED	0.001 s
25	And Select Branch checkbox	SKIPPED	0.000 s
26	Then click on the Branch ok button	SKIPPED	0.000 s
27	Then select one currency we need	SKIPPED	0.000 s
28	And Budget Amount for Budget Type Show in Budget type field	SKIPPED	0.000 s
29	And click on the save button	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the rejected budget can be used	
(F) Check The Azentio UAT Budget Request and Allocation functionaliy	

Kastle Universal Banking (Beta) 03-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Welcome, anant

- Business partner setup
- General ledger configuration
- Accounting setup
- Expense/AR & AP configurati...
- Budget configuration
- Fixed assets configuration
- Inventory maintenance
- Bank recon
- Petty cash configuration

22 Appro...   11 Messa...

Home   Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the rejected budget can be used	
(F) Check The Azentio UAT Budget Request and Allocation functionaliy	

Kastle Universal Banking (Beta) 03-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Welcome, anant

- General ledger transaction
- Budget
- Accounts payable
- Adjustments (AR and AP)
- Accounts receivable
- Fixed assets
- Inventory management
- Petty cash
- Bank recon

22 Appro...   11 Messa...

Home   Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the rejected budget can be used

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the rejected budget can be used

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the rejected budget can be used

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the rejected budget can be used

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the rejected budget can be used

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the rejected budget can be used

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the rejected budget can be used

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the rejected budget can be used

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the rejected budget can be
used

(F) Check The Azentio UAT Budget
Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the rejected budget can be
used

(F) Check The Azentio UAT Budget
Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the rejected budget can be used

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the rejected budget can be used

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the rejected budget can be used

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the rejected budget can be used

(F) Check The Azentio UAT Budget Request and Allocation functionaliy