
Duration: 34 m 55.697 s Start: Feb 08, 10:51:29.227 AM End: Feb 08, 11:26:24.924 AM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 9 SKIPPED - 0 SKIPPED - 0 SKIPPED - 8 18 40 50 60 40 50 60 40 50 60 Pass % 70 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 50 % 100 100

FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|--------------|---|---|---|---|---------------|
| 1 | AR/AP Module | 1 | 0 | 1 | 0 | 34 m 55.697 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------|--|----|---|---|---|---------------|
| 1 | AR/AP Module | Check GRN cancellation is not allowed if Bill has been | 18 | 9 | 1 | 8 | 34 m 55.679 s |
| | | approved against that GRN | | | | | |

DETAILED SECTION -- 4 --

(F)- AR/AP Module

| FAILED | DURATION - 34 m 55.697 s | Scenarios | | Steps | |
|----------------|--------------------------|-----------|---|------------|----|
| | | Total - 1 | | Total - 18 | |
| / 10:51:29.227 | AM // 11:26:24.924 AM / | Pass - 0 | 1 | Pass - 9 | 18 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 8 | |

(S)- Check GRN cancellation is not allowed if Bill has been approved against that GRN



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User should go to the kubs url and login as a maker user | PASSED | 41.568 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.740 s |
| | screenshot | | |
| | AZENTIO PORTES (Agent Associational Association Agents | | |
| 2 | And user should navigate to accounts payable menu | PASSED | 3.287 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.334 s |
| | screenshot | | |
| | The state of the s | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 3 | Then Open Invoice Bill Booking Eye icon | PASSED | 1.707 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.798 s |
| | screenshot | | |
| | ************************************** | | |
| 4 | And Click On Search Icon | PASSED | 0.774 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.320 s |
| | screenshot | | |
| | AZENTO | | |
| 5 | And Update the data set id for GRN cancellation is not allowed if Bill has been approved | PASSED | 0.061 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.297 s |
| | screenshot | 1 | |
| | ASSTTD **Notice bigs, foundation ** Strong bigs | | |
| 6 | And Enter the Invoice Bill Booking status | PASSED | 0.378 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.287 s |
| | screenshot | | |
| | ASSTTD **Notice bigs, foundation of the control of | | |
| 7 | Then Click on Table Row First Eye Icon in ARAP | PASSED | 0.197 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.889 s |
| | screenshot | | |
| | | | |

| # | Step / Hook Details | Status | Duration |
|----|--|--------|---------------|
| | CANTON C | | |
| 8 | And Store the Business partner Value | PASSED | 0.800 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.295 s |
| | screenshot |] | |
| | Calculation | | |
| 9 | Then Click on AP Invoice Against PO Tab | PASSED | 0.252 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.581 s |
| | screenshot | 1 | |
| | THE STATE OF THE S | | |
| 10 | And Get the Required Number | FAILED | 33 m 20.762 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=109.0.5414.74) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.122', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [1afabc8a9c679af0d8bb66d31df3bedf, findElement [using=xpath, value=//lon-col[3]/ion-item/ion-select]] Capabilities (acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.74, chrome: {chromedriverVersion: 108.0.5359.22 (ec46c90f5938, userDataDir: C:UsersiNINDC=1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:55181}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55181/devtoo, se:cdpVersion: 109.0.5414.74, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1afabc8a9c679af0d8bb66d31df3bedf at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.edec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.edec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy46.toString(Unknown Source) | | |
| | at java.base/java.lang.String.valueOf(String.java:4215) | | |
| | at java.base/java.lang.StringBuilder.append(StringBuilder.java:169) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$23.toString(ExpectedConditions.java:673) | | |
| | at java.base/java.lang.String.valueOf(String.java:4215) | | |
| | at java.base/java.lang.StringBuilder.append(StringBuilder.java:169) | | |
| | at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) | | |
| | at helper.WaitHelper.waitForElement(WaitHelper.java:81) | | |
| | at stepdefinitions.AR_AP.get_the_required_number(AR_AP.java:322) | | |
| | at ?.Get the Required Number(file:///C:/Users/ININDC00089/git/AzentioAutomationFramework/ArAp/ | | |
| | AzentioAutomationFramework_ARAP_Excel/src/test/java/features/ArAp3.feature:328) | | |
| | * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | FAILED | 0.072 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found | | |
| | (Session info: chrome=109.0.5414.74) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: | | |
| | '10.200.4.122', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. | | |
| | ChromeDriver Command: [1afabc8a9c679af0d8bb66d31df3bedf, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: | | |
| | chrome, browserVersion: 109.0.5414.74, chrome: {chromedriverVersion: 108.0.5359.22 (ec46c90f5938, userDataDir: | | |
| | C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:55181}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: | | |
| | ws://localhost:55181/devtoo, se:cdpVersion: 109.0.5414.74, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, | | |
| | | | |
| | | | |
| | pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, | | |
| | pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1afabc8a9c679af0d8bb66d31df3bedf | | |
| | pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1afabc8a9c679af0d8bb66d31df3bedf at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source) | | |
| | pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1afabc8a9c679af0d8bb66d31df3bedf at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| | pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1afabc8a9c679af0d8bb66d31df3bedf at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1afabc8a9c679af0d8bb66d31df3bedf at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |
| | pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1afabc8a9c679af0d8bb66d31df3bedf at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1afabc8a9c679af0d8bb66d31df3bedf at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1afabc8a9c679af0d8bb66d31df3bedf at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1afabc8a9c679af0d8bb66d31df3bedf at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1afabc8a9c679af0d8bb66d31df3bedf at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42) | | |
| 11 | And Click On Main module Accounts payable | SKIPPED | 0.001 s |
| 12 | Then Open the Adjustment ARAP module | SKIPPED | 0.001 s |
| 13 | And Click on Adjustment ARAP Eye Icon | SKIPPED | 0.001 s |
| 14 | And Click Add icon button | SKIPPED | 0.000 s |
| 15 | Then Give The Business Partner | SKIPPED | 0.000 s |
| 16 | And Give The Adjustment Type | SKIPPED | 0.000 s |
| 17 | Then Enter the Adjustment Item Type | SKIPPED | 0.001 s |
| 18 | And Enter the Adjustment Ref No and Validate | SKIPPED | 0.000 s |
| | AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario) | FAILED | 28.479 s |
| | org.openga.selenium.WebDriverException: disconnected: unable to connect to renderer (failed to check if window was closed: disconnected: unable to connect to renderer) (Session info: chrome=109.0.5414.74) Build info: version: (1-0.0°, java.version: 15-0.1°) briver info: org. openga.selenium.chrome.ChromeDriver Command: [1afabc8a9c679af0d8bb66d31df3bedf, close {}] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.74, chrome: {chromedriverVersion: 10.0°, java.version: 17-0.1° briver info: org. openga.selenium.chrome.ChromeDriver Command: [1afabc8a9c679af0d8bb66d31df3bedf, close {}] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.74, chrome: {chromedriverVersion: 108.0.5359.22 (ec46c90f5938, userDatabir: C.Users\ln\nnotation=109.0.5414.74, chrome: {chromedriverVersion: 108.0.5359.22 (ec46c90f5938, userDatabir: C.Users\ln\nnotation=109.0.5359.22) (ec46c90f5938, userDatabir: C.Users\ln\nnotation=109.0.5359.22) (ec46c90f5938, userDatabir: Chrome: {chromedriverVersion: 108.0.5359.22 (ec46c90f5938, userDatabir: Chrome: {chromedriverVersion: 108.0.5359.22} (ec46c90f5938, userDatabir: Chromedriver\ln\notation=109.0.5359.22} (ec46c90f5938, userDatabir: Chromedriver\ln\notation=109.0.5359.22} (ec46c90f5938, userDatabir: Chromedriver\ln\notation=109.0.5359.22} (ec46c90f5938, userDatabir: Chromedriver\ln\notation=109.0.5359.22} (ec46c90f5938, userDatabir: Chromedri | | |


EXPANDED SECTION -- 9 --




EXPANDED SECTION --- 10 --



EXPANDED SECTION



EXPANDED SECTION --- 12 --



EXPANDED SECTION -- 13 --

