Cucumber Report

Start : Jan 17, 10:54:25.716 am	End : Jan 17, 10:54:44.745 am	Duration : 19.029 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 10 FAILED - 0 SKIPPED - 0

Features: 1

Scenarios: 1

Steps: 10

Pass % — 100 % (Features)

Pass % — 100 % (Scenarios)

Pass % — 100 % (Steps)

#	Feature Name	T	P	F	S	Duration
1	Check Budget Request and Allocation feature module	1	1	0	0	19.029 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check Budget Request and Allocation feature module	System Should follow the flow as Search criteria	10	10	0	0	19.024 s

(F)- Check Budget Request and Allocation feature module

| PASSED	DURATION - 19.029 s	Scenarios		Steps	
/ 10:54:25.716 am // 10:54:44.745 am /		Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Total - 10 Pass - 10 Fail - 0 Skip - 0	10

(S)- System Should follow the flow as Search criteria

PASSED	DURATION - 19.024 s		Steps	
/ 10:54:25.721 am // 10:54:44.745 am /			Total - 10	
Check Budget Request and Allocation feature module			Pass - 10 Fail - 0	10
@KUBS_SEARCH_CRITERIA_MODIFICATION_-BP_BC_19_01			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Navigate the Azentio Maker Url	PASSED	12.731 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
	screenshot		
2	Then Click Transfer Icon	PASSED	0.263 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.254 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	And Click on Budget Module	PASSED	0.093 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
	screenshot		
4	Then Click Budget module Budget Request and Allocation Edit Icon	PASSED	0.177 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.321 s
	screenshot		
5	And Click search icon	PASSED	0.115 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.218 s
	screenshot		
6	Then Enter the search code	PASSED	0.185 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And Click action button	PASSED	0.427 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.251 s
	screenshot		
8	Then Capture the code	PASSED	0.013 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
	screenshot		
9	And Modify the Code	PASSED	0.201 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.139 s
	screenshot		
10	And After modify click save button	PASSED	0.091 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.265 s
	screenshot		

#	Step / Hook Details	Status	Duration

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)


(S) System Should follow the flow as Search criteria

(F) Check Budget Request and Allocation feature module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System Should follow the flow as Search criteria

(F) Check Budget Request and Allocation feature module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) System Should follow the flow as Search criteria (F) Check Budget Request and Allocation feature module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) System Should follow the flow as Search criteria (F) Check Budget Request and Allocation feature module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System Should follow the flow as Search criteria

(F) Check Budget Request and Allocation feature module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System Should follow the flow as Search criteria

(F) Check Budget Request and Allocation feature module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System Should follow the flow as
Search criteria

(F) Check Budget Request and Allocation
feature module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System Should follow the flow as
Search criteria

(F) Check Budget Request and Allocation
feature module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System Should follow the flow as Search criteria

(F) Check Budget Request and Allocation feature module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System Should follow the flow as Search criteria

(F) Check Budget Request and Allocation feature module