

# Cucumber Report

23 Dec 2022, 2:27:29 PM

Start : Dec 23, 2:25:29.195 PM

End : Dec 23, 2:27:26.900 PM

Duration : 1 m 57.705 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 6  
FAILED - 1  
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	AR_AP Module	1	0	1	0	1 m 57.705 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR_AP Module	Verify payment file includes only below records,Where payment mode is Wire Transfer.Beneficiary Account is *	7	6	1	0	1 m 57.697 s


\* The feature name and/or scenario name has been cropped to fit in the available space.

**(F)- AR\_AP Module**


<b>FAILED</b>	<b>DURATION - 1 m 57.705 s</b>	Scenarios		Steps	
/ 2:25:29.195 PM // 2:27:26.900 PM /		Total - 1		Total - 7	
		Pass - 0		Pass - 6	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

**(S)- Verify payment file includes only below records,Where payment mode is Wire Transfer.Beneficiary Account is NOT maintained with legal entity.**


<div>FAILED</div> <div>DURATION - 1 m 57.697 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 2:25:29.203 PM // 2:27:26.900 PM /				
AR_AP Module				
@KUBS_AR_AP_UAT_008_001_TC_02 @AR/AP @NA				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	36.386 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.606 s
	screenshot		
			
2	And click on arap configuration main menu	PASSED	1.755 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.365 s
	screenshot		

#	Step / Hook Details	Status	Duration
	 +		
3	And click on payment file generation setup sub menu	PASSED	0.430 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.143 s
	screenshot		
	 +		
4	And user update the Excelsheet Testdata for payment file legal	PASSED	0.182 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.554 s
	screenshot		
	 +		
5	And configure the file format as Bank & Account Number Wise	PASSED	2.203 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.302 s
	screenshot		
	 +		
6	And save the arap configure record	PASSED	2.245 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.293 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	<p><b>And Select and Submit the Update Deposited Cheque record</b></p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //app-inbox//datatable-row-wrapper[1]/datatable-body-row/div/datatable-body-cell[2]//span' (tried for 60 second(s) with 2 milliseconds interval)  at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)  at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:102)  at stepdefinitions.AR_AP_Module.select_and_submit_the_update_deposited_cheque_record(AR_AP_Module.java:1628)  at ?.Select and Submit the Update Deposited Cheque record(file:///C:/Users/ININDC00075/git/Arshath_Excel_AzentioAutomationFramework/AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/ArAp2.feature:780)  Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//app-inbox//datatable-row-wrapper[1]/datatable-body-row/div/datatable-body-cell[2]//span"} (Session info: chrome=108.0.5359.125) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.10.202', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [216c2be75c0eaf879c7867d9119ccad6, findElement {using=xpath, value=//app-inbox//datatable-row-wrapper[1]/datatable-body-row/div/datatable-body-cell[2]//span}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:54145}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54145/devtoo..., se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 216c2be75c0eaf879c7867d9119ccad6  atjdk.internal.reflect.GeneratedConstructorAccessor37.newInstance(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p>	FAILED	1 m 0.606 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:102) at stepdefinitions.AR_AP_Module.select_and_submit_the_update_deposited_cheque_record(AR_AP_Module.java:1628) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		


#	Step / Hook Details	Status	Duration
	<pre> at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.204 s
	screenshot		
			



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Verify payment file includes only  
below records,Where payment mode is  
Wire Transfer.Beneficiary Account is NOT  
maintained with legal entity.


(F) AR\_AP Module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Verify payment file includes only  
below records,Where payment mode is  
Wire Transfer.Beneficiary Account is NOT  
maintained with legal entity.

(F) AR\_AP Module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Verify payment file includes only  
below records,Where payment mode is  
Wire Transfer.Beneficiary Account is NOT  
maintained with legal entity.

(F) AR\_AP Module

Payment File Configuration View

Actions	Entity Code	Entity Branch	Status	Auth Status	Auth Date	Auth By	Created By	Created Date	Modified By	Modified Date
	Azentio_Soft	BR0003	Active	Approved	03-Nov-2022	1002437	1002435	27-Oct-2022		
	Azentio_Soft	AZENTMAIN	Active	Approved	30-Sep-2022	1002437	1002435	30-Sep-2022		

2 total

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Verify payment file includes only  
below records,Where payment mode is  
Wire Transfer.Beneficiary Account is NOT  
maintained with legal entity.

(F) AR\_AP Module

Payment File Configuration View

Actions	Entity Code	Entity Branch	Status	Auth Status	Auth Date	Auth By	Created By	Created Date	Modified By	Modified Date
	Azentio_Soft	BR0003	Active	Approved	03-Nov-2022	1002437	1002435	27-Oct-2022		
	Azentio_Soft	AZENTMAIN	Active	Approved	30-Sep-2022	1002437	1002435	30-Sep-2022		

2 total

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Verify payment file includes only  
below records,Where payment mode is  
Wire Transfer.Beneficiary Account is NOT  
maintained with legal entity.

(F) AR\_AP Module

**AZENTIO ONEBanking**

18-Jan-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

← PAYMENT\_FILE\_CONFIGURATION

\* Entity Branch Azentio Main Branch Txn Status ACTIVE

Txn Date \* Create File Basis Bank & Account Number Wise

Hour Minute Action

03 04

1 total

22 Appro... 11 Mess...

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Verify payment file includes only  
below records,Where payment mode is  
Wire Transfer.Beneficiary Account is NOT  
maintained with legal entity.

(F) AR\_AP Module

**AZENTIO ONEBanking**

18-Jan-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

← Payment File Configuration

Actions	Entity Code	Entity Branch	Status	Created By	Created Date	Modified By	Modified Date
<input checked="" type="checkbox"/>	Azentio_Soft	BRCH002	Active	1002435	23-Dec-2022		
<input checked="" type="checkbox"/>	Azentio_Soft	MUMBAILC	Active	1002435	26-Oct-2022		
<input checked="" type="checkbox"/>	Azentio_Soft	AZENTMAIN	Active	1002435	30-Sep-2022	1002435	01-Jan-1970

3 total

PaymentFileConfiguration updated successfully.

Workflow initiated submit record from inbox.

22 Appro... 11 Mess...

(S) Verify payment file includes only below records,Where payment mode is Wire Transfer.Beneficiary Account is NOT maintained with legal entity.

### (F) AR\_AP Module

AZENTIO ONEBanking
18-Jan-2023   English ▾   Azentio Software ▾   (AZENTMAIN) ANANT

---

Finance ▾

- 
- ② Business partner setup
- ② General ledger configuration
- ② Accounting setup
- ② Expense/AR & AP configura...
  - AR & AP configuration ⌚ ✓
  - AR reference code setup ⌚ ✓
  - Receivable code setup ⌚ ✓
  - AP reference code setup ⌚ ✓
  - Expense code setup ⌚ ✓
  - Payment file generation setup ⌚ ✓**
  - Payment file definition setup ⌚ ✓
  - Prepaid Expense Approval ⌚ ✓
- ② Budget configuration
- ② Fixed assets configuration
- ② Recurrent payments maintenance
- 22 Appro... ⌚   11 Mess... ⌚

### ← Payment File Configuration

Actions	Entity Code	Entity Branch	Status	Created By	Created Date	Modified By	Modified Date
	Azentio_Soft	BRCH002	Active	1002435	23-Dec-2022		
	Azentio_Soft	MUMBAILC	Active	1002435	26-Oct-2022		
	Azentio_Soft	AZENTMAIN	Active	1002435	30-Sep-2022	1002435	01-Jan-1970
3 total							