
Start: Mar 03, 10:54:48.824 am End: Mar 03, 10:55:16.600 am **Duration**: 27.776 s Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 13 SKIPPED - 0 SKIPPED - 0 SKIPPED - 21 34 40 50 60 40 50 60 40 50 60 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 38 % 100 100

FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|----------|
| 1 | Check The Functionality of Asset ReplaceMent | 1 | 0 | 1 | 0 | 27.776 s |

SCENARIOS SUMMARY




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|----------------------------------|---|----|----|---|----|----------|
| 1 | Check The Functionality of Asset | Check the asset for its replacement (any) | 34 | 13 | 0 | 21 | 27.771 s |
| | ReplaceMent | | | | | | |

DETAILED SECTION -- 4 --

(F)- Check The Functionality of Asset ReplaceMent

| FAILED | DURATION - 27.776 s | Scenarios | | Steps | |
|----------------|-------------------------|-----------|---|------------|----|
| | | Total - 1 | | Total - 34 | |
| / 10:54:48.824 | am // 10:55:16.600 am / | Pass - 0 | 1 | Pass - 13 | 34 |
| | | Fail - 1 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 21 | |

(S)- Check the asset for its replacement (any)



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Launch The Azentio Url | PASSED | 12.840 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.153 s |
| | screenshot | | |
| | The Contract of the Contract o | | |
| 2 | Then Click Second Segman button | PASSED | 0.481 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.231 s |
| | screenshot | | |

| 3 And Click fixed Asset Module AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.138 s PASSED 0.208 s |
|--|
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.208 s |
| |
| screenshot |
| |
| # Q |
| 4 Then Click on Asset Replacement submodule Eye Icon PASSED 0.245 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.391 s |
| screenshot Parameter Para |
| 5 And Click Add Icon button PASSED 0.269 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.306 s |
| screenshot |
| # # # # # # # # # # # # # # # # # # # |
| 6 Then Enter the Asset Referance Number PASSED 0.293 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.157 s |
| screenshot |


| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| | # 0 Manufacture | | |
| | And Enter the Asset Item Number | PASSED | 0.246 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.178 s |
| | screenshot | | |
| | *** O TO CONTROLLED TO THE TOTAL TO THE TOTA | | |
| 8 | Then Enter the New Item Number | PASSED | 0.157 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.156 s |
| | screenshot * ********************************** | | |
| 9 | And Enter the New Description | PASSED | 0.175 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot | PASSED | 0.157 s |
| | Company Comp | | |
| 10 | Then save the Replacement record | PASSED | 0.076 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.339 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| | | | |
| 11 | And Went to Maker Notification | PASSED | 0.240 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.393 s |
| | screenshot | | |
| | *** O MANAGEMENT STATE OF THE PROPERTY OF THE | | |
| 12 | Then Click the first Action icon | PASSED | 0.226 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.284 s |
| | screenshot | | |
| | O O O O O O O O O O | | |
| 13 | And Submit the Record in maker | PASSED | 2.219 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | FAILED | 0.009 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=98.0.4758.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [4d90d4368cec9ecfb8bb49b139805bc9, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:51554}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51554/devtoo, se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4d90d4368cec9ecfb8bb49b139805bc9 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |


| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42) | | |
| 14 | Then Enter Remark and Submit it | SKIPPED | 0.000 s |
| 15 | Given Launch the Azentio Reviewer | SKIPPED | 0.000 s |
| 16 | And Click Reviewer Notification icon | SKIPPED | 0.000 s |
| 17 | Then Click submitted record from maker | SKIPPED | 0.000 s |
| 18 | And Click Approve icon from Reviewer End | SKIPPED | 0.000 s |
| | | | 0.000 s |
| 19 | Then Enter remark and submit the Record | SKIPPED | 0.000 s |
| 20 | Given Launch the Azentio Checker | SKIPPED | 1 |
| 21 | Then Click Security management | SKIPPED | 0.000 s |
| 22 | And Click open pool Edit icon | SKIPPED | 0.000 s |
| 23 | Then Claim record Approved from Reviewer | SKIPPED | 0.001 s |
| 24 | And Click Checker Notification icon | SKIPPED | 0.000 s |
| 25 | Then Click Action Icon from claimed record | SKIPPED | 0.000 s |
| 26 | And Click Approve icon | SKIPPED | 0.001 s |
| 27 | Then Submit Record from Checker End | SKIPPED | 0.000 s |
| 28 | Given Launch The Azentio Url | SKIPPED | 0.000 s |
| 29 | Then Click Second Segman button | SKIPPED | 0.000 s |
| 30 | And Click fixed Asset Module | SKIPPED | 0.000 s |
| 31 | Then Click on Asset Replacement submodule Eye Icon | SKIPPED | 0.001 s |
| 32 | And Click on the search icon | SKIPPED | 0.000 s |
| 33 | Then Enter Asset Referance No | SKIPPED | 0.000 s |
| 34 | When capture Asset Grid view | SKIPPED | 0.000 s |
| | AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario) | FAILED | 4.069 s |
| | org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=98.0.4758.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4d90d4368cec9ecfb8bb49b139805bc9, close {}] | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:51554}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51554/devtoo, se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4d90d4368cec9ecfb8bb49b139805bc9 | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:77) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) | | |
| | at stepdefinitions.HooksClass.TearDown(HooksClass.java:52) | | |


EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --

