Cucumber Report

15 Jan 2023, 9:35:47 AM

Start : Jan 15, 9:34:19.644 AM	End : Jan 15, 9:35:43.866 AM	Duration : 1 m 24.222 s

Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 12 FAILED - 1 SKIPPED - 2









#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	1 m 24.222 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify accounting entries post payment settlement approval	15	12	1	2	1 m 24.216 s

(F)- AR/AP Module

FAILED	DURATION - 1 m 24.222 s	Scenarios		Steps	
/ 9:34:19.644 AM // 9:35:43.866 AM /		Total - 1 Pass - 0 Fail - 1 Skip - 0		Total - 15 Pass - 12 Fail - 1 Skip - 2	

(S)- Verify accounting entries post payment settlement approval

FAILED	DURATION - 1 m 24.216 s		Steps	
/ 9:34:19.650 AM // 9:35:43.866 AM /			Total - 15 Pass - 12 Fail - 1 Skip - 2	
AR/AP Module				
@AR/AP @KUBS_AR/AP_UAT_004_005_TC_04				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	26.047 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.928 s
	screenshot		
2	And user should navigate to accounts payable menu	PASSED	4.329 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.336 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And Go to payment settlement module	PASSED	3.470 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.538 s
	screenshot		
			
4	And update data set id for accounting entries payment settlement	PASSED	0.291 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.416 s
	screenshot		
			
5	And get the approved record from list view	PASSED	0.134 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.465 s
	screenshot		
			
6	Then click on report segment button	PASSED	2.490 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.551 s
	screenshot		
			
7	And click on equiry menu	PASSED	0.612 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.291 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	Then Click Note iCon near by financial transction	PASSED	0.467 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.423 s
	screenshot		
			
9	And choose branch codes	PASSED	0.658 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.231 s
	screenshot		
			
10	And click on transaction from date in calender	PASSED	0.200 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.370 s
	screenshot		
			
11	Then Select from date in calender	PASSED	2.582 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.403 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
12	And click on transaction to date in calender icon	PASSED	0.533 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.363 s
	screenshot 		
13	Then Select To date in calender	FAILED	23.096 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//owl-date-time-container[1]/div[2]/owl-date-time-calendar[1]/div[1]/button[2]/span[1]"} (Session info: chrome=109.0.5414.74) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.153', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f97669bd8bf8255f6e19e8c0a6532705, findElement {using=xpath, value=//owl-date-time-container[1]/div[2]/owl-date-time-calendar[1]/div[1]/button[2]/span[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.74, chrome: {chromedriverVersion: 108.0.5359.22 (ec46c90f5938..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:52341}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52341/devtoo..., se:cdpVersion: 109.0.5414.74, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f97669bd8bf8255f6e19e8c0a6532705 at jdk.internal.reflect.GeneratedConstructorAccessor37.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.ARAP_AccountingEntries.select_to_date_in_calender(ARAP_AccountingEntries.java:227) at ?.Select To date in calender(file:///C:/Users/ININDC00089/git/AzentioAutomationFramework/ArAp/AzentioAutomationFramework_ARAP_Excel/src/test/java/features/ArAp4.feature:294)		

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.495 s
	screenshot		
			
14	And Click View HyperLink	SKIPPED	0.000 s
15	Then verify approved settlement reference number is available in the GI report	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify accounting entries post payment settlement approval	
(F) AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify accounting entries post payment settlement approval	
(F) AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify accounting entries post payment settlement approval	
(F) AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify accounting entries post payment settlement approval	
(F) AR/AP Module	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Verify accounting entries post payment settlement approval

(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Verify accounting entries post payment settlement approval

(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify accounting entries post payment settlement approval	
(F) AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify accounting entries post payment settlement approval	
(F) AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify accounting entries post payment settlement approval	
(F) AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify accounting entries post payment settlement approval	
(F) AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)
(S) Verify accounting entries post payment settlement approval
(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)
(S) Verify accounting entries post payment settlement approval
(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Verify accounting entries post payment settlement approval

(F) AR/AP Module