Cucumber Report

Mar 30, 2022, 1:07:58 AM

Start : Mar 30, 1:06:46.622 AM	End : Mar 30, 1:07:58.102 AM	Duration : 1 m 11.480 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 23 FAILED - 0 SKIPPED - 0









#	Feature Name	T	P	F	S	Duration
1	Checking the Supplementary Budget UAT functionality	1	1	0	0	1 m 11.480 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Supplementary Budget UAT functionality	Check if supplimentary budget rejected from HO, the requested amount can not be used	23	23	0	0	1 m 11.475 s

(F)- Checking the Supplementary Budget UAT functionality

PASSED	DURATION - 1 m 11.480 s	Scenarios		Steps	
/ 1:06:46.622 AM // 1:07:58.102 AM /		Total - 1 Pass - 1 Fail - 0 Skip - 0		Total - 23 Pass - 23 Fail - 0 Skip - 0	

(S)- Check if supplimentary budget rejected from HO, the requested amount can not be used

PASSED	DURATION - 1 m 11.475 s		Steps	
/ 1:06:46.627 AM // 1:07:58.102 AM /			Total - 23 Pass - 23 Fail - 0 Skip - 0	
Checking the Supplementary Budget UAT functionality				
@SupplementaryBudget_KUBS_BP_UAT_005_00-6				

#	Step / Hook Details	Status	Duration
1	Given maker should navigate to the url and login with valid credentials UAT	PASSED	9.233 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.315 s
	screenshot +		
2	And maker should navigate to the budget module UAT	PASSED	2.304 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.117 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And maker click on budget field UAT	PASSED	0.103 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.130 s
	screenshot		
			
4	When maker click on budget supplementary eye icon UAT	PASSED	0.167 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.318 s
	screenshot		
			
5	And click on add button on budget supplementary view page UAT	PASSED	2.201 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
	screenshot		
			
6	Then fill the input fields UAT	PASSED	1.498 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.118 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then fill apportion amount and save the record UAT	PASSED	2.447 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.102 s
	screenshot		
			
8	Then validate maker can submit the record UAT	PASSED	6.485 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.108 s
	screenshot		
			
9	Then user login to checker1 UAT	PASSED	4.996 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.410 s
	screenshot		
10	And click on notification icon UAT	PASSED	0.158 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.194 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	And click on action button button of the record which we want to approve UAT	PASSED	1.163 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
	screenshot		
			
12	Then user approve the record UAT	PASSED	0.225 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.149 s
	screenshot		
			
13	And user write the remark & submit the record UAT	PASSED	3.209 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.106 s
	screenshot		
			
14	Then User should login to checker2 UAT	PASSED	4.870 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.113 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
15	Then click on open pool UAT	PASSED	0.081 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.130 s
	screenshot		
			
16	And Verify for claming the record UAT	PASSED	1.802 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.119 s
	screenshot		
			
17	Then User should click on notification icon on reviewer2 home page UAT	PASSED	1.101 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	screenshot		
			
18	Then Claim and reject the record UAT	PASSED	8.102 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.102 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
19	Given maker should navigate to the url and login with valid credentials UAT	PASSED	5.773 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.263 s
	screenshot		
20	And maker should navigate to the budget module UAT	PASSED	2.285 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.120 s
	screenshot		
			
21	And maker click on budget field UAT	PASSED	0.095 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.120 s
	screenshot		
			
22	When maker click on budget supplementary eye icon UAT	PASSED	0.136 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.265 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
23	And navigate to search icon and fill the required field	PASSED	6.599 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.085 s
	screenshot		
			

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Check if supplimentary budget rejected from HO, the requested amount can not be used	
(F) Checking the Supplementary Budget UAT functionality	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Check if supplimentary budget rejected from HO, the requested amount can not be used	
(F) Checking the Supplementary Budget UAT functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if supplimentary budget rejected from HO, the requested amount can not be used

(F) Checking the Supplementary Budget UAT functionality



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if supplimentary budget rejected from HO, the requested amount can not be used

(F) Checking the Supplementary Budget UAT functionality



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if supplimentary budget rejected from HO, the requested amount can not be used

(F) Checking the Supplementary Budget UAT functionality



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if supplimentary budget rejected from HO, the requested amount can not be used

(F) Checking the Supplementary Budget UAT functionality



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if supplimentary budget rejected from HO, the requested amount can not be used

(F) Checking the Supplementary Budget UAT functionality



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if supplimentary budget rejected from HO, the requested amount can not be used

(F) Checking the Supplementary Budget UAT functionality



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check if supplimentary budget rejected from HO, the requested amount can not be used	
(F) Checking the Supplementary Budget UAT functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check if supplimentary budget rejected from HO, the requested amount can not be used	
(F) Checking the Supplementary Budget UAT functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if supplimentary budget rejected from HO, the requested amount can not be used

(F) Checking the Supplementary Budget UAT functionality



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if supplimentary budget rejected from HO, the requested amount can not be used

(F) Checking the Supplementary Budget UAT functionality



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check if supplimentary budget rejected from HO, the requested amount can not be used	
(F) Checking the Supplementary Budget UAT functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check if supplimentary budget rejected from HO, the requested amount can not be used	
(F) Checking the Supplementary Budget UAT functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check if supplimentary budget rejected from HO, the requested amount can not be used	
(F) Checking the Supplementary Budget UAT functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check if supplimentary budget rejected from HO, the requested amount can not be used	
(F) Checking the Supplementary Budget UAT functionality	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Check if supplimentary budget rejected from HO, the requested amount can not be used

(F) Checking the Supplementary Budget UAT functionality



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Check if supplimentary budget rejected from HO, the requested amount can not be used

(F) Checking the Supplementary Budget UAT functionality



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check if supplimentary budget rejected from HO, the requested amount can not be used	
(F) Checking the Supplementary Budget UAT functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check if supplimentary budget rejected from HO, the requested amount can not be used	
(F) Checking the Supplementary Budget UAT functionality	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Check if supplimentary budget rejected from HO, the requested amount can not be used

(F) Checking the Supplementary Budget UAT functionality



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Check if supplimentary budget rejected from HO, the requested amount can not be used

(F) Checking the Supplementary Budget UAT functionality



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Check if supplimentary budget rejected from HO, the requested amount can not be used

(F) Checking the Supplementary Budget UAT functionality