


FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|---------------------------------------|---|---|---|---|----------------|
| 1 | To verify the reports for fixed asset | 1 | 0 | 1 | 0 | 167 m 50.176 s |

SCENARIOS SUMMARY




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---------------------------------------|----------------------|---|---|---|---|----------------|
| 1 | To verify the reports for fixed asset | Check Asset Transfer | 9 | 8 | 1 | 0 | 167 m 50.173 s |

DETAILED SECTION -- 4 --

(F)- To verify the reports for fixed asset

| FAILED | DURATION - 167 m 50.176 s | Scenarios | | Steps | |
|----------------|---------------------------|-----------|---|-----------|---|
| | | Total - 1 | | Total - 9 | |
| / 11:01:52.522 | AM // 1:49:42.698 PM / | Pass - 0 | 1 | Pass - 8 | 9 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 0 | |

(S)- Check Asset Transfer



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User should go to the kubs url and login as a maker user | PASSED | 25.801 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.383 s |
| | screenshot | | |
| | | | |
| 2 | Then click on report icon | PASSED | 2.364 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.255 s |
| | screenshot | | |
| | | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 3 | And user should navigate to reports menu | PASSED | 0.508 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.295 s |
| | screenshot | | |
| | | | |
| 4 | Then click on temp grid button of asset transfer | PASSED | 0.207 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.341 s |
| | screenshot | | |
| | ACMINE State for the state of | | |
| 5 | Then choose the data set id for asset transfer report | PASSED | 0.004 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.278 s |
| | screenshot | | |
| | ALEXTO The first law is stated and the first law is state | | |
| 6 | And Get the system date for asset undertaking | PASSED | 0.132 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.188 s |
| | screenshot | | |
| | State the state of | | |
| 7 | And select the asset code and date to check the asset transfer details are displaying | PASSED | 1.565 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.201 s |
| | screenshot | | |
| | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------------|
| | The state of the s | | |
| 8 | Then click in the view button to check | PASSED | 0.119 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.403 s |
| | screenshot | 1 | |
| | Name and the control of the control | | |
| 9 | Then the report is displaying all the asset transfer details for a branch | FAILED | 166 m 41.543 s |
| | org.openga.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.99) Build info: version: '40.0-rc-1', revision: 'bc5511.cbda' System info: host: 'INMUVADP016647', ip: '10.1.47.114', os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openga.selenium.chrome. ChromeDriver Command: [1ad51e71ad5e2127d7bf4185ae3090bf, findElement {using=xpath, value=//table@id=layout*]/tbddy/tf2]/td/table/tbody/trtd/table/tb | | |


| at org openga selenium support pagefactory. DefaultElementLocation (IntellementLocation (Jewar 70) at org openga selenium support pagefactory, Internal Locating (ElementHandler, Java: 39) at july provy/glick proxy; 28Proxy46: in String (Unknown Source) at july base-glava lang String Suited (String july 42 15) at july as base-glava lang String Suited (String july 42 15) at july as base-glava lang String Suited (String july 42 15) at july as base-glava lang String Suited (String july 42 15) at july as base-glava lang String Suited (String july 42 15) at july as base-glava lang String Suited (String july 42 15) at july as base-glava lang String String Suited (String july 42 15) at july as base-glava lang String Suited (String july 42 15) at july as base-glava lang String String Suited (String july 42 15) at july as base-glava lang String String Suited (String july 42 15) at july as base-glava lang String String String Suited (String july 42 15) at july as base-glava lang String | | Step / Hook Details | Status | Duration |
|--|---|---|--------|----------|
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.99) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'IMMUVADP016647', ip: '10.1.47.114', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0' To Piver info: org.openqa.selenium.chrome. ChromeDriver Command: [1ad51e71ad5e2127d7bf4185ae3090bf, screenshot (]) Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.99, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06userCeptinsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.99, settly independent of the chromedriverVersion: 108.0.5359.71 (1e0e3868ee06userCeptinsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.99, settly independent of the chromedriverVersion: ruse, 108.0.5359.71 (1e0e3868ee06userCeptinsecureCerts: false, browserName: chrome, browserName: chrom | at a | t org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) t jdk.proxy2/jdk.proxy2.\$Proxy46.toString(Unknown Source) t java.base/java.lang.String.valueOf(String.java:4215) t java.base/java.lang.StringBuilder.append(StringBuilder.java:169) t org.openqa.selenium.support.ui.ExpectedConditions\$23.toString(ExpectedConditions.java:673) t java.base/java.lang.String.valueOf(String.java:4215) t java.base/java.lang.StringBuilder.append(StringBuilder.java:169) t org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) t helper.WaitHelper.waitForElement(WaitHelper.java:81) t stepdefinitions.Reports_AssetCreationCommon. report_is_displaying_all_the_asset_transfer_details_for_a_branch(Reports_AssetCreationCommon.java:579) t ?the report is displaying all the asset transfer details for a branch(file:///C:/Users/inindc00073/git/ ntioAutomationFrameworkKamalapriyaKUBS/AzentioAutomationFramework_ExcelKUBSAnandh1/src/test/java/features/ dAssetReports.feature:116) | | |
| org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.99) Build info: version: '4.0.0-re-1', revision: 'bc551.cbda' System info: host: 'INMU/ADP016647', ip: '10.1.47.114', os.name: 'Windows 10', os.arch': 'amd64', os.version: '10.0', java.version: '17.0'.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [1ad51e71ad5e2127d7b14185ae3090bf, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.99, chromeOptions: (debuggerAddress: locallost:55025), javascripEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), secdp: ws://localhost:55025/devtoo, secdpVersion: 108.0.5359.99, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 300000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1ad51e71ad5e2127d7bf4185ae3090bf at jdk.internal.reflect.GeneratedConstructorAccessor/45.newhistance(Unknown Source) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invakeExecute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.service.DriverCommandExecutor.invakeExecute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:603) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDr | _ | | FAUED | 0.007.0 |
| | (Sess '10.1 Chro chro C:\U netw ws:// page web at | ssion info: chrome=108.0.5359.99) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016647', ip: L47.114', os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. omeDriver Command: [1ad51e71ad5e2127d7bf4185ae3090bf, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: omeDriver Command: [1ad51e71ad5e2127d7bf4185ae3090bf, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: omeDriver Command: [1ad51e71ad5e2127d7bf4185ae3090bf, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: omeDriver Command: platform: VINDOWS, proxy: Proxy(), secoptions: scresNININDC~1AppDatalL), goog:chromeOptions: {debuggerAddress: localInsst:55025}, javascriptEnabled: true, orkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), secoptions. ScrestNININDC~1AppDatalL), goog:chromeOptions: {debuggerAddress: localInsst:55025/devtoo, secoptVersion: 108.0.5359.99, setWindowRect: true, strictFielnteractability: false, timeouts: {implicit: 0, eload: 30000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, authn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1ad51e71ad5e2127d7bf4185ae3090bf tipkin.chromities.chromiti | | |
| | + | | FAUED | 00.444 - |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | org.openqa.selenium.WebDriverException: disconnected: unable to connect to renderer (failed to check if window was closed: disconnected: unable to connect to renderer) (Session info: chrome=108.0.5359.99) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016647', ip: '10.1.47.114', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [1ad51e71ad5e2127d7bf4185ae3090bf, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.99, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:55025}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55025/devtoo, se:cdpVersion: 108.0.5359.99, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, | | |
| | webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1ad51e71ad5e2127d7bf4185ae3090bf | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) | | |
| | at stepdefinitions.HooksClass.TearDown(HooksClass.java:52) | | |


EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --

