# Cucumber Report

| Start : Feb 03, 2:06:51.684 AM | End : Feb 03, 2:09:19.706 AM | Duration : 2 m 28.022 s |
|:---:|:---:|:---:|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 5 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | ACCOUNTS PAYABLE | 1 | 0 | 1 | 0 | 2 m 28.022 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | ACCOUNTS PAYABLE | Bill(invoice) Booking | 6 | 0 | 1 | 5 | 2 m 28.018 s |

## (F)- ACCOUNTS PAYABLE

| FAILED | DURATION - 2 m 28.022 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| | | Total - 1 | | Total - 6 | |
| / 2:06:51.684 AM // 2:09:19.706 AM / | | Pass - 0 | 1 | Pass - 0 | 6 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 5 | |

## (S)- Bill(invoice) Booking

| FAILED | DURATION - 2 m 28.018 s | | Steps | |
|---|---|---|---|---|
| / 2:06:51.688 AM // 2:09:19.706 AM / | | | Total - 6 | |
| ACCOUNTS PAYABLE | | | Pass - 0 | 6 |
| @KUBS_INV_MGMT_UAT_001_005 | | | Fail - 1 | |
| | | | Skip - 5 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User should go to the kubs url and login as a maker user | FAILED | 1 m 3.305 s |
| | org.openqa.selenium.ElementNotInteractableException: element not interactable: element has zero size   (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [26e55a7fb790e4dcab43f6e7f46836bf, clickElement {id=58ece885-54af-457e-8b26-8f318b07a168}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:62620}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62620/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (26e55a7fb790e4dcab43f6e7f46836bf)] -> xpath: //ion-item[2]/ion-radio] Session ID: 26e55a7fb790e4dcab43f6e7f46836bf<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)<br>at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:568)<br>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)<br>at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)<br>at stepdefinitions.KUBS_Login.loginToAzentioApp(KUBS_Login.java:46)<br>at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts. user_should_go_to_the_kubs_url_and_login_as_a_maker_user(ACCOUNTSPAYABLE_VendorContracts.java:47)<br>at ?.User should go to the kubs url and login as a maker user(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/ACCOUNTSPAYABLE_VendorContracts.feature:29)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 3.528 s |
| 2 | And user should navigate to accounts payable menu | SKIPPED | 0.000 s |
| 3 | When click on eye button of invoice booking | SKIPPED | 0.000 s |
| 4 | And click on add button for invoice booking | SKIPPED | 0.001 s |
| 5 | And Fill the required fields for invoice booking | SKIPPED | 0.000 s |
| 6 | Then Save and submit the invoice billing | SKIPPED | 0.000 s |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE