


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Checking the Acount Payable functionality	2	1	1	0	34 m 24.763 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Acount Payable functionality	Verify creating PO against contracts is not allowed if PO QTY	7	7	0	0	39.357 s
2	Checking the Acount Payable functionality	Verify creating PO against contracts is not allowed if PO QTY	7	5	1	1	33 m 45.313 s

DETAILED SECTION -- 4 --

## **(F)- Checking the Acount Payable functionality**

FAILED	DURATION - 34 m 24.763 s	Scenarios		Steps	
		Total - 2		Total - 14	
/ 12:53:28.302 A	AM // 1:27:53.065 AM /	Pass - 1	2	Pass - 12	14
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

## (S)- Verify creating PO against contracts is not allowed if PO QTY




#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	9.725 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	screenshot		
	** ** ** ** ** ** ** ** ** ** ** ** **		
2	Then Click on Direction icon	PASSED	2.646 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.293 s
	screenshot		

#	Step / Hook Details	Status	Duration
	The Continue of the Continue o		
3	Then Click on Account Payable	PASSED	0.109 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
	screenshot		
	To any one of the control of the con		
4	Then Click on purchase order Eye Icon	PASSED	0.229 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.488 s
5	Then Click on purchase order Add button	PASSED	0.321 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot   **Texation**  **Tex	PASSED	0.241 s
6	Then Fill purchase order fields	PASSED	1.203 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.261 s
	screenshot		

#	Step / Hook Details	Status	Duration
	### ### ##############################		
7	Then Enter Po Quantity	PASSED	13.368 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.100 s
	screenshot		
	1		

## (S)- Verify creating PO against contracts is not allowed if PO QTY



#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	11.200 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	screenshot		
	10 10 10 10 10 10 10 10 10 10 10 10 10 1		
2	Then Click on Direction icon	PASSED	2.334 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
	screenshot		
	■ 6 Year (Mariestra)    10		
3	Then Click on Account Payable	PASSED	0.099 s
3	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.136 s
	screenshot	- FASSED	0.130 3
	© MATERIAN (1997)		
4	Then Click on purchase order Eye Icon	PASSED	0.311 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.218 s
	screenshot		
	■		
5	Then Click on purchase order Add button	PASSED	0.221 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.228 s
	screenshot		
6	Then Fill purchase order Mandatory fields	FAILED	33 m 28.417 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //ion-modal[1]/div[2]/page-po-item-details[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[1]/ion-button[1] (tried for		


2000 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:138) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)	
at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)	
at helper.WaitHelper.waitForElement(WaitHelper.java:79)	
at stepdefinitions.AccountPayable_VendorPurchaseOrder.fill_purchase_order_mandatory_fields(AccountPayable_VendorPurchaseOrder.	
java:131)	
at ?.Fill purchase order Mandatory fields(file:///C:/Users/inindc00089/git/	
AzentioAutomationFrameworkMasterNew5/AzentioAutomationFramework/src/test/java/features/InventoryMana_VendorPurchaseOrder.	
feature:79)	
Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//ion-mode/[1]/ion-buttons[	
modal[1]/div[2]/page-po-item-details[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[1]/ion-button[1]"} (Session info: chrome=100.0.4896.60) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision:	
bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.	
version: '17.0.1' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [fcfb0ec39aea08c1e61765d19e667070, findElement	
{using=xpath, value=//ion-modal[1]/div[2]/page-po-item-details[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[1]/ion-button[1]}] Capabilities	
{acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51	
(d537ec02474b5, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:50715},	
javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:	
Proxy(), se:cdp: ws://localhost:50715/devtoo, se:cdpVersion: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts:	
{implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,	
webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: fcfb0ec39aea08c1e61765d19e667070 at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)	
at java.hase/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)	
at java.base/java.lang.reflect.DelegatingConstructorAccessorinpf.newinstance(DelegatingConstructorAccessorinpf.java.43) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)	
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)	
at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)	
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java.200)	
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)	
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)	
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)	
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)	
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)	
at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)	
at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)	
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)	
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)	
at org.openga.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)	
at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)	
at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)	
at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:307)	
at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)	
at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)	
at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)	
at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660)	

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at helper.WaitHelper.waitForElement(WaitHelper.java:79)		
	at stepdefinitions.AccountPayable_VendorPurchaseOrder.fill_purchase_order_mandatory_fields(AccountPayable_VendorPurchaseOrder.		
	java:131)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		


DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.422 s
7	Then Enter Po Quantity	SKIPPED	0.000 s


EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION --- 16 --



EXPANDED SECTION -- 17 --

