Cucumber Report

| Start : May 10, 4:48:29.486 pm	End : May 10, 4:49:04.157 pm	Duration : 34.671 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 6 FAILED - 1 SKIPPED - 11

Features: 1

Scenarios: 1

Steps: 18

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 33 %

#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of the GL1 Module	1	0	1	0	34.671 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of the GL1 Module	Create Chart of Account Active to De-active	18	6	1	11	34.666 s

(F)- Check the Functionality of the GL1 Module

FAILED	*DURATION - 34.671 s*	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 18 Pass - 6 Fail - 1 Skip - 11	18
/ 4:48:29.486 pm // 4:49:04.157 pm /					

(S)- Create Chart of Account Active to De-active

FAILED	*DURATION - 34.666 s*		Steps Total - 18 Pass - 6 Fail - 1 Skip - 11
/ 4:48:29.491 pm // 4:49:04.157 pm /			
Check the Functionality of the GL1 Module			
@KUBS_GL_UAT_005_008			

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	17.668 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.296 s
	screenshot		
2	And user should navigate to accounting setup menu	PASSED	0.605 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	Then click on eye button of chart of accounts definition submenu	PASSED	0.197 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.493 s
	screenshot		
4	Then click on search button	PASSED	0.196 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.241 s
	screenshot		
5	Then click on pencil button to modify the COA	PASSED	0.267 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.346 s
	screenshot		
6	Then Inactive the active Chart of account	PASSED	0.435 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.152 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Save and submit the modified record of COA	FAILED	5.789 s

org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button _ngcontent-huw-c290=""
class="subButton ios button button-solid button-disabled ion-activatable ion-focusable hydrated" ng-reflect-disabled="true" aria-disabled="true"
disabled="">...</ion-button> is not clickable at point (722, 408). Other element would receive the click: <ion-row _ngcontent-huw-c290=""
class="md hydrated">...</ion-row>   (Session info: chrome=101.0.4951.54) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info:
host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.
openqa.selenium.chrome.ChromeDriver Command: [7c7aeda5f4f0e2ab7c95778630623938, clickElement {id=6950f995-32d0-4e71-80df-
d87f31252597}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 101.0.4951.54, chrome:
{chromedriverVersion: 101.0.4951.41 (93c720db8323..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions:
{debuggerAddress: localhost:63696}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform:
WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63696/devtoo..., se:cdpVersion: 101.0.4951.54, setWindowRect:
true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,
webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver:
chrome on WINDOWS (7c7aeda5f4f0e2ab7c95778630623938)] -> xpath: //ion-button[contains(text(),'Submit')]] Session ID:
7c7aeda5f4f0e2ab7c95778630623938
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
    at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)
    at stepdefinitions.AccountingSetup_ChartOfAccountsDefinition.
save_and_submit_the_modified_record_of_coa(AccountingSetup_ChartOfAccountsDefinition.java:169)

#	Step / Hook Details	Status	Duration
	at ?.Save and submit the modified record of COA(file:///C:/Users/inindc00075/git/AzentioAutomationFramework/ AzentioAutomationFramework/src/test/java/features/GL1_UAT.feature:557) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.116 s
8	And User should go to the kubs url and login as a reviewer user	SKIPPED	0.000 s
9	Then Click on notification button in reviewer	SKIPPED	0.000 s
10	And approve the record by the reviewer user	SKIPPED	0.000 s
11	Given User should go to the kubs url and login as a checker user	SKIPPED	0.000 s
12	And Click on security management in checker	SKIPPED	0.000 s
13	Then Click on open pool in checker	SKIPPED	0.000 s
14	And Click on claim button in checker	SKIPPED	0.000 s
15	And capture claimed status	SKIPPED	0.001 s
16	Then click on notification in checker	SKIPPED	0.000 s
17	Then checker should approved the COA record	SKIPPED	0.000 s
18	Then checker should approved the COA record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create Chart of Account Active to De-active	
(F) Check the Functionality of the GL1 Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create Chart of Account Active to De-active	
(F) Check the Functionality of the GL1 Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create Chart of Account Active to De-active

(F) Check the Functionality of the GL1 Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create Chart of Account Active to De-active

(F) Check the Functionality of the GL1 Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Chart of Account Active to De-active

(F) Check the Functionality of the GL1 Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Chart of Account Active to De-active

(F) Check the Functionality of the GL1 Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create Chart of Account Active to De-active

(F) Check the Functionality of the GL1 Module