


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	ACCOUNTS PAYABLE	1	0	1	0	57.903 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	ACCOUNTS PAYABLE	Bill(invoice) Booking	21	5	1	15	57.898 s

DETAILED SECTION -- 4 -

(F)- ACCOUNTS PAYABLE

FAILED	DURATION - 57.903 s	Scenarios		Steps	
		Total - 1		Total - 21	
/ 12:16:10.880 A	M // 12:17:08.783 AM /	Pass - 0	1	Pass - 5	21 📜
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 15	

(S)- Bill(invoice) Booking



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	17.446 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.122 s
	screenshot		
	State of Sta		
2	And user should navigate to accounts payable menu	PASSED	1.135 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.473 s
	screenshot		


#	Step / Hook Details	Status	Duration
	State of the control		
3	When click on eye button of invoice booking	PASSED	1.186 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.732 s
	screenshot		
	The first section of the section of		
4	And click on add button for invoice booking	PASSED	0.718 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.749 s
	screenshot		
5	And Fill the required fields for invoice booking	PASSED	15.791 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **Tex_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)* **Tex_Step - step	PASSED	0.321 s
6	Then Save and submit the invoice billing	FAILED	4.152 s
	org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of null (reading 'shadowRoot') (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9c8ab3b7eb7b7279d7ffb3f68f8f2e14, executeScript {script=return document.querySelector("ion-toast").shadowRoot. querySelector("div[class='toast-message']").innerText, args=[]] Capabilities {acceptInsecureCerts: false, browserName: chrome,		

#	Step / Hook Details	Status	Duration
	browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:\Users\IN\INDC-1\AppData\L), goog:chromeOptions: {debuggerAddress: localhost:50771}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: \text{WinDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50771/devtoc, se:cdp\Version: 96.0.4664.45, set\Windows\Rect: true; strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 30000, scrip: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9c8ab3b7eb7b7279d7ffb3f68f8f2e14 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at stepdefinitions.ACCOUNTSPAYABLE_InvoiceBooking.save_and_submit_the_invoice_billing(ACCOUNTSPAYABLE_InvoiceBooking.jeature:11) * Not displayable cha		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.187 s
	Screenshot		
7	And User should go to the kubs url and login as a reviewer user	SKIPPED	0.000 s
8	Then Click on notification button in reviewer	SKIPPED	0.000 s
9	And approve the record by the reviewer user	SKIPPED	0.000 s
10	Given User should go to the kubs url and login as a checker user	SKIPPED	0.000 s
11	And Click on security management in checker	SKIPPED	0.001 s
12	Then Click on open pool in checker	SKIPPED	0.000 s
13	And Click on claim button in checker	SKIPPED	0.000 s


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
14	And capture claimed status	SKIPPED	0.001 s
15	Then click on notification in checker	SKIPPED	0.000 s
16	Then checker should approved the invoice billing	SKIPPED	0.000 s
17	Given User should go to the kubs url and login as a maker user	SKIPPED	0.000 s
18	And user should navigate to accounts payable menu	SKIPPED	0.000 s
19	When click on eye button of invoice booking	SKIPPED	0.000 s
20	Then click on first eye button to get the system invoice number	SKIPPED	0.000 s
21	And maker should logout	SKIPPED	0.000 s

EXPANDED SECTION -- 8 --



EXPANDED SECTION



EXPANDED SECTION -- 10 --

