# Cucumber Report

| Start : May 10, 12:12:06.966 pm | End : May 10, 12:12:28.479 pm | Duration : 21.513 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0 FAILED - 1 SKIPPED - 0 | PASSED - 0 FAILED - 1 SKIPPED - 0 | PASSED - 4 FAILED - 1 SKIPPED - 23 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | to verify user can able to do transaction in petty cash module | 1 | 0 | 1 | 0 | 21.513 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | to verify user can able to do transaction in petty cash module | Create Custodian Limit | 28 | 4 | 1 | 23 | 21.507 s |

## (F)- to verify user can able to do transaction in petty cash module

| FAILED | DURATION - 21.513 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| | | Total - 1 | | Total - 28 | |
| / 12:12:06.966 pm // 12:12:28.479 pm / | | Pass - 0 | 1 | Pass - 4 | 28 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 23 | |

## (S)- Create Custodian Limit

| FAILED | DURATION - 21.507 s | | Steps | |
|---|---|---|---|---|
| / 12:12:06.972 pm // 12:12:28.479 pm / | | | Total - 28 | |
| to verify user can able to do transaction in petty cash module | | | Pass - 4 | 28 |
| | | | Fail - 1 | |
| @KUBS_PC_UAT_001_003 | | | Skip - 23 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Navigate The Azentio Url | PASSED | 15.166 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.299 s |
| | screenshot | | |
| |  | | |
| 2 | Then Click on Pettycash Configuration | PASSED | 0.233 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.168 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 3 | And click on Custodian limit module | PASSED | 0.403 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.269 s |
| | screenshot | | |
| |  | | |
| 4 | Then Click on Add Icon in Petty cash | PASSED | 0.296 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.219 s |
| | screenshot | | |
| |  | | |
| 5 | And Enter user name in the Custodian limit | FAILED | 0.059 s |
| | org.openqa.selenium.ElementNotInteractableException: element not interactable   (Session info: chrome=101.0.4951.54) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f563452e53148561a06dc68701600a4c, clickElement {id=f0930f56-a098-453a-851d-92b404e47354}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 101.0.4951.54, chrome: {chromedriverVersion: 101.0.4951.41 (93c720db8323..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:53304}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53304/devtoo..., se:cdpVersion: 101.0.4951.54, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (f563452e53148561a06dc68701600a4c)] -> xpath: //ion-col[1]//input] Session ID: f563452e53148561a06dc68701600a4c<br>   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)<br>at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:568)<br>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)<br>at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)<br>at stepdefinitions.Petty_Cash.enter_user_name_in_the_Custodian_limit(Petty_Cash.java:179)<br>at ?.Enter user name in the Custodian limit(file:///C:/Users/inindc00075/git/AzentioAutomationFramework/AzentioAutomationFramework/src/test/java/features/PettyCash_UAT.feature:72)<br>\* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 0.226 s |
| 6 | And give maximum limit | SKIPPED | 0.000 s |
| 7 | And give replenish limit | SKIPPED | 0.000 s |
| 8 | And enter the currency type | SKIPPED | 0.000 s |
| 9 | Then save Record in Petty cash | SKIPPED | 0.000 s |
| 10 | Then Goto The Notification Icon | SKIPPED | 0.000 s |
| 11 | And Store the Referance Id and Open the Record | SKIPPED | 0.001 s |
| 12 | Then Click submit button and Enter Remark submit it | SKIPPED | 0.000 s |
| 13 | Given Navigate as a Reviewer | SKIPPED | 0.000 s |
| 14 | Then click on Notify icon | SKIPPED | 0.000 s |
| 15 | And Click First record Action icon | SKIPPED | 0.000 s |
| 16 | Then Approve the record in Reviewer | SKIPPED | 0.000 s |
| 17 | And Give Remark and Submit | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 18 | Given Navigate as a Checker | SKIPPED | 0.001 s |
| 19 | Then Click module security management | SKIPPED | 0.000 s |
| 20 | And Claim the Record in Checker | SKIPPED | 0.000 s |
| 21 | Then Goto the Checker notification Icon | SKIPPED | 0.000 s |
| 22 | And Click the First Action Icon | SKIPPED | 0.000 s |
| 23 | Then Approve the Record in checker stage | SKIPPED | 0.000 s |
| 24 | And Give the Remark and Submit it | SKIPPED | 0.000 s |
| 25 | Given Navigate The Azentio Url | SKIPPED | 0.000 s |
| 26 | Then Click on Pettycash Configuration | SKIPPED | 0.001 s |
| 27 | And click on Custodian limit module | SKIPPED | 0.000 s |
| 28 | Then Click on Table Row First Eye Icon | SKIPPED | 0.000 s |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create Custodian Limit

(F) to verify user can able to do transaction in petty cash module



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create Custodian Limit

(F) to verify user can able to do transaction in petty cash module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Custodian Limit

(F) to verify user can able to do transaction in petty cash module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Custodian Limit

(F) to verify user can able to do transaction in petty cash module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Custodian Limit

(F) to verify user can able to do
transaction in petty cash module