
Cucumber Report




FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	1 m 26.553 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify Credit Note is adjusted against the selected bill and	11	7	1	3	1 m 26.547 s
		Net Adjusted Value is correctly displayed					

DETAILED SECTION -- 4 --

(F)- AR/AP Module

FAILED	DURATION - 1 m 26.553 s	Scenarios		Steps	
		Total - 1		Total - 11	
/ 9:21:56.241 Al	M // 9:23:22.794 AM /	Pass - 0	1	Pass - 7	💆 11 📜
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

(S)- Verify Credit Note is adjusted against the selected bill and Net Adjusted Value is correctly displayed



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	51.146 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.890 s
	screenshot		
	*** CENTRO ***** CONTROL OF CONTR		
2	And user should navigate to accounts payable menu	PASSED	3.071 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.389 s
	screenshot		
	CASCATION VALUETTO Space - Auto-Source - Address St.		


AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And click on add button for invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
screenshot 4 And click on add button for invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And user update the data set ID for Invoice against Expense AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.844 s FASSED O.844 s PASSED O.438 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.438 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.390 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.390 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.390 s	3	When click on eye button of invoice booking	PASSED	1.623 s
A And click on add button for invoice booking AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenar		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.182 s
4 And click on add button for invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.394 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.630 s		screenshot		
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) passed assed AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) passed passed assed a				
screenshot Arter_step definitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Arter_step - step definitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.394 s AFTER_STEP - step definitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.630 s	4	And click on add button for invoice booking	PASSED	0.670 s
5 And user update the data set ID for Invoice against Expense AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And fill the mendatory field for invoice booking for expenseType invoice AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.394 s PASSED 1.630 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.566 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And fill the mendatory field for invoice booking for expenseType invoice AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And goto invoice bill booking temp view and select the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AND goto invoice bill booking temp view and select the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.394 s PASSED 1.630 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And fill the mendatory field for invoice booking for expenseType invoice AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And goto invoice bill booking temp view and select the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AND goto invoice bill booking temp view and select the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.394 s PASSED 1.630 s		SCATO SUBJECT TO SUBJ		
screenshot And fill the mendatory field for invoice booking for expenseType invoice AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And goto invoice bill booking temp view and select the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.394 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.630 s	5	And user update the data set ID for Invoice against Expense	PASSED	0.844 s
And fill the mendatory field for invoice booking for expenseType invoice AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And goto invoice bill booking temp view and select the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.394 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.630 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.438 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 And goto invoice bill booking temp view and select the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.394 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.630 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 And goto invoice bill booking temp view and select the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.394 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.630 s		SECURIO SPECIAL SPECI		
7 And goto invoice bill booking temp view and select the record PASSED 2.394 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.630 s	6	And fill the mendatory field for invoice booking for expenseType invoice	PASSED	6.634 s
7 And goto invoice bill booking temp view and select the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.630 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.390 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.630 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.630 s		**************************************		
	7	And goto invoice bill booking temp view and select the record	PASSED	2.394 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.630 s
		screenshot		

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"xpath", "selector":"/lion-itemi[1]/ion-radio") (Session info: chrome=109.0.5414.74) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element_Build info: version: "10.0"; java.version: "17.0.1" Driver info: org.openqa.selenium.chrome.ChromeDriver Command: (005810bccaad?4ac5906b2a9eef0d8a, findElement_Using=xpath_value=/lion-item[1]/ion-radio] Capabilities (acceptinsecureCertes: false, browserName: chrome, browserVersion: 10.0.5414.74, chrome: (chromedriverVersion: 108.0.5359.22 (ec46c90f5938, userDataDir: CxUsers\tinlotD-1\vppDataDir: CxUsers\tinlotD-1\vppDataDir: (chromedriverVersion: 108.0.5359.22 (ec46c90f5938, userDataDir: cxUsers\tinlotDiriotD-1\vppDataDir: (chromedriverVersion: 108.0.5359.22 (ec46c90f5938, userDataDir: cxUsers\tinlotDiriotDir	Status Duration		Step / Hook Details	#
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ["method":"xpath","selector":"/lion-item[1]/ion-radio"] (Session info: chrome=109.0.5414.74) For documentation on this error, please visit: https://selenium.dev/exceptions/ tho. such_element Build info: version: "40.07-io1; revision: "bc551cbda" System info: host: "DeSKTOP-PSK9731", jp: 10.200.4.153", os.name: Windows 10", os.arch: "amd64", os.version: "10.0", java-version: "17.0.1" Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [005810bccaad74ac5906bc2a9edd08a, findElement (using=xpath, value=//lion-item[1]/lion-radio] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.74, chrome: {chromedriverVersion: 108.0.5359.22} (ec46c90f5938, userDataDir: C.Users/NINDO-1\ApppEageLoadStrategy.normal, platform: WINDOWS, platformManabiled: fuse, pageLoadStrategy.normal, platform: WINDOWS, platformManabiled: fuse, pageLoadStrategy.normal, platform: WINDOWS, platformManabiled: fuse, pageLoadStrategy.normal, platform: WINDOWS, platformManoincredBloit strue, webauthn: extension.largeBloit: frue, webauthn: virtualAuthenticators: frue) Session ID: 005810bcccaad74ac5906b2a9eef0d8a at jidk.internal.reflect.GeneratedConstructorAccessor37.newInstance(Unknown Source) at java.base/java.lang.reflect.Constructor.exeinstance(Unknown Source) at java.base/java.lang.reflect.Constructor.exeinstance(Constructor.java.499) at java.base/java.lang.reflect.Constructor.exeinstance(Constructor.java.499) at java.base/java.lang.reflect.Constructor.exeinstance(Constructor.java.499) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decde(W3CHttpResponseCodec.java.133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java.133) at org.openqa.selenium.remote.exeivce.PriverCommandExecutor.invokeExecute(PriverCommandExecutor.java.139) at org.openqa.selenium.remote.BementLocator.findElement(ElementLocation.java.162) at org.openqa.selenium.remote.BementLocation.findElem			*** *** *** *** *** *** *** *** *** **	
radio"). (Session info: chrome=109.0.5414.74) For documentation on this error, please visit. https://selenium.dev/exceptions/ rno_such_element Build info: version: '4.0.0+c3.1', revision: bc5511.cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.153', os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome-ChromeDriver Command: [I005810bcccaad/74ac5906b2a9eel0d8a, findcElement (using=xpath, value=//ion-item[1]/ion-radio]] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 109.0, 5414.74, chrome: [chromedriverVersion: 108.59.32] (ecfec@10593a, userDataDir: C.UsersININIDC-11AppDataL), goog-chromeOptions: (debuggerAddress: localhosts.54226), javascripticabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformae WINDOWS, proxy. Proxy(), secdp: ws://localhosts.54226/devtoo, secdpVersion: 109.0.5414.74, setWindowRect: true, strictFileInterractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000], unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBiob: true, webauthn:extension:largeBlob: true, webauthn:virulaAlthemictaors: true] Session Ib: 0.05810bcccaad/74ac5906b2a9eef0d8a at jdk.internal.reflect.GeneratedConstructorAccessor37.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(ViffCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(ViffCaller(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.ceateException(W3CHttpResponseCodec.java:230) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(PriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.	FAILED 3.693 s	FAI	And fill the second tab for expencess details	3
* Not displayable characters are replaced by '?'.			org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method": "xpath"; "selector": "/lion-item[1]/ion-radio"} (Session info: chrome=109.0.5414.74) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: "4.0.0-c.1", revision: "bc5511cbda" System info: host: "DESKTOP-PSK9T3U", ip: "10.200.4.153", os.name Windows 10", os.arch: "amd64", os.version: "10.0", java.version: "17.0.1" Driver info: org.openqa.selenium.chrome ChromeDriver Command: (005810bcccaad74ac5906b2a9ee10d8a, findElement (using=xpath, value=//ion-item[1]/ion-radio]) Capabilities (acceptinsecureceris: false, browser/Mane: chrome, browser/Version: 109.0.5414.74, chrome: (chromedriver/version: 108.0.5359.22 (ec46e90f993a, userDataDir: C:\Users\In\In\DC-1\AppData\L	
	PASSED 0.349 s	DA		


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	*** CERTIFICATION OF THE PROPERTY OF THE PROPE		
9	Then click on the Notification icon	SKIPPED	0.000 s
10	Then store the Reference ID and open the invoice booking record	SKIPPED	0.000 s
11	Then click submit and enter remark for invoice booking	SKIPPED	0.000 s


EXPANDED SECTION -- 8 --



EXPANDED SECTION -- 9 --



EXPANDED SECTION --- 10 --



EXPANDED SECTION --- 11 --

