

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Checking the Supplementary Budget functionality	1	0	1	0	26.239 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Supplementary Budget	User should be able to raise supplementary request for	7	6	1	0	26.235 s
	functionality	Monthly budget					

DETAILED SECTION -- 4 --

## **(F)- Checking the Supplementary Budget functionality**

FAILED	DURATION - 26.239 s	Scenarios		Steps	
		Total - 1		Total - 7	
7:30:00.211	AM // 7:30:26.450 AM /	Pass - 0	1	Pass - 6	7
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

## (S)- User should be able to raise supplementary request for Monthly budget



#	Step / Hook Details	Status	Duration
1	Given maker navigate to the url	PASSED	8.516 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.238 s
	screenshot		
2	And user navigate to budget module	PASSED	0.289 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.114 s
	screenshot		


#	Step / Hook Details	Status	Duration
	Particular space includes and the space inclu		
3	And user click budget field tab	PASSED	0.090 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
	screenshot	7	
	Paison age varieties and the second of the s		
4	When maker click on supplementary budget eyebutton	PASSED	0.146 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.121 s
5	And click addbutton on budget supplementary	PASSED	0.083 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.275 s
	screenshot		
	# Oran Transport   Prince   Pr		
6	Then fill required data for record	PASSED	13.726 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.119 s
	screenshot		

<b>#</b>	Step / Hook Details	Status	Duration
	Particular type: Controller of the Controller of		
	And enter year	FAILED	0.293 s
	org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of null (reading 'shadowRoot') (Session info: chrome=96.0.4664.45) Build info: version: '10.0', java.version: '17.0.1' Driver info: host: 'INMUVADP016372', jp: '10.1.47.119', os. name: Windows 10', os. arch' 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: 'org.openqa.selenium.chrome.ChromeDriver Command: [d89c1da8c8d0cbd85233d651d76006eb, executeScript (script=return document.querySelector('ion/cloass-toast-message'P')', args=[]] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45 (Fed-c1bb2ab46, userPataDir: C*\Users\NiNINDC-1\AppDataL), goog.chromeOptions: (debuggerAddress: localhost:64505}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost-64505/devtoo, se:cdp/version: 96.0.4664.45, setWindowRect: true, strictFileinteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d89c1da8c8d0cbd85233d651d76006eb at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at java.base/java.lang.reflect.Constructor.newInstanceWithCall		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
ı	screenshot	1	


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration


EXPANDED SECTION -- 8 --



EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --

