

# Cucumber Report

9 Jan 2023, 9:02:26 PM

**Start : Jan 09, 9:01:26.486 PM**

**End : Jan 09, 9:02:24.456 PM**

**Duration : 57.970 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 3**

**FAILED - 1**

**SKIPPED - 5**







#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	57.970 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify status for the receipt is auto changed to Deposit	9	3	1	5	57.966 s



**(F)- AR/AP Module**


<b>FAILED</b>	<b>DURATION - 57.970 s</b>	Scenarios		Steps	
/ 9:01:26.486 PM // 9:02:24.456 PM /		Total - 1		Total - 9	
		Pass - 0		Pass - 3	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	


**(S)- Verify status for the receipt is auto changed to Deposit**



<div>FAILED</div> <div>DURATION - 57.966 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
<div>/ 9:01:26.490 PM // 9:02:24.456 PM /</div>				
<div>AR/AP Module</div>				
<div>@AR/AP</div> <div>@KUBS_AR_AP_UAT_010_002_TC_02_01</div>				



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	48.266 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.876 s
	screenshot		
			
2	Then select data set ID for verify status of the receipt is auto changed to deposit	PASSED	0.275 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.324 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And goto accouts Receivable module	PASSED	2.411 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.238 s
	screenshot		
			
4	And goto accouts receipt module	FAILED	1.017 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.JavascriptExecutor.executeScript(String, Object[])" because "exe" is null at helper.JavascriptHelper.executeScript(JavascriptHelper.java:27) at helper.JavascriptHelper.scrollToView(JavascriptHelper.java:49) at stepdefinitions.ARAP_ClearingReceiptViaChequeMode.goto_accouts_receipt_module(ARAP_ClearingReceiptViaChequeMode.java:108) at ?.goto accouts receipt module(file:///C:/Users/ININDC00091/git/AzentioAutomationFramework/DeveshFW_Excel/ARAP_AzentioAutomationFramework_Excel/src/test/java/features/ArAp_2_Excel.feature:1054) * Not displayable characters are replaced by '?'. AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.214 s
	screenshot		
			
5	And click on Add Icon	SKIPPED	0.001 s
6	And fill the all receipt mendatory details	SKIPPED	0.000 s
7	And save the receipt record	SKIPPED	0.001 s
8	Then Click on Update Deposited Cheque Notification	SKIPPED	0.000 s
9	And Select and Submit the Update Deposited Cheque record	SKIPPED	0.000 s

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Verify status for the receipt is auto changed to Deposit</u></p>	
<p><u>(F) AR/AP Module</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Verify status for the receipt is auto changed to Deposit</u></p>	
<p><u>(F) AR/AP Module</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>		
<p><u>(S) Verify status for the receipt is auto changed to Deposit</u></p>		
<p><u>(F) AR/AP Module</u></p>		

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>		
<p><u>(S) Verify status for the receipt is auto changed to Deposit</u></p>		
<p><u>(F) AR/AP Module</u></p>		