
Duration: 16.287 s Start: Jan 07, 11:43:27.521 AM End: Jan 07, 11:43:43.808 AM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 5 SKIPPED - 0 SKIPPED - 0 SKIPPED - 11 17 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 29 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	1	0	1	0	16.287 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel	To verify maker can able to multiple budget code in auto auth	17	5	1	11	16.277 s
	<u>feature</u>						

DETAILED SECTION -- 4 --

(F)- To check BudgetDefinition moduel feature

FAILED	DURATION - 16.287 s	Scenarios		Steps	
		Total - 1		Total - 17	
/ 11:43:27.521 A	M // 11:43:43.808 AM /	Pass - 0	1	Pass - 5	17
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 11	

(S)- To verify maker can able to multiple budget code in auto auth



#	Step / Hook Details	Status	Duration
1	Given navigate to URL and login as a maker and choose finance option	PASSED	9.801 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.393 s
	screenshot		
	Priority gardenses (2000 to 2000 to 20		
2	Then click on budget configuration Menu	PASSED	0.356 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
	screenshot		


#	Step / Hook Details	Status	Duration
	The Output Control of the Control of		
3	And click on budget definition sub menu and click on eye icon	PASSED	0.158 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.458 s
	screenshot		
	### Operations Property Prope		
4	And click on add icon	PASSED	0.155 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.229 s
	Screenshot **********************************		
5	Then create first budget code	PASSED	0.681 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **Ten_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)* **Ten_Step - step - ste	PASSED	0.181 s
6	Then select the record from notification	FAILED	0.321 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//app-inbox//datatable-row-wrapper[1]/datatable-body-row/div/datatable-body-cell[1]//ion-button"} (Session info: chrome=96.0.4664.45) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014584', ip: '10.1.47.109', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [90dad5b029ed42585a97c51525d468f7, findElement {using=xpath, value=//app-inbox/		


#	Step / Hook Details	Status	Duration
	/datatable-row-wrapper[1]/datatable-body-row/div/datatable-body-cell[1]/fion-button] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromectriverVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {mplicit: 0, pageLoad: 300000, scrip: 30000), unhandledPromptBehavior: dismiss and notify, webauthextension:redBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 90dad5b029ed42585a97c51525d468f7 at java-base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(NativeConstructorAccessorImpl.java:77) at java-base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java-base/java-lang.reflect.Constructor.newInstanceWithCaller(Constructor.java-499) at java-base/java-lang.reflect.Constructor.newInstanceWithCaller(Constructor.java-499) at org.openqa.selenium.remote.codec.w3c.w3CHttpResponseCodec.decode(w3CHttpResponseCodec.java-133) at org.openqa.selenium.remote.codec.w3c.w3CHttpResponseCodec.decode(w3CHttpResponseCodec.java-133) at org.openqa.selenium.remote.codec.w3c.w3CHttpResponseCodec.decode(w3CHttpResponseCodec.java-139) at org.openqa.selenium.remote.service.DriverCommandExecutor.ivokeExecute(DriverCommandExecutor.java-164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(ProverCommandExecutor.java-139) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(ProverCommandExecutor.java-162) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(ProverCommandExecutor.java-162) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(ProverCommandExecutor.java-162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementCoation.java-162) at org.openqa.selenium.remote.ElementLocation.		
	* Not displayable characters are replaced by '?'. AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.261 s
	screenshot	1.7.0025	3.202.0
	# Participation Participatio		
7	And approve approve the record	SKIPPED	0.001 s
8	And click on budget definition sub menu and click on eye icon	SKIPPED	0.000 s
9	And click on add icon	SKIPPED	0.000 s

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
10	Then create second budget code	SKIPPED	0.001 s
11	Then select the record from notification	SKIPPED	0.000 s
12	And approve approve the record	SKIPPED	0.001 s
13	And click on budget definition sub menu and click on eye icon	SKIPPED	0.000 s
14	And click on add icon	SKIPPED	0.000 s
15	Then create Third budget code	SKIPPED	0.000 s
16	Then select the record from notification	SKIPPED	0.000 s
17	And approve approve the record	SKIPPED	0.000 s

EXPANDED SECTION -- 8 --





EXPANDED SECTION -- 10 --

